

**Table 1: All Data for Fine Woody Debris, before**

Unit	plot	0-1/4	.25-1	1.0-3.0
Pitcha North	1	93	7	0
Pitcha North	2	125	13	1
Pitcha North	3	78	8	1
Pitcha North	4	40	6	0
Pitcha North	5	69	6	0
Pitcha North	6	27	18	1
Pitcha North	7	98	1	0
Pitcha North	8	72	5	0
Pitcha North	9	5	12	1
Pitcha North	10	80	3	4
38-69	1	53	12	3
38-69	2	66	11	3
38-69	3	85	14	3
38-69	4	90	6	0
38-69	5	121	8	4
38-69	6	69	3	2
38-69	7	99	20	4
38-69	8	180	15	1
38-69	9	113	9	4
38-69	10	93	15	1
37-5W	1	11	3	0
37-5W	2	8	0	3
37-5W	3	7	2	0
37-5W	4	9	5	2
37-5W	5	51	8	5
37-5W	6	15	4	2
37-5W	7	20	1	2
37-5W	8	18	10	5
37-5W	9	22	7	4
37-5W	10	46	15	0
37-1	1	135	15	1
37-1	2	46	4	2
37-1	3	73	13	2
37-1	4	83	9	5
37-1	5	78	7	5
37-1	6	87	21	3
37-1	7	130	28	2
37-1	8	110	10	2
37-1	9	171	35	2
37-1	10	141	22	8
13-1W	1	63	5	2
13-1W	2	57	11	3
13-1W	3	82	9	1
13-1W	4	239	21	6
13-1W	5	72	2	2
13-1W	6	222	1	3
13-1W	7	136	21	3
13-1W	8	105	15	1

**Table 1: All Data for Fine Woody Debris, before**

Unit	plot	0-1/4	.25-1	1.0-3.0
13-1W	9	66	15	1
13-1W	10	99	6	6
13-1E	1	47	19	1
13-1E	2	76	4	2
13-1E	3	110	25	2
13-1E	4	144	10	2
13-1E	5	114	6	0
13-1E	6	78	13	2
13-1E	7	335	9	1
13-1E	8	239	37	5
13-1E	9	160	19	1
13-1E	10	122	5	2
13-10	1	102	12	0
13-10	2	91	6	2
13-10	3	316	18	1
13-10	4	276	12	11
13-10	5	97	16	1
13-10	6	139	11	2
13-10	7	104	12	2
13-10	8	180	33	9
13-10	9	141	38	2
13-10	10	82	9	2
13-10	11	151	25	1
Pitcha South	1	119	18	2
Pitcha South	2	46	19	1
Pitcha South	3	33	7	1
Pitcha South	4	44	1	0
Pitcha South	5	53	6	4
Pitcha South	6	29	7	2
Pitcha South	7	132	6	4
Pitcha South	8	85	24	1
Pitcha South	9	68	4	1
Pitcha South	10	19	6	0
Pitcha C	1	15	11	3
Pitcha C	2	10	3	3
Pitcha C	3	8	0	0
Pitcha C	4	29	3	1
Pitcha C	5	11	3	2
Pitcha C	6	55	14	3
Pitcha C	7	10	3	3
Pitcha C	8	42	4	3
Pitcha C	9	47	3	0
Pitcha C	10	79	20	3
Old root	1	45	12	17
Old root	2	89	28	12
Old root	3	76	28	12
Old root	4	56	3	6
Old root	5	28	8	1

**Table 1: All Data for Fine Woody Debris, before**

Unit	plot	0-1/4	.25-1	1.0-3.0
Old root	6	25	1	0
Old root	7	37	10	7
Old root	8	12	5	3
Old root	9	216	27	16
Old root	10	53	24	15
Old root	11	16	12	2
Old root	12	25	13	0
Old root	13	138	42	6
Old root	14	38	15	7
Old root	15	25	11	1
Old root	16	54	15	4
Old root	17	26	5	1
Old root	18	32	8	0
Old root	19	48	20	5

Table 2: All Material Less Than Five Inches, Pre-Harvest

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
38-69		1N	A	2.2	0.1		0.1		0.0033
38-69		2N	A	3.6	0.5		0.1		0.0033
38-69		2N	A	3.1	0.6		0.1		0.0033
38-69		2S	A	2.0	0.5		0.1		0.0033
PS		3N	A	1.4	0.5		0.1		0.0033
13-1W		1S	A	2.0	0.2		0.2	9	0.0033
37-5w		3N	A	3.2	2.2		0.2		0.0050
37-5w		4S	A	2.5	0.2		0.2		0.0050
37-5w		7S	A	3.0	0.2		0.2		0.0050
38-69		2S	A	2.7	1.5		0.2		0.0033
PN		8N	A	2.0	0.4		0.2		0.0033
PN		8N	A	2.5	1.1		0.2		0.0033
PN		8S	A	2.8	1.5		0.2		0.0033
PN		8S	A	2.0	1.3		0.2	2	0.0033
PN		8N	A	5.3	3.2	0.1	0.3		0.0033
37-5w		4N	A	6.9	3.5	0.2	0.3		0.0050
13-1W		1S	A	3.5	0.7		0.3	10	0.0033
37-5w		4N	A	3.0	0.1		0.3		0.0050
37-5w		4S	A	2.3	1.5		0.3		0.0050
37-5w		4S	A	4.2	0.2		0.3		0.0050
38-69		1N	A	3.0	1.0		0.3		0.0033
PN		8N	A	3.6	2.3		0.3		0.0033
PN		8N	A	3.0	0.9		0.3	6	0.0033
PN		8S	A	3.8	2.0		0.3	5	0.0033
PN		8S	A	3.0	2.3		0.3		0.0033
37-5w		9S	A	5.3	2.0	0.1	0.4		0.0050
37-5w		9S	A	5.9	1.5	0.1	0.4	3	0.0050
38-69		1N	A	5.2	1.9	0.1	0.4		0.0033
38-69		2S	A	5.1	1.0	0.1	0.4		0.0033
13-1W		1S	A	5.0	1.7	0.2	0.4	11	0.0033
37-5w		6N	A	5.5		0.2	0.4	3	0.0050
37-5w		9S	A	5.1	1.5	0.2	0.4		0.0050
38-69		1N	A	5.0	2.0	0.2	0.4		0.0033
PN		8N	A	7.0	5.6	0.2	0.4		0.0033
PN		8N	A	6.3	4.0	0.2	0.4		0.0033
37-5w		9N	A	5.9	1.5	0.3	0.4		0.0050
37-5w		9S	A	6.5	3.5	0.3	0.4		0.0050
37-5w		9S	A	6.5	3.5	0.3	0.4		0.0050
PN		8N	A	7.0	4.3	0.3	0.4		0.0033
37-1		2S	A	3.5	0.4		0.4	2	0.0033
37-5w		2N	A	4.0	2.0		0.4		0.0050
37-5w		5N	A	4.2	0.2		0.4		0.0050
37-5w		8N	A	4.0	2.2		0.4		0.0050
37-5w		8N	A	3.9	1.2		0.4		0.0050
37-5w		9N	A	4.0	1.9		0.4		0.0050
37-5w		9S	A	4.1	2.2		0.4		0.0050
37-5w		9S	A	5.6	2.0		0.4		0.0050
PN		8S	A	4.0	2.5		0.4	2	0.0033
13-1W		1S	A	6.0	2.7	0.2	0.5	5	0.0033
37-5w		8N	A	6.8	2.9	0.3	0.5		0.0050
PC		8N	A	7.0	3.0	0.3	0.5	6	0.0033
37-5w		9N	A	6.0	3.2	0.4	0.5		0.0050
37-5w		9S	A	6.7	2.0	0.4	0.5		0.0050
37-5w		3N	A	4.0	1.5		0.5		0.0050
37-5w		7S	A	4.2	1.5		0.5		0.0050
37-5w		7S	A	4.5	2.0		0.5		0.0050
37-5w		9N	A	4.0	4.0		0.5		0.0050
37-5w		9S	A	4.0	3.5		0.5		0.0050
37-5w		5N	A	5.2	1.0	0.1	0.6		0.0050
37-5w		8S	A	5.5	2.9	0.1	0.6		0.0050
38-69		1N	A	6.0	2.9	0.1	0.6		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
37-5w		4N	A	6.1	1.5	0.2	0.6		0.0050
37-5w		5S	A	5.1	1.5	0.2	0.6		0.0050
37-5w		8N	A	6.0	2.9	0.2	0.6		0.0050
37-5w		9N	A	6.5	2.7	0.3	0.6		0.0050
37-5w		9N	A	6.0	2.1	0.3	0.6		0.0050
38-69		1N	A	6.5	2.7	0.3	0.6		0.0033
38-69		2S	A	6.5	2.0	0.3	0.6		0.0033
37-5w		5S	A	4.0	0.5		0.6		0.0050
37-5w		5S	A	4.5	2.1		0.6		0.0050
37-5w		5S	A	4.5	2.1		0.6		0.0050
37-5w		2N	A	6.1	3.4	0.2	0.7		0.0050
37-5w		2N	A	7.0	2.0	0.2	0.7		0.0050
37-5w		3N	A	6.2	2.0	0.2	0.7		0.0050
37-5w		4N	A	6.9	1.5	0.2	0.7		0.0050
37-5w		5N	A	5.8	2.0	0.2	0.7		0.0050
37-5w		7S	A	4.7	2.0	0.2	0.7		0.0050
37-5w		7S	A	5.2	2.0	0.2	0.7		0.0050
37-5w		7S	A	6.0	2.0	0.3	0.7		0.0050
37-5w		9N	A	6.5	2.5	0.4	0.7		0.0050
38-69		1N	A	7.9	3.0	0.4	0.7		0.0033
37-5w		7S	A	4.8	4.0	0.1	0.8		0.0050
37-5w		4N	A	6.8	1.0	0.2	0.8		0.0050
37-5w		9N	A	4.9	3.6	0.2	0.8		0.0050
37-5w		7S	A	7.5	3.5	0.3	0.8		0.0050
37-5w		4N	A	7.5	1.5	0.4	0.8		0.0050
37-5w		4S	A	11.0	4.0	0.4	0.8		0.0050
37-5w		8N	A	8.1	3.0	0.4	0.8		0.0050
PN		8N	A	9.0	6.5	0.4	0.8		0.0033
37-5w		4S	A	12.3	3.0	0.6	0.8		0.0050
PC		8N	A	12.0	2.0	0.6	0.8		0.0033
37-5w		4S	A	5.4	2.1	0.2	0.9		0.0050
37-5w		4S	A	7.0	3.5	0.2	0.9		0.0050
37-5w		4S	A	7.5	4.0	0.2	0.9		0.0050
37-5w		5S	A	6.0	2.1	0.2	0.9		0.0050
37-5w		2N	A	7.0	4.0	0.3	0.9		0.0050
37-5w		3N	A	7.0	1.5	0.3	0.9		0.0050
37-5w		2N	A	6.4	0.8	0.4	0.9		0.0050
37-5w		3N	A	9.0	4.2	0.4	0.9		0.0050
37-5w		4N	A	6.9	3.0	0.4	0.9		0.0050
37-5w		9N	A	8.8	2.5	0.4	0.9		0.0050
38-69		1N	A	9.3	3.8	0.4	0.9		0.0033
38-69		2S	A	8.0	3.5	0.4	0.9		0.0033
37-5w		4N	A	8.7	4.0	0.5	0.9		0.0050
37-5w		5N	A	8.1	2.2	0.5	0.9		0.0050
38-69		2N	A	9.6	4.8	0.6	0.9		0.0033
38-69		2S	A	9.5	3.5	0.6	0.9		0.0033
37-5w		4N	A	8.5	2.5	0.7	0.9		0.0050
37-5w		5N	A	6.5	2.1	0.4	1.0		0.0050
37-5w		3N	A	10.0	3.2	0.7	1.0		0.0050
37-5w		2N	A	4.0	2.0		1.0		0.0050
37-5w		2N	A	4.0	2.0		1.0		0.0050
37-5w		3N	A	6.0	3.5	0.3	1.1		0.0050
37-5w		4N	A	7.9	1.0	0.5	1.1		0.0050
37-5w		5S	A	9.5	2.1	0.6	1.1		0.0050
37-5w		6N	A	9.1	4.9	0.6	1.1		0.0050
37-5w		7S	A	8.5	4.5	0.6	1.1		0.0050
37-5w		7S	A	9.0	2.5	0.6	1.1		0.0050
37-5w		6N	A	12.0	2.0	0.7	1.1		0.0050
37-5w		2N	A	11.5	4.5	0.8	1.1		0.0050
37-5w		7S	A	14.0	4.0	0.8	1.1		0.0050
38-69		1N	A	11.0	4.5	0.8	1.1		0.0033
37-5w		9N	A	13.0	3.0	0.9	1.1		0.0050
37-5w		2N	A	12.4	4.5	0.4	1.2		0.0050

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
37-5w		6N	A	12.0	3.5	0.6	1.2		0.0050
PC		4N	A	18.0	8.0	0.6	1.2		0.0033
37-5w		4N	A	10.0	5.0	0.7	1.2		0.0050
37-5w		8N	A	10.0	3.5	0.7	1.2		0.0050
37-5w		4N	A	10.5	4.0	0.9	1.2		0.0050
37-5w		4N	A	10.5	4.0	0.9	1.2		0.0050
37-5w		4N	A	10.5	4.0	0.9	1.2		0.0050
37-5w		7S	A	12.0	5.0	0.9	1.2		0.0050
37-5w		4N	A	12.0	2.5	0.8	1.3		0.0050
13-1W		1S	A	15.0	2.0	1.0	1.3	2	0.0033
37-5w		4N	A	9.5	3.5	0.6	1.4		0.0050
37-1		2S	A	12.0	6.5	0.9	1.6		0.0033
PS		1N	ALD	1.5	0.3		0.2	5	0.0033
PS		1N	ALD	3.4	1.0		0.3	2	0.0033
PS		1N	ALD	4.0	1.7		0.3	2	0.0033
3-10		5N	Alder	4.0	1.9		0.3		0.0033
3-10		5N	Alder	7.0	3.0	0.4	0.6	2	0.0033
3-10		5N	Alder	9.0	3.8	0.5	0.9	2	0.0033
13-1W		9N	ALNUS*	8.5	5.0	0.7	1.0	2	0.0033
37-5w		1N	B	5.2	0.9	0.1	0.4		0.0050
37-1		1S	B	1.6	1.5		0.4	11	0.0033
37-1		1S	B	3.0	2.3		0.5	6	0.0033
37-1		1S	B	5.0	3.0	0.1	0.6	5	0.0033
37-5w		2N	BA	5.2	0.4	0.3	0.6		0.0050
3-10		1S	BB	1.0	0.4		0.1	~100	0.0033
3-10		2S	BB	1.0	0.3		0.1	23	0.0033
3-10		3N	BB	1.0	0.2		0.1	80	0.0033
3-10		3S	BB	1.2	0.3		0.1	14	0.0033
3-10		4N	BB	1.0	0.5		0.1	14	0.0033
3-10		4S	BB	1.0	0.2		0.1	27	0.0033
3-10		5N	BB	1.0	0.3		0.1	11	0.0033
3-10		5S	BB	1.0	0.3		0.1	39	0.0033
3-10		7N	BB	1.0	0.3		0.1	23	0.0033
3-10		7S	BB	1.0	0.3		0.1	~30	0.0033
3-10		8S	BB	1.0	0.3		0.1	20	0.0033
3-10		10N	BB	1.0	0.5		0.1		0.0033
13-1W		2N	BB	1.0	0.3		0.1	15	0.0033
13-1W		3N	BB	1.0	0.3		0.1	6	0.0033
13-1W		3S	BB	1.0	0.3		0.1	13	0.0033
13-1W		5N	BB	1.0	0.3		0.1	14	0.0033
13-1W		6N	BB	1.0	0.3		0.1	7	0.0033
13-1W		8S	BB	1.0	0.4		0.1	14	0.0033
13-1W		9N	BB	1.0	0.3		0.1	7	0.0033
PN		2S	BB	1.0	0.6		0.1	3	0.0033
PN		4N	BB	1.0	0.6		0.1	3	0.0033
PN		5N	BB	1.0	0.6		0.1	2	0.0033
PN		5N	BB	1.6	0.9		0.1		0.0033
PN		6S	BB	1.0	1.0		0.1		0.0033
PN		8N	BB	1.0	0.5		0.1	2	0.0033
PN		8S	BB	1.0	0.4		0.1	3	0.0033
PN		9N	BB	1.0	0.4		0.1	5	0.0033
PN		9S	BB	1.5	0.5		0.1	5	0.0033
PN		10N	BB	1.0	0.4		0.1	5	0.0033
PS		6N	BB	1.0	0.4		0.1	15	0.0033
13-1 E		1N	BB	1.5	0.5		0.2	20	0.0033
13-1W		5S	BB	1.0	0.3		0.2	5	0.0033
PN		9S	BB	1.8	0.5		0.2	2	0.0033
37-1		7S	BC	1.1	0.4	0.1	0.1	3	0.0033
3-10		2N	BC	1.6	1.1		0.1		0.0033
13-1 E		10S	BC	1.5	0.5		0.1		0.0033
13-1W		4S	BC	1.5	0.5		0.1		0.0033
37-5w		2N	BC	3.4	0.3		0.1		0.0050
PN		1N	BC	2.0	1.1		0.1		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PN		1 N	BC	1.5	0.5		0.1		0.0033
PN		1 N	BC	1.0	0.6		0.1		0.0033
PN		4 S	BC	1.2	0.4		0.1		0.0033
PN		7 N	BC	1.0	1.0		0.1		0.0033
PS		4 N	BC	1.5	0.3		0.1		0.0033
PS		4 N	BC	1.5	0.9		0.1		0.0033
PS		7 S	BC	1.2	0.7		0.1	5	0.0033
PS		7 S	BC	1.3	0.3		0.1		0.0033
13-1 E		9 N	BC	2.1	0.4		0.2		0.0033
37-1		2 S	BC	2.0	0.6		0.2		0.0033
37-1		2 S	BC	1.0	0.6		0.2	7	0.0033
PN		1 N	BC	1.8	1.3		0.2		0.0033
PN		1 N	BC	1.6	1.6		0.2		0.0033
PN		1 N	BC	2.0	1.0		0.2		0.0033
PN		4 S	BC	2.3	1.6		0.2		0.0033
PN		5 N	BC	2.0	1.0		0.2	2	0.0033
PN		6 N	BC	2.0	0.5		0.2	2	0.0033
PN		6 N	BC	1.6	0.3		0.2		0.0033
PN		6 S	BC	2.0	1.1		0.2		0.0033
PN		6 S	BC	2.7	1.4		0.2		0.0033
PN		7 N	BC	1.6	1.3		0.2		0.0033
PN		9 S	BC	1.7	0.7		0.2	2	0.0033
PS		1 N	BC	2.0	0.6		0.2	9	0.0033
PS		1 N	BC	3.3	1.7		0.2		0.0033
PS		7 N	BC	1.6	0.3		0.2		0.0033
PS		7 N	BC	2.8	0.9		0.2		0.0033
PS		7 S	BC	2.4	0.7		0.2		0.0033
PN		6 S	BC	5.0	1.5	0.1	0.3	2	0.0033
PN		6 S	BC	4.5	1.6	0.1	0.3		0.0033
PS		1 N	BC	5.0	2.6	0.1	0.3		0.0033
13-1 E		8 S	BC	4.0	0.6		0.3	4	0.0033
13-1W		7 S	BC	2.2	1.1		0.3		0.0033
38-69		7 S	BC	2.5	1.5		0.3	2	0.0033
38-69		8 N	BC	3.3	2.3		0.3		0.0033
PN		1 N	BC	3.0	1.6		0.3		0.0033
PN		5 N	BC	3.4	1.4		0.3		0.0033
PN		6 N	BC	3.7	1.2		0.3		0.0033
PS		9 S	BC	4.0	2.3		0.3		0.0033
37-1		7 S	BC	4.7	1.5	0.1	0.4		0.0033
PN		6 S	BC	5.4	1.7	0.1	0.4		0.0033
13-1W		4 S	BC	5.0	2.0	0.2	0.4		0.0033
37-1		1 S	BC	5.5	1.0	0.2	0.4	3	0.0033
PN		6 N	BC	5.5	1.2	0.3	0.4		0.0033
PN		7 S	BC	7.4	2.7	0.3	0.4		0.0033
PS		7 N	BC	6.8	2.6	0.3	0.4		0.0033
37-5w		4 N	BC	8.1	2.0	0.4	0.9		0.0050
3-10		1 N	BF	1.0	0.7		0.1	5	0.0033
13-1W		5 S	BF	1.0	0.6		0.1		0.0033
37-1		4 N	BF	1.0	0.5		0.1		0.0033
38-69		3 S	BF	1.0	0.8		0.1		0.0033
PN		4 S	BF	1.0	0.7		0.1		0.0033
PS		5 N	BF	1.0	0.6		0.1	2	0.0033
PS		9 S	BF	1.2	1.1	0.2	0.2		0.0033
3-10		2 S	BF	1.0	1.1		0.2	2	0.0033
3-10		8 N	BF	1.6	1.5		0.2	4	0.0033
3-10		8 N	BF	1.0	1.0		0.2	4	0.0033
3-10		9 S	BF	1.0	1.0		0.2	3	0.0033
3-10		11 N	BF	1.3	1.0		0.2		0.0033
13-1 E		2 N	BF	1.0	1.1		0.2	3	0.0033
13-1 E		2 S	BF	1.0	1.0		0.2	3	0.0033
13-1 E		5 S	BF	1.0	1.0		0.2	4	0.0033
13-1 E		6 S	BF	1.0	1.0		0.2		0.0033
13-1 E		7 N	BF	1.0	0.7		0.2	3	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
13-1 E	10	N	BF	1.0	1.0		0.2	4	0.0033
13-1 E	10	S	BF	1.0	1.0		0.2	5	0.0033
13-1W	3	N	BF	1.0	0.8		0.2		0.0033
13-1W	3	S	BF	1.0	0.7		0.2	8	0.0033
13-1W	4	N	BF	1.0	0.6		0.2	2	0.0033
13-1W	4	S	BF	1.0	0.7		0.2	3	0.0033
13-1W	6	N	BF	1.0	0.7		0.2	5	0.0033
13-1W	6	S	BF	1.0	1.1		0.2	2	0.0033
13-1W	7	N	BF	1.0	0.7		0.2		0.0033
13-1W	7	S	BF	1.0	0.8		0.2		0.0033
13-1W	10	S	BF	1.0	0.7		0.2	3	0.0033
37-1	2	N	BF	1.0	0.9		0.2	2	0.0033
37-1	3	N	BF	1.0	0.8		0.2		0.0033
37-1	4	S	BF	1.0	0.9		0.2	2	0.0033
37-1	5	N	BF	1.0	1.0		0.2		0.0033
37-1	6	N	BF	1.5	1.0		0.2	2	0.0033
37-1	7	N	BF	1.2	1.2		0.2	3	0.0033
37-1	7	S	BF	1.2	1.1		0.2	2	0.0033
38-69	3	S	BF	1.4	1.2		0.2		0.0033
38-69	6	S	BF	1.0	1.3		0.2		0.0033
38-69	7	N	BF	1.9	1.4		0.2		0.0033
38-69	8	S	BF	2.2	1.5		0.2		0.0033
38-69	8	S	BF	1.5	1.0		0.2		0.0033
38-69	9	N	BF	4.3	2.3		0.2		0.0033
38-69	10	N	BF	1.3	1.6		0.2		0.0033
PC	2	S	BF	3.0	1.0		0.2	6	0.0033
PC	8	N	BF	2.0	2.0		0.2	3	0.0033
PC	10	N	BF	2.0	3.0		0.2		0.0033
PN	2	N	BF	1.0	0.9		0.2	12	0.0033
PN	2	S	BF	1.0	1.0		0.2	13	0.0033
PN	3	S	BF	1.0	1.0		0.2		0.0033
PN	4	N	BF	1.0	1.3		0.2		0.0033
PN	5	N	BF	1.6	1.6		0.2		0.0033
PN	5	N	BF	1.0	1.0		0.2	2	0.0033
PN	5	S	BF	1.0	0.5		0.2		0.0033
PN	6	N	BF	1.0	1.0		0.2		0.0033
PN	6	S	BF	2.0	2.0		0.2		0.0033
PN	8	N	BF	1.0	1.3		0.2	2	0.0033
PN	8	S	BF	1.0	0.9		0.2		0.0033
PN	9	N	BF	1.0	0.9		0.2	4	0.0033
PN	9	N	BF	1.4	1.6		0.2	2	0.0033
PN	9	N	BF	1.3	1.2		0.2		0.0033
PN	9	S	BF	1.0	0.8		0.2	4	0.0033
PN	10	N	BF	1.0	0.9		0.2		0.0033
PN	10	N	BF	2.0	1.8		0.2		0.0033
PN	10	N	BF	1.5	1.0		0.2		0.0033
PN	10	S	BF	1.4	1.5		0.2		0.0033
PN	10	S	BF	1.0	0.7		0.2	3	0.0033
PN	10	S	BF	1.5	1.5		0.2		0.0033
PS	1	N	BF	1.3	0.4		0.2		0.0033
PS	2	N	BF	1.0	1.5		0.2	4	0.0033
PS	2	N	BF	1.4	1.2		0.2	5	0.0033
PS	2	S	BF	1.0	0.8		0.2		0.0033
PS	3	N	BF	1.0	1.0		0.2	11	0.0033
PS	3	S	BF	1.6	1.4		0.2		0.0033
PS	4	N	BF	1.0	0.9		0.2	7	0.0033
PS	4	N	BF	1.6	1.7		0.2	2	0.0033
PS	4	S	BF	1.0	0.9		0.2	7	0.0033
PS	5	N	BF	1.6	1.0		0.2		0.0033
PS	5	S	BF	1.0	1.3		0.2	2	0.0033
PS	6	N	BF	1.0	1.0		0.2	4	0.0033
PS	6	S	BF	1.0	1.0		0.2	24	0.0033
PS	7	N	BF	1.0	0.9		0.2		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PC		1 N	BF	5.0		0.1	0.3		0.0033
PC		1 N	BF	5.0		0.2	0.3		0.0033
3-10		1 S	BF	2.0	2.5		0.3	5	0.0033
3-10		2 S	BF	1.5	1.7		0.3	2	0.0033
3-10		2 S	BF	2.0	1.5		0.3	2	0.0033
3-10		3 S	BF	1.7	1.7		0.3	3	0.0033
3-10		4 S	BF	1.7	2.3		0.3		0.0033
3-10		5 N	BF	1.5	1.4		0.3	2	0.0033
3-10		6 N	BF	1.7	1.1		0.3		0.0033
3-10		8 N	BF	1.5	1.5		0.3		0.0033
3-10		8 S	BF	2.3	1.7		0.3		0.0033
3-10		10 N	BF	1.5	2.4		0.3		0.0033
3-10		11 S	BF	1.0	0.5		0.3		0.0033
13-1 E		1 S	BF	2.0	2.5		0.3		0.0033
13-1 E		2 S	BF	1.7	2.0		0.3		0.0033
13-1 E		5 S	BF	2.0	1.9		0.3	2	0.0033
13-1 E		6 N	BF	1.5	1.0		0.3		0.0033
13-1 E		8 N	BF	2.0	1.6		0.3	2	0.0033
13-1W		1 N	BF	1.0	1.3		0.3	6	0.0033
13-1W		2 N	BF	1.0	1.0		0.3	2	0.0033
13-1W		2 N	BF	1.6	1.7		0.3	3	0.0033
13-1W		2 S	BF	1.3	1.0		0.3		0.0033
13-1W		3 S	BF	2.0	1.5		0.3	6	0.0033
13-1W		4 N	BF	2.0	1.5		0.3	6	0.0033
13-1W		4 S	BF	1.4	1.4		0.3		0.0033
13-1W		6 N	BF	2.0	1.4		0.3	2	0.0033
13-1W		7 N	BF	2.0	1.3		0.3	2	0.0033
13-1W		7 S	BF	1.5	1.3		0.3		0.0033
13-1W		8 N	BF	2.0	1.5		0.3	3	0.0033
13-1W		9 S	BF	2.0	1.7		0.3		0.0033
13-1W		9 S	BF	1.7	1.0		0.3	2	0.0033
37-1		3 N	BF	2.0	1.0		0.3	2	0.0033
37-1		3 N	BF	1.5	1.5		0.3		0.0033
37-1		8 N	BF	1.5	1.0		0.3	6	0.0033
37-1		10 N	BF	2.0	1.5		0.3		0.0033
37-5w		6 S	BF	2.3	1.5		0.3		0.0050
37-5w		10 N	BF	1.8	1.9		0.3		0.0050
38-69		6 N	BF	2.5	2.0		0.3	6	0.0033
38-69		9 N	BF	1.5	1.5		0.3		0.0033
PC		2 N	BF	4.0			0.3	4	0.0033
PC		3 N	BF	4.0	3.0		0.3	3	0.0033
PC		3 S	BF	4.0	3.0		0.3	3	0.0033
PC		7 N	BF	2.0	2.0		0.3	5	0.0033
PC		10 S	BF	3.0	2.0		0.3		0.0033
PN		1 N	BF	2.5	1.6		0.3	2	0.0033
PN		1 N	BF	2.0	1.6		0.3	2	0.0033
PN		1 N	BF	2.0	2.2		0.3	4	0.0033
PN		1 S	BF	1.6	1.1		0.3		0.0033
PN		1 S	BF	2.2	1.1		0.3		0.0033
PN		1 S	BF	3.1	1.7		0.3		0.0033
PN		1 S	BF	2.5	1.4		0.3		0.0033
PN		1 S	BF	3.3	2.1		0.3		0.0033
PN		1 S	BF	2.0	1.8		0.3		0.0033
PN		1 S	BF	1.0	1.7		0.3		0.0033
PN		1 S	BF	1.9	2.3		0.3		0.0033
PN		2 N	BF	2.7	2.1		0.3		0.0033
PN		2 N	BF	2.0	1.6		0.3	13	0.0033
PN		2 N	BF	2.5	2.7		0.3	6	0.0033
PN		2 S	BF	2.0	1.5		0.3	2	0.0033
PN		4 N	BF	1.7	1.7		0.3		0.0033
PN		4 N	BF	2.3	2.2		0.3		0.0033
PN		4 S	BF	2.0	2.0		0.3	2	0.0033
PN		6 S	BF	2.6	2.0		0.3	2	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PN		7S	BF	2.0	0.9		0.3		0.0033
PN		8S	BF	2.2	2.0		0.3		0.0033
PN		8S	BF	2.5	2.2		0.3		0.0033
PN		9N	BF	1.7	1.3		0.3		0.0033
PN		9N	BF	2.0	1.8		0.3		0.0033
PN		9N	BF	1.5	1.6		0.3		0.0033
PN		10N	BF	3.0	2.0		0.3		0.0033
PN		10N	BF	2.1	1.7		0.3		0.0033
PN		10S	BF	2.1	1.6		0.3		0.0033
PS		1N	BF	1.5	1.1		0.3		0.0033
PS		1N	BF	2.6	1.6		0.3		0.0033
PS		2N	BF	1.6	1.5		0.3		0.0033
PS		2N	BF	2.9	2.4		0.3		0.0033
PS		2N	BF	2.0	2.2		0.3		0.0033
PS		2N	BF	2.6	2.1		0.3		0.0033
PS		2N	BF	2.6	1.5		0.3		0.0033
PS		2S	BF	1.9	1.7		0.3		0.0033
PS		3N	BF	2.0	2.1		0.3	10	0.0033
PS		3S	BF	1.6	2.0		0.3		0.0033
PS		4N	BF	2.1	2.5		0.3		0.0033
PS		4N	BF	2.2	2.6		0.3		0.0033
PS		4N	BF	1.8	1.6		0.3	3	0.0033
PS		4N	BF	1.7	1.8		0.3	2	0.0033
PS		4N	BF	1.6	1.7		0.3		0.0033
PS		4N	BF	2.0	2.4		0.3		0.0033
PS		5N	BF	2.5	2.0		0.3		0.0033
PS		5N	BF	3.3	2.4		0.3		0.0033
PS		5N	BF	2.0	2.0		0.3		0.0033
PS		5N	BF	2.2	1.6		0.3		0.0033
PS		5S	BF	2.3	1.6		0.3	3	0.0033
PS		5S	BF	1.7	1.1		0.3	2	0.0033
PS		5S	BF	2.0	1.8		0.3	4	0.0033
PS		6N	BF	2.0	1.5		0.3	12	0.0033
PS		6N	BF	2.5	2.0		0.3	5	0.0033
PS		6S	BF	2.0	1.8		0.3	17	0.0033
PS		6S	BF	2.5	2.1		0.3	14	0.0033
PS		7N	BF	2.1	1.2		0.3	6	0.0033
PS		7N	BF	3.4	1.8		0.3		0.0033
PS		7N	BF	3.0	1.4		0.3	2	0.0033
PS		7N	BF	2.5	1.0		0.3	3	0.0033
PS		7S	BF	2.1	1.8		0.3		0.0033
PS		7S	BF	3.5	2.0		0.3	10	0.0033
PS		7S	BF	2.0	1.5		0.3	2	0.0033
PS		8S	BF	2.1	2.0		0.3		0.0033
PS		8S	BF	2.5	2.8		0.3		0.0033
PS		8S	BF	2.5	2.5		0.3		0.0033
PS		9N	BF	2.5	2.0		0.3		0.0033
PS		9N	BF	2.8	2.2		0.3		0.0033
PS		9S	BF	2.0	1.3		0.3	5	0.0033
PS		9S	BF	2.3	2.6		0.3	3	0.0033
PS		9S	BF	2.5	2.6		0.3		0.0033
PC		2N	BF	5.0		0.1	0.4	2	0.0033
PN		1N	BF	4.6	3.6	0.1	0.4		0.0033
PN		1S	BF	4.5	2.6	0.1	0.4	2	0.0033
PS		1S	BF	5.0	1.4	0.1	0.4		0.0033
PS		9N	BF	4.5	2.5	0.1	0.4	3	0.0033
PS		9N	BF	4.5	3.2	0.1	0.4		0.0033
PS		9S	BF	4.5	2.4	0.1	0.4	2	0.0033
PC		1N	BF	5.5		0.2	0.4		0.0033
PS		5S	BF	4.6	2.8	0.2	0.4	5	0.0033
PS		7N	BF	4.5	2.9	0.2	0.4	2	0.0033
PS		7S	BF	5.8	3.4	0.2	0.4		0.0033
PS		9S	BF	5.2	3.0	0.2	0.4		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PC		1 N	BF	5.0	2.0	0.3	0.4		0.0033
PS		7 N	BF	6.0	3.0	0.3	0.4	2	0.0033
3-10		1 N	BF	2.0	2.4		0.4		0.0033
3-10		1 S	BF	2.2	1.8		0.4		0.0033
3-10		1 S	BF	3.0	2.0		0.4		0.0033
3-10		2 S	BF	3.0	3.0		0.4	2	0.0033
3-10		3 N	BF	3.0	2.0		0.4		0.0033
3-10		5 N	BF	2.1	1.8		0.4		0.0033
3-10		8 N	BF	2.2	2.0		0.4	4	0.0033
3-10		9 S	BF	2.0	2.2		0.4		0.0033
13-1 E		1 S	BF	2.4	1.9		0.4	3	0.0033
13-1 E		2 S	BF	3.5	3.0		0.4		0.0033
13-1 E		3 N	BF	2.5	2.5		0.4		0.0033
13-1 E		4 S	BF	2.0	1.0		0.4		0.0033
13-1 E		5 S	BF	4.0	4.0		0.4		0.0033
13-1 E		6 S	BF	3.0	2.6		0.4	2	0.0033
13-1 E		8 S	BF	2.5	1.7		0.4		0.0033
13-1 E		8 S	BF	3.0	2.6		0.4		0.0033
13-1 E		9 N	BF	2.4	2.8		0.4		0.0033
13-1 E		10 N	BF	2.5	2.0		0.4	2	0.0033
13-1W		1 N	BF	3.0	2.0		0.4	5	0.0033
13-1W		1 N	BF	2.0	1.6		0.4	7	0.0033
13-1W		3 N	BF	2.0	2.0		0.4	5	0.0033
13-1W		3 N	BF	2.8	2.0		0.4	4	0.0033
13-1W		3 S	BF	3.0	2.0		0.4		0.0033
13-1W		5 N	BF	3.0	2.5		0.4	2	0.0033
13-1W		5 S	BF	2.5	2.9		0.4		0.0033
13-1W		6 N	BF	2.5	1.7		0.4	10	0.0033
13-1W		6 S	BF	2.5	1.7		0.4		0.0033
13-1W		7 N	BF	3.0	2.3		0.4		0.0033
13-1W		7 S	BF	2.0	1.5		0.4		0.0033
13-1W		7 S	BF	2.7	1.8		0.4		0.0033
13-1W		8 N	BF	2.5	1.2		0.4		0.0033
13-1W		8 N	BF	3.0	2.2		0.4	2	0.0033
13-1W		10 N	BF	2.0	1.9		0.4	5	0.0033
13-1W		10 N	BF	2.5	1.7		0.4		0.0033
37-1		1 N	BF	2.0	1.5		0.4	2	0.0033
37-1		2 N	BF	2.0	1.3		0.4	3	0.0033
37-1		3 N	BF	2.1	1.5		0.4		0.0033
37-1		5 N	BF	2.0	1.9		0.4	2	0.0033
37-1		7 S	BF	2.8	2.0		0.4		0.0033
37-1		8 N	BF	2.1	1.9		0.4	3	0.0033
37-1		10 S	BF	2.1	1.7		0.4		0.0033
37-5w		8 S	BF	1.6	1.6		0.4		0.0050
38-69		7 N	BF	3.7	1.8		0.4		0.0033
38-69		9 N	BF	2.6	1.7		0.4	2	0.0033
38-69		10 N	BF	3.0	2.0		0.4		0.0033
PC		2 N	BF	4.0	3.0		0.4	3	0.0033
PC		2 N	BF	4.0			0.4		0.0033
PC		2 N	BF	3.5			0.4		0.0033
PC		5 N	BF	3.0	4.0		0.4		0.0033
PC		5 S	BF	3.5	5.0		0.4	5	0.0033
PC		9 N	BF	4.0	2.0		0.4		0.0033
PC		10 N	BF	3.5	2.0		0.4	3	0.0033
PC		10 S	BF	4.0	3.0		0.4	2	0.0033
PN		1 N	BF	3.4	2.5		0.4	2	0.0033
PN		1 N	BF	2.8	2.0		0.4		0.0033
PN		1 N	BF	4.0	2.0		0.4	3	0.0033
PN		1 S	BF	2.9	2.3		0.4		0.0033
PN		1 S	BF	3.6	1.8		0.4		0.0033
PN		1 S	BF	4.0	2.8		0.4		0.0033
PN		1 S	BF	3.3	3.0		0.4		0.0033
PN		1 S	BF	3.5	3.6		0.4		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PN		1 S	BF	3.7	3.4		0.4		0.0033
PN		1 S	BF	3.8	3.0		0.4		0.0033
PN		2 N	BF	3.3	2.3		0.4	2	0.0033
PN		2 S	BF	2.6	3.0		0.4	5	0.0033
PN		2 S	BF	3.2	3.5		0.4		0.0033
PN		4 S	BF	2.8	2.8		0.4		0.0033
PN		7 S	BF	3.0	3.7		0.4		0.0033
PN		7 S	BF	2.8	3.5		0.4		0.0033
PN		7 S	BF	2.8	2.0		0.4		0.0033
PN		7 S	BF	4.0	2.7		0.4		0.0033
PN		9 N	BF	3.2	3.1		0.4		0.0033
PN		10 N	BF	2.1	2.3		0.4		0.0033
PN		10 N	BF	2.8	3.0		0.4		0.0033
PN		10 N	BF	3.6	3.0		0.4		0.0033
PN		10 N	BF	4.0	2.0		0.4		0.0033
PN		10 N	BF	2.6	2.5		0.4		0.0033
PN		10 S	BF	2.8	2.8		0.4		0.0033
PN		10 S	BF	3.4	3.0		0.4		0.0033
PN		10 S	BF	2.5	2.2		0.4		0.0033
PS		1 S	BF	3.4	2.3		0.4		0.0033
PS		2 N	BF	3.0	2.4		0.4	2	0.0033
PS		2 N	BF	3.8	2.3		0.4		0.0033
PS		2 N	BF	3.2	3.0		0.4	4	0.0033
PS		2 S	BF	2.7	2.4		0.4		0.0033
PS		2 S	BF	3.0	2.8		0.4		0.0033
PS		3 N	BF	2.6	1.9		0.4	4	0.0033
PS		3 N	BF	2.9	2.4		0.4	2	0.0033
PS		3 S	BF	2.9	2.7		0.4		0.0033
PS		3 S	BF	2.5	2.6		0.4		0.0033
PS		3 S	BF	2.0	2.5		0.4		0.0033
PS		4 N	BF	3.3	2.9		0.4	2	0.0033
PS		4 N	BF	2.6	2.0		0.4		0.0033
PS		4 N	BF	2.6	2.7		0.4	4	0.0033
PS		4 N	BF	2.4	1.9		0.4		0.0033
PS		4 N	BF	3.2	2.9		0.4	2	0.0033
PS		4 S	BF	3.6	2.6		0.4		0.0033
PS		4 S	BF	3.6	1.8		0.4		0.0033
PS		4 S	BF	3.0	1.0		0.4	2	0.0033
PS		5 N	BF	4.5	2.1		0.4		0.0033
PS		5 S	BF	3.4	2.0		0.4	7	0.0033
PS		5 S	BF	3.0	3.0		0.4	9	0.0033
PS		5 S	BF	2.8	2.3		0.4		0.0033
PS		6 N	BF	3.0	2.7		0.4		0.0033
PS		6 S	BF	3.0	2.7		0.4		0.0033
PS		7 N	BF	3.9	3.0		0.4	3	0.0033
PS		7 N	BF	3.4	2.1		0.4		0.0033
PS		7 N	BF	4.1	2.5		0.4		0.0033
PS		7 N	BF	3.6	2.0		0.4	2	0.0033
PS		7 S	BF	3.0	2.0		0.4		0.0033
PS		8 S	BF	4.3	3.2		0.4		0.0033
PS		8 S	BF	3.0	3.0		0.4		0.0033
PS		8 S	BF	4.0	4.0		0.4		0.0033
PS		9 S	BF	4.0	3.3		0.4	3	0.0033
PS		9 S	BF	3.3	2.0		0.4	3	0.0033
PN		1 N	BF	4.7	3.8	0.1	0.5		0.0033
PN		6 S	BF	5.4	4.0	0.1	0.5		0.0033
13-1 E		2 N	BF	4.7	2.9	0.2	0.5		0.0033
13-1 E		5 S	BF	5.3	3.3	0.2	0.5		0.0033
PC		1 N	BF	7.0	2.5	0.2	0.5		0.0033
PC		1 N	BF	5.0		0.2	0.5		0.0033
PC		1 N	BF	6.0		0.2	0.5		0.0033
PC		1 N	BF	6.0		0.2	0.5		0.0033
PC		10 S	BF	5.0	4.0	0.2	0.5	3	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PN		1 N	BF	5.6	3.6	0.2	0.5		0.0033
PN		10 N	BF	5.0	3.5	0.2	0.5		0.0033
PS		2 S	BF	5.0	3.6	0.2	0.5		0.0033
PS		4 S	BF	4.5	3.9	0.2	0.5		0.0033
PS		7 N	BF	4.8	4.0	0.3	0.5	8	0.0033
PS		9 N	BF	5.8	3.0	0.3	0.5		0.0033
PS		8 S	BF	4.8	3.7	0.4	0.5		0.0033
3-10		4 S	BF	3.0	4.2		0.5		0.0033
3-10		7 N	BF	3.7	2.0		0.5		0.0033
3-10		9 N	BF	2.0	1.4		0.5	2	0.0033
3-10		9 N	BF	3.3	2.6		0.5	2	0.0033
3-10		9 S	BF	3.0	1.8		0.5	3	0.0033
3-10		11 S	BF	3.7	2.9		0.5		0.0033
13-1 E		1 N	BF	3.0	2.4		0.5		0.0033
13-1 E		1 S	BF	3.6	2.5		0.5		0.0033
13-1 E		5 N	BF	3.5	3.8		0.5		0.0033
13-1 E		6 N	BF	3.7	2.0		0.5		0.0033
13-1W		1 N	BF	4.0	2.0		0.5	5	0.0033
13-1W		3 N	BF	4.0	3.1		0.5		0.0033
13-1W		5 S	BF	3.4	2.9		0.5		0.0033
13-1W		6 N	BF	3.6	2.2		0.5		0.0033
13-1W		9 S	BF	3.0	2.7		0.5		0.0033
13-1W		10 N	BF	4.0	2.6		0.5	2	0.0033
37-1		1 N	BF	3.0	2.0		0.5	3	0.0033
37-1		5 N	BF	3.1	2.6		0.5	3	0.0033
37-1		7 N	BF	2.5	2.0		0.5		0.0033
37-1		9 N	BF	3.5	2.0		0.5	2	0.0033
37-1		9 S	BF	2.4	2.4		0.5		0.0033
37-5w		4 S	BF	4.0	2.5		0.5		0.0050
37-5w		10 N	BF	3.0	2.5		0.5		0.0050
PC		4 S	BF	4.5	3.0		0.5		0.0033
PC		9 S	BF	3.0	1.5		0.5		0.0033
PN		1 N	BF	4.4	3.8		0.5	2	0.0033
PN		1 N	BF	4.5	3.3		0.5		0.0033
PN		1 S	BF	4.3	3.8		0.5		0.0033
PN		2 N	BF	3.5	3.0		0.5	2	0.0033
PN		2 S	BF	4.2	3.2		0.5		0.0033
PN		4 S	BF	3.2	3.6		0.5	2	0.0033
PN		6 S	BF	3.9	3.0		0.5		0.0033
PS		2 N	BF	3.7	3.4		0.5		0.0033
PS		2 N	BF	2.9	3.1		0.5		0.0033
PS		2 N	BF	3.2	3.6		0.5		0.0033
PS		2 N	BF	4.2	4.0		0.5	3	0.0033
PS		2 N	BF	3.5	3.2		0.5		0.0033
PS		3 N	BF	3.0	3.4		0.5		0.0033
PS		5 S	BF	5.0	3.0		0.5	4	0.0033
PS		7 S	BF	4.0	3.7		0.5		0.0033
13-1W		4 N	BF	4.5	3.0	0.1	0.6		0.0033
PC		2 N	BF	4.5	3.0	0.1	0.6		0.0033
PC		2 N	BF	4.5	3.0	0.1	0.6	2	0.0033
PC		2 N	BF	5.0	3.0	0.1	0.6	3	0.0033
PC		2 N	BF	5.0	3.0	0.1	0.6		0.0033
13-1 E		2 S	BF	5.0	4.7	0.2	0.6		0.0033
13-1 E		3 N	BF	4.5	3.3	0.2	0.6		0.0033
13-1 E		5 S	BF	4.4	3.6	0.2	0.6		0.0033
13-1W		2 N	BF	5.0	4.0	0.2	0.6		0.0033
13-1W		10 N	BF	5.0	3.0	0.2	0.6	2	0.0033
13-1W		10 S	BF	5.0	3.6	0.2	0.6	4	0.0033
PC		1 N	BF	5.0		0.2	0.6		0.0033
PC		2 N	BF	6.0		0.2	0.6	3	0.0033
PC		2 S	BF	5.0	3.0	0.2	0.6		0.0033
PC		6 S	BF	5.5	4.0	0.2	0.6	9	0.0033
PC		7 N	BF	5.0	4.0	0.2	0.6	2	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PC		8N	BF	6.0	4.0	0.2	0.6		0.0033
PC		10N	BF	5.5	3.0	0.2	0.6		0.0033
PC		10N	BF	5.0	3.0	0.2	0.6		0.0033
PN		2N	BF	5.4	4.2	0.2	0.6	2	0.0033
PN		4S	BF	5.0	4.0	0.2	0.6		0.0033
PN		7S	BF	4.6	4.0	0.2	0.6		0.0033
PN		9N	BF	5.5	3.9	0.2	0.6		0.0033
PN		10N	BF	5.7	4.0	0.2	0.6		0.0033
PS		2N	BF	4.6	3.7	0.2	0.6		0.0033
PS		5S	BF	5.7	3.0	0.2	0.6	5	0.0033
PS		7N	BF	5.4	4.0	0.2	0.6	6	0.0033
PS		9N	BF	5.0	4.4	0.2	0.6		0.0033
3-10		10S	BF	5.2	3.1	0.3	0.6	3	0.0033
13-1 E		6N	BF	6.2	4.0	0.3	0.6		0.0033
13-1W		6S	BF	6.2	2.0	0.3	0.6		0.0033
37-1		4N	BF	4.9	3.2	0.3	0.6	2	0.0033
PC		1N	BF	7.0	2.5	0.3	0.6		0.0033
PC		1N	BF	6.0		0.3	0.6		0.0033
PC		1N	BF	7.0		0.3	0.6		0.0033
PC		1N	BF	7.0		0.3	0.6		0.0033
PC		2N	BF	6.0	3.0	0.3	0.6	4	0.0033
PS		2N	BF	5.5	4.0	0.3	0.6		0.0033
PS		4S	BF	6.6	3.2	0.3	0.6		0.0033
PS		7S	BF	5.8	4.0	0.3	0.6		0.0033
PS		8S	BF	5.0	4.6	0.3	0.6		0.0033
PS		9N	BF	6.0	3.3	0.3	0.6		0.0033
PS		9N	BF	6.6	3.8	0.3	0.6		0.0033
PC		1N	BF	8.5	2.0	0.4	0.6		0.0033
PC		1N	BF	6.5	2.0	0.4	0.6		0.0033
PC		1N	BF	6.5	2.5	0.4	0.6		0.0033
PC		1N	BF	9.0		0.4	0.6		0.0033
PS		7S	BF	6.8	3.5	0.4	0.6		0.0033
PS		7S	BF	5.5	3.4	0.4	0.6		0.0033
PS		7N	BF	7.0	3.6	0.5	0.6	3	0.0033
3-10		2S	BF	4.0	3.3		0.6		0.0033
3-10		3S	BF	3.0	2.3		0.6	4	0.0033
3-10		4S	BF	4.0	2.5		0.6		0.0033
3-10		6N	BF	2.5	2.3		0.6		0.0033
3-10		7S	BF	2.0	2.0		0.6	3	0.0033
3-10		8N	BF	3.0	3.7		0.6	4	0.0033
3-10		11S	BF	4.3	2.1		0.6		0.0033
13-1 E		1N	BF	3.7	2.1		0.6		0.0033
13-1 E		1S	BF	4.2	3.0		0.6		0.0033
13-1 E		3N	BF	4.0	3.6		0.6		0.0033
13-1W		2N	BF	3.5	3.0		0.6		0.0033
13-1W		7N	BF	3.7	2.9		0.6	2	0.0033
13-1W		8N	BF	3.9	3.0		0.6		0.0033
13-1W		9N	BF	3.6	3.1		0.6		0.0033
13-1W		9N	BF	4.1	3.2		0.6		0.0033
13-1W		10S	BF	3.3	2.9		0.6		0.0033
38-69		7S	BF	3.7	2.6		0.6		0.0033
38-69		8N	BF	3.4	3.0		0.6		0.0033
PC		2N	BF	4.0	3.0		0.6		0.0033
PC		2N	BF	3.5	3.0		0.6		0.0033
PC		2N	BF	4.0			0.6	3	0.0033
PC		5N	BF	4.0	4.0		0.6	2	0.0033
PC		10N	BF	4.5	3.0		0.6		0.0033
PN		1N	BF	4.1	3.0		0.6		0.0033
PN		9N	BF	4.0	3.3		0.6		0.0033
PS		2S	BF	3.5	3.7		0.6		0.0033
PS		2S	BF	3.6	4.0		0.6		0.0033
PS		2S	BF	3.7	4.0		0.6		0.0033
PS		3N	BF	3.9	3.8		0.6		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PS		4S	BF	3.8	3.9		0.6		0.0033
PS		5S	BF	4.2	3.0		0.6	6	0.0033
PS		6N	BF	4.0	3.2		0.6		0.0033
3-10		8S	BF	4.5	3.0	0.1	0.7		0.0033
PC		2N	BF	4.5	4.0	0.1	0.7		0.0033
13-1 E		1N	BF	5.1	2.7	0.2	0.7	3	0.0033
13-1 E		1N	BF	4.5	3.7	0.2	0.7	2	0.0033
13-1W		8N	BF	4.8	3.1	0.2	0.7		0.0033
13-1W		10S	BF	5.3	1.8	0.2	0.7		0.0033
37-1		4N	BF	4.1	2.5	0.2	0.7		0.0033
PN		9N	BF	5.0	4.2	0.2	0.7		0.0033
PN		10S	BF	5.0	4.4	0.2	0.7		0.0033
13-1 E		3N	BF	5.0	3.7	0.3	0.7		0.0033
13-1W		1N	BF	5.5	3.0	0.3	0.7	6	0.0033
PC		9N	BF	6.0	5.0	0.3	0.7		0.0033
PC		9S	BF	6.0	4.0	0.3	0.7	3	0.0033
PN		2S	BF	5.8	4.4	0.3	0.7		0.0033
PS		4S	BF	4.8	2.3	0.3	0.7		0.0033
PS		5S	BF	6.3	4.0	0.3	0.7	6	0.0033
13-1 E		5N	BF	5.6	5.0	0.4	0.7		0.0033
13-1W		8N	BF	5.7	3.8	0.4	0.7	4	0.0033
PC		9N	BF	8.0	3.0	0.4	0.7	3	0.0033
PN		7S	BF	5.5	4.5	0.4	0.7		0.0033
PS		5S	BF	7.0	4.0	0.4	0.7		0.0033
PS		7N	BF	6.5	3.5	0.4	0.7	3	0.0033
PS		7S	BF	8.5	3.0	0.4	0.7		0.0033
PS		7S	BF	6.3	4.4	0.4	0.7		0.0033
PC		1N	BF	9.5	2.5	0.5	0.7		0.0033
PC		1N	BF	7.5	2.5	0.6	0.7		0.0033
PC		1N	BF	12.0	3.0	0.6	0.7		0.0033
3-10		7S	BF	3.0	2.6		0.7	2	0.0033
13-1 E		3N	BF	4.2	4.5		0.7		0.0033
13-1 E		6N	BF	4.0	3.3		0.7	2	0.0033
13-1W		6S	BF	4.0	3.0		0.7		0.0033
13-1W		8N	BF	4.1	3.2		0.7	3	0.0033
13-1W		10S	BF	4.0	3.9		0.7	5	0.0033
37-1		2N	BF	3.8	2.5		0.7	2	0.0033
38-69		6N	BF	3.3	4.0		0.7		0.0033
PS		3S	BF	4.1	4.1		0.7		0.0033
3-10		11N	BF	4.5	3.0	0.1	0.8		0.0033
13-1W		10N	BF	4.6	3.0	0.2	0.8	2	0.0033
37-1		1S	BF	5.2	3.0	0.2	0.8		0.0033
PC		2S	BF	5.5	3.0	0.2	0.8	3	0.0033
PC		6S	BF	6.0	4.0	0.2	0.8	2	0.0033
PC		10S	BF	5.0	5.0	0.2	0.8		0.0033
PS		6S	BF	5.8	4.0	0.2	0.8		0.0033
3-10		9S	BF	5.0	3.5	0.3	0.8		0.0033
13-1 E		5N	BF	6.4	4.0	0.3	0.8		0.0033
13-1W		8N	BF	6.3	3.2	0.3	0.8		0.0033
13-1W		10N	BF	6.3	4.0	0.3	0.8	2	0.0033
PC		2N	BF	7.0	3.0	0.3	0.8	3	0.0033
PC		7N	BF	6.0	5.0	0.3	0.8	2	0.0033
PN		6S	BF	7.2	4.3	0.3	0.8		0.0033
PS		3N	BF	6.4	4.1	0.3	0.8		0.0033
PS		9S	BF	5.6	4.0	0.3	0.8		0.0033
13-1 E		1N	BF	7.5	3.8	0.4	0.8		0.0033
13-1 E		1N	BF	6.7	4.0	0.4	0.8	2	0.0033
13-1 E		3N	BF	6.0	4.3	0.4	0.8		0.0033
13-1W		10S	BF	5.5	2.2	0.4	0.8		0.0033
13-1W		10S	BF	7.0	2.1	0.4	0.8		0.0033
PC		1N	BF	10.0	3.0	0.4	0.8		0.0033
PC		1N	BF	7.0		0.4	0.8		0.0033
PC		2N	BF	7.0		0.4	0.8	3	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PC		3 S	BF	6.0	4.0	0.4	0.8	6	0.0033
PC		7 S	BF	6.0	6.0	0.4	0.8		0.0033
PN		1 N	BF	6.9	4.7	0.4	0.8		0.0033
PN		2 N	BF	6.9	5.1	0.4	0.8		0.0033
PS		4 N	BF	5.8	5.8	0.4	0.8		0.0033
PC		1 N	BF	10.0		0.5	0.8		0.0033
PN		1 S	BF	9.2	3.9	0.5	0.8		0.0033
PS		4 S	BF	6.9	3.4	0.5	0.8	2	0.0033
PS		5 S	BF	7.9	3.0	0.5	0.8		0.0033
PS		7 S	BF	8.0	3.4	0.5	0.8		0.0033
PC		1 N	BF	9.5		0.6	0.8		0.0033
PS		5 S	BF	8.7	3.0	0.6	0.8		0.0033
3-10		1 S	BF	4.0	2.5		0.8		0.0033
3-10		4 N	BF	4.0	4.2		0.8		0.0033
13-1W		7 N	BF	4.0	2.7		0.8		0.0033
37-1		5 N	BF	3.6	3.0		0.8	2	0.0033
37-5w		2 N	BF	3.5	2.5		0.8		0.0050
37-5w		5 N	BF	2.1	2.0		0.8		0.0050
38-69		7 N	BF	4.2	2.1		0.8		0.0033
37-5w		10 N	BF	5.8	4.0	0.1	0.9		0.0050
3-10		7 N	BF	4.9	3.0	0.2	0.9		0.0033
37-1		1 N	BF	5.4	3.7	0.2	0.9		0.0033
3-10		9 N	BF	6.5	3.0	0.3	0.9		0.0033
PC		6 N	BF	6.0	4.0	0.3	0.9		0.0033
PC		8 S	BF	8.0	4.0	0.3	0.9		0.0033
3-10		11 N	BF	6.0	4.0	0.4	0.9		0.0033
13-1W		10 N	BF	6.0	4.0	0.4	0.9	2	0.0033
38-69		8 S	BF	6.3	2.5	0.4	0.9		0.0033
38-69		10 N	BF	6.3	5.7	0.4	0.9		0.0033
PC		3 S	BF	7.0	4.0	0.4	0.9		0.0033
PN		10 N	BF	6.0	4.0	0.4	0.9		0.0033
PS		9 N	BF	6.2	4.2	0.4	0.9		0.0033
3-10		8 N	BF	7.0	3.0	0.5	0.9		0.0033
PC		10 N	BF	8.0	3.0	0.5	0.9	2	0.0033
PN		7 S	BF	7.6	5.5	0.5	0.9	2	0.0033
PS		5 S	BF	7.4	4.2	0.5	0.9		0.0033
PC		2 N	BF	6.0		0.6	0.9	4	0.0033
PC		7 S	BF	9.0	6.0	0.6	0.9		0.0033
PN		1 S	BF	8.0	3.3	0.6	0.9		0.0033
PN		2 N	BF	8.5	5.2	0.6	0.9		0.0033
PS		2 N	BF	7.7	5.3	0.6	0.9		0.0033
PS		4 S	BF	8.1	4.0	0.6	0.9		0.0033
PS		7 S	BF	7.5	4.7	0.6	0.9		0.0033
PS		7 S	BF	7.1	4.5	0.6	0.9		0.0033
PS		9 S	BF	7.8	4.2	0.6	0.9		0.0033
PS		9 S	BF	9.0	4.0	0.6	0.9		0.0033
3-10		9 S	BF	3.9	3.1		0.9		0.0033
38-69		7 S	BF	5.2	4.1		0.9	2	0.0033
PC		10 N	BF	4.5	3.0		0.9		0.0033
PC		2 S	BF	6.0	4.0	0.2	1.0	4	0.0033
3-10		2 S	BF	5.7	4.9	0.3	1.0		0.0033
3-10		4 N	BF	5.5	3.9	0.3	1.0		0.0033
3-10		5 S	BF	6.0	3.7	0.3	1.0	2	0.0033
3-10		9 N	BF	5.0	4.6	0.3	1.0	2	0.0033
13-1 E		5 S	BF	6.3	4.0	0.3	1.0		0.0033
13-1W		9 S	BF	5.0	3.9	0.3	1.0		0.0033
13-1W		10 S	BF	5.0	2.1	0.3	1.0		0.0033
PC		6 S	BF	7.0	4.0	0.3	1.0	2	0.0033
PC		10 N	BF	6.5	3.0	0.3	1.0		0.0033
3-10		4 S	BF	5.0	3.1	0.4	1.0		0.0033
13-1 E		1 N	BF	6.0	4.0	0.4	1.0	2	0.0033
38-69		6 N	BF	6.5	3.2	0.4	1		0.0033
PC		2 S	BF	1.0	3.0	0.4	1.0		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PC		4N	BF	6.0	5.0	0.4	1.0	2	0.0033
PC		9S	BF	6.0	4.0	0.4	1.0	3	0.0033
PS		5N	BF	6.0	4.3	0.4	1.0		0.0033
PN		6S	BF	8.0	5.5	0.5	1.0		0.0033
3-10		6S	BF	7.5	3.8	0.6	1.0		0.0033
13-1 E		4N	BF	7.7	4.5	0.6	1.0		0.0033
13-1W		1N	BF	5.0	2.8	0.6	1.0		0.0033
13-1W		10S	BF	7.9	4.6	0.6	1.0	2	0.0033
PC		1N	BF	9.0		0.6	1.0		0.0033
PC		1N	BF	12.0		0.6	1.0		0.0033
PC		5N	BF	8.0		0.6	1.0		0.0033
PC		9N	BF	7.5	5.0	0.6	1.0	2	0.0033
PN		1S	BF	7.2	5.8	0.6	1.0		0.0033
PS		2S	BF	7.1	4.5	0.6	1.0		0.0033
PS		9S	BF	8.5	3.3	0.6	1.0		0.0033
3-10		11S	BF	9.1	3.0	0.7	1.0		0.0033
13-1W		10S	BF	8.0	2.0	0.7	1.0		0.0033
PC		1N	BF	9.0		0.7	1.0		0.0033
PS		7N	BF	8.0	4.5	0.7	1.0	3	0.0033
3-10		7S	BF	4.0	3.1		1.0		0.0033
3-10		11N	BF	5.0	5.0	0.2	1.1		0.0033
38-69		7S	BF	5.6	2.7	0.2	1.1	2	0.0033
13-1 E		1N	BF	6.0	4.0	0.3	1.1		0.0033
13-1 E		6N	BF	6.2	4.0	0.3	1.1	2	0.0033
13-1W		9S	BF	5.5	4.0	0.3	1.1		0.0033
37-1		9N	BF	5.2	4.0	0.3	1.1		0.0033
37-5w		1S	BF	6.0	2.8	0.3	1.1		0.0050
3-10		4N	BF	6.0	5.3	0.4	1.1		0.0033
3-10		4S	BF	7.3	4.8	0.4	1.1		0.0033
3-10		11N	BF	5.0	5.0	0.4	1.1		0.0033
3-10		4N	BF	7.1	3.7	0.5	1.1		0.0033
13-1 E		5S	BF	7.2	4.1	0.5	1.1		0.0033
13-1W		8N	BF	7.5	5.2	0.5	1.1		0.0033
3-10		1N	BF	7.1	5.0	0.6	1.1		0.0033
13-1 E		2N	BF	7.5	3.9	0.6	1.1		0.0033
37-1		1N	BF	7.2	3.4	0.6	1.1		0.0033
PC		3N	BF	9.0	4.0	0.6	1.1	9	0.0033
PN		2S	BF	8.0	4.4	0.6	1.1		0.0033
PN		10N	BF	9.0	6.0	0.6	1.1		0.0033
PS		8S	BF	8.1	4.3	0.6	1.1		0.0033
PS		9S	BF	8.5	4.6	0.6	1.1		0.0033
13-1 E		1N	BF	8.2	4.1	0.7	1.1		0.0033
13-1W		8S	BF	6.2	5.2	0.7	1.1		0.0033
PC		8N	BF	11.0	5.0	0.7	1.1		0.0033
PC		10N	BF	10.0	3.0	0.7	1.1		0.0033
PN		2N	BF	9.2	5.0	0.7	1.1	2	0.0033
PS		6S	BF	6.6	5.6	0.7	1.1		0.0033
13-1 E		1N	BF	8.5	4.3	0.8	1.1		0.0033
13-1 E		5S	BF	9.4	5.0	0.8	1.1		0.0033
38-69		6N	BF	8.0	3.8	0.8	1.1		0.0033
PN		1S	BF	11.0	5.0	0.8	1.1		0.0033
PN		1S	BF	11.4	5.6	0.8	1.1		0.0033
PS		5S	BF	9.8	5.8	0.8	1.1		0.0033
PS		7S	BF	8.5	6.0	0.8	1.1		0.0033
PN		1S	BF	12.4	4.3	0.9	1.1		0.0033
PN		1S	BF	12.0	3.7	0.9	1.1		0.0033
PN		1S	BF	11.4	4.0	0.9	1.1		0.0033
PS		7N	BF	9.8	5.8	0.9	1.1	2	0.0033
3-10		4N	BF	4.6	5.3	0.2	1.2		0.0033
3-10		7S	BF	5.1	3.6	0.2	1.2		0.0033
PC		4N	BF	6.0	5.0	0.2	1.2		0.0033
37-1		9N	BF	5.7	3.2	0.3	1.2	2	0.0033
3-10		1S	BF	6.9	4.2	0.4	1.2	2	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
13-1W		4N	BF	7.4	5.1	0.4	1.2		0.0033
3-10		8S	BF	6.2	3.8	0.5	1.2		0.0033
37-1		4N	BF	6.5	4.8	0.5	1.2		0.0033
38-69		7N	BF	6.4	4.5	0.5	1.2	4	0.0033
PC		4S	BF	8.0	3.5	0.5	1.2	3	0.0033
37-1		9N	BF	7.1	4.1	0.6	1.2		0.0033
PC		10S	BF	9.0	7.0	0.6	1.2		0.0033
3-10		9N	BF	4.5	3.0	0.7	1.2	2	0.0033
3-10		10N	BF	9.5	4.0	0.7	1.2		0.0033
PC		4S	BF	11.0	4.0	0.7	1.2	3	0.0033
3-10		1N	BF	8.3	5.0	0.8	1.2	2	0.0033
3-10		4N	BF	8.5	3.7	0.8	1.2		0.0033
13-1 E		4N	BF	8.4	5.0	0.8	1.2		0.0033
PS		2S	BF	8.8	6.0	0.8	1.2		0.0033
PS		7N	BF	8.6	6.6	0.8	1.2		0.0033
13-1 E		3N	BF	10.8	3.1	0.9	1.2		0.0033
13-1 E		5S	BF	10.2	4.0	0.9	1.2		0.0033
PN		1S	BF	12.4	4.0	0.9	1.2		0.0033
PN		1S	BF	11.5	6.0	0.9	1.2		0.0033
PN		10N	BF	10.0	4.4	0.9	1.2		0.0033
PS		9N	BF	9.9	6.4	0.9	1.2		0.0033
PS		9S	BF	11.7	5.2	0.9	1.2		0.0033
PS		9S	BF	10.5	4.6	0.9	1.2		0.0033
3-10		10S	BF	7.3	4.7	0.6	1.3	2	0.0033
3-10		11N	BF	7.3	5.0	0.6	1.3		0.0033
3-10		6N	BF	7.0	5.2	0.7	1.3		0.0033
13-1 E		6N	BF	7.8	5.7	0.7	1.3	2	0.0033
3-10		3S	BF	8.5	5.0	0.8	1.3		0.0033
13-1 E		4N	BF	7.7	5.0	0.8	1.3		0.0033
13-1W		4N	BF	8.8	5.4	0.8	1.3		0.0033
13-1W		10S	BF	11.0	6.0	0.8	1.3		0.0033
PN		2N	BF	10.8	5.3	0.8	1.3		0.0033
3-10		10S	BF	8.5	5.2	0.9	1.3	2	0.0033
13-1 E		7N	BF	7.7	6.0	0.9	1.3		0.0033
PS		2N	BF	8.0	5.3	0.9	1.3		0.0033
PC		8N	BF	9.0	5.0	1.6	1.3		0.0033
3-10		7S	BF	6.0	4.8	0.4	1.4	2	0.0033
37-1		10N	BF	7.8	5.8	0.6	1.4		0.0033
PN		2S	BF	8.3	6.4	0.7	1.4		0.0033
13-1 E		6N	BF	9.4	5.2	0.8	1.4		0.0033
13-1W		8N	BF	8.5	5.0	0.8	1.4		0.0033
37-5w		4N	BF	5.0	1.8	0.8	1.4		0.0050
13-1W		8N	BF	11.0	6.0	0.9	1.4		0.0033
PN		2N	BF	10.3	7.0	0.9	1.4		0.0033
PS		6N	BF	8.4	7.2	0.9	1.4		0.0033
PC		5S	BF	8.0	6.0	0.5	1.5		0.0033
PC		10N	BF	7.5	3.0	0.5	1.5		0.0033
3-10		8S	BF	6.6	4.8	0.6	1.5		0.0033
3-10		9N	BF	8.0	5.6	0.9	1.6		0.0033
38-69		5N	BF	7.3	4.0	0.9	1.6		0.0033
PC		4N	BF	7.0	5.0	0.4	2.0	2	0.0033
3-10		5N	BF	17.0	6.0	2.4	3.1		0.0033
PS		7S	BG	1.2	0.3		0.2	4	0.0033
PS		7S	BG	2.0	0.4		0.2		0.0033
PS		7S	BG	1.8	0.4		0.3		0.0033
PS		7S	BG	8.5	3.3	0.4	0.6		0.0033
37-5w		4N	BP	3.0	1.8		0.4		0.0050
37-5w		4N	BP	4.5	1.5		0.7		0.0050
37-5w		4N	BP	3.9	1.0		0.7		0.0050
3-10		8N	BS	1.0	0.6		0.2		0.0033
3-10		1N	BS	1.0	1.0		0.3		0.0033
3-10		4S	BS	1.5	0.6		0.3	2	0.0033
PS		5S	BS	2.0	1.5		0.3	3	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
3-10		4S	BS	4.8	3.0	0.1	0.6		0.0033
13-1W		6S	BS	5.0	3.0	0.2	0.7		0.0033
13-1W		10S	BS	7.0	3.0	0.4	0.7		0.0033
3-10		4S	BS	6.3	2.4	0.5	1.0	2	0.0033
3-10		2S	BS	5.8	4.6	0.4	1.1		0.0033
3-10		2N	BS	8.5	2.8	0.8	1.2		0.0033
13-1W		6S	BS	6.0	4.0	0.5	1.3		0.0033
13-1W		6S	BS	7.8	4.8	0.6	1.3		0.0033
37-5w		3S	CC	2.6	1.0		0.1		0.0050
37-5w		3S	CC	2.0	0.8		0.1		0.0050
37-5w		6S	CC	2.0	0.2		0.1		0.0050
37-5w		6S	CC	2.0	0.2		0.1		0.0050
37-5w		6S	CC	2.0	0.2		0.1		0.0050
37-5w		7S	CC	2.0	0.2		0.1		0.0050
37-5w		7S	CC	2.0	0.2		0.1		0.0050
37-5w		8S	CC	1.5	0.8		0.1		0.0050
38-69		9N	CC	2.2	1.0		0.1	3	0.0033
PS		1N	CC	1.4	0.6		0.1	9	0.0033
37-1		5N	CC	1.7	0.6		0.2	2	0.0033
37-1		9S	CC	2.0	1.1		0.2		0.0033
37-1		9S	CC	1.5	1.1		0.2		0.0033
37-5w		1N	CC	3.1	3.5		0.2		0.0050
37-5w		1N	CC	2.0	1.5		0.2		0.0050
37-5w		3S	CC	3.0	1.4		0.2		0.0050
37-5w		3S	CC	1.8	1.5		0.2		0.0050
37-5w		7S	CC	2.0	0.2		0.2		0.0050
37-5w		7S	CC	2.0	0.2		0.2		0.0050
38-69		1N	CC	2.3	1.3		0.2		0.0033
PS		1N	CC	2.0	1.0		0.2		0.0033
37-5w		3N	CC	5.2	2.0	0.1	0.3		0.0050
37-1		1S	CC	4.1	0.7		0.3	2	0.0033
37-5w		2N	CC	3.6	2.5		0.3		0.0050
38-69		9N	CC	4.0	3.0		0.3		0.0033
37-5w		2N	CC	5.4	2.0	0.2	0.4		0.0050
37-1		5N	CC	3.8	1.7		0.4		0.0033
37-5w		6S	CC	3.0	1.0		0.4		0.0050
37-5w		6S	CC	3.2	1.0		0.4		0.0050
PC		5S	CC	5.0	3.0	0.2	0.5		0.0033
PC		9N	CC	6.0	1.0	0.3	0.6	3	0.0033
PC		7N	CC	7.0	4.5	0.3	0.7	3	0.0033
37-5w		2N	CC	8.0	2.1	0.4	0.7		0.0050
37-5w		2N	CC	8.5	3.0	0.4	0.7		0.0050
37-5w		7S	CC	7.0	4.0	0.7	1.0		0.0050
37-5w		2N	CC	11.0	3.0	0.8	1.0		0.0050
37-5w		6S	CC	9.0	3.0	0.7	1.1		0.0050
PN		1N	DAW	2.0	0.6		0.1		0.0033
PN		1N	DAW	1.3	0.3		0.1		0.0033
PN		10S	DAW	1.5	0.3		0.1		0.0033
PN		4N	DAW	2.0	1.3		0.2	4	0.0033
PN		5S	DAW	3.1	0.9		0.2	2	0.0033
PN		5S	DAW	2.5	1.6		0.2		0.0033
PN		10S	DAW	2.0	1.5		0.2	2	0.0033
PS		1N	DAW	1.6	1.6		0.2		0.0033
PS		4N	DAW	1.0	0.6		0.2		0.0033
PS		4N	DAW	1.1	0.9		0.2		0.0033
PN		5S	DAW	3.0	2.5		0.3		0.0033
PN		5S	DAW	3.3	2.4		0.3		0.0033
37-5w		10N	EB	2.5	1.6		0.1		0.0050
37-1		2S	EB	1.3	0.3		0.3	7	0.0033
37-5w		6N	EB	7.1	1.0	0.3	0.5		0.0050
37-5w		4S	G	3.5	0.2		0.2		0.0050
37-1		6N	GA	1.0	0.4		0.1	4	0.0033
37-1		7S	GA	1.0	0.4		0.1	17	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
37-1		9N	GA	1.0	0.5		0.1		0.0033
37-1		6N	GA	2.5	0.7		0.2	3	0.0033
37-1		6S	GA	1.4	0.5		0.2	3	0.0033
37-1		7N	GA	1.1	0.7		0.2	3	0.0033
37-1		7S	GA	2.0	0.8		0.2	11	0.0033
37-1		6S	GA	3.0	1.2		0.3	6	0.0033
37-1		6S	GA	5.0	2.0	0.2	0.4	4	0.0033
37-1		6N	GA	3.0	1.4		0.4	11	0.0033
37-1		6N	GA	4.0	1.6		0.4	6	0.0033
37-1		7S	GA	4.0	1.1		0.4	3	0.0033
37-1		6S	GA	6.0	2.0	0.3	0.5	5	0.0033
37-1		6S	GA	9.0	2.0	0.4	1.0	3	0.0033
37-1		7S	GA	12.0	1.7	0.7	1.1		0.0033
13-1 E		10S	GB	1.0	0.8		0.1		0.0033
37-5w		1N	GB	1.8	0.8		0.1		0.0050
37-5w		3N	GB	1.0	0.5		0.1		0.0050
37-5w		3S	GB	1.1	0.1		0.1		0.0050
37-5w		3S	GB	1.2	0.2		0.1		0.0050
37-5w		4N	GB	1.2	0.2		0.1		0.0050
37-5w		4N	GB	1.2	0.2		0.1		0.0050
37-5w		4N	GB	1.2	0.2		0.1		0.0050
37-5w		4N	GB	1.2	0.2		0.1		0.0050
37-5w		4S	GB	1.5			0.1		0.0050
37-5w		4S	GB	1.5	0.2		0.1	3	0.0050
37-5w		6N	GB	1.0	0.1		0.1	23	0.0050
37-5w		6S	GB	1.0	0.1		0.1	25	0.0050
37-5w		7N	GB	1.0	0.1		0.1	4	0.0050
37-5w		8N	GB	1.5	0.1		0.1	5	0.0050
37-5w		9N	GB	1.0	0.3		0.1	24	0.0050
37-5w		9S	GB	1.5	0.3		0.1	11	0.0050
37-5w		10S	GB	1.5	0.3		0.1	10	0.0050
38-69		1N	GB	1.0	0.3		0.1	41	0.0033
38-69		2N	GB	1.0	0.2		0.1	47	0.0033
38-69		2S	GB	1.0	0.2		0.1	44	0.0033
38-69		3N	GB	1.0	0.3		0.1	15	0.0033
38-69		3S	GB	1.0	0.3		0.1	13	0.0033
38-69		3S	GB	1.5	0.5		0.1	3	0.0033
3-10		7N	GB	2.0	0.3		0.2	4	0.0033
3-10		10S	GB	5.4	0.7		0.2		0.0033
13-1 E		10S	GB	2.0	0.8		0.2		0.0033
37-5w		8S	GB	1.5	0.2		0.2	25	0.0050
37-5w		4S	GB	2.5	0.2		0.3	56	0.0050
13-1 E		8N	GD	3.3	1.1		0.3		0.0033
13-1 E		8N	GD	4.0	0.6		0.3		0.0033
13-1 E		8N	GD	3.0	0.3		0.3	3	0.0033
13-1 E		8N	GD	5.0	1.0	0.2	0.4	2	0.0033
13-1 E		8N	GD	6.5	1.8	0.2	0.4		0.0033
13-1 E		8N	GD	6.5	3.5	0.2	0.4		0.0033
13-1 E		8N	GD	4.0	1.0		0.4		0.0033
13-1 E		8N	GD	3.5	0.1		0.4		0.0033
13-1 E		8N	GD	8.8	2.6	0.3	0.5		0.0033
3-10		3N	H	2.0	1.0		0.1	8	0.0033
3-10		5N	H	1.0	0.5		0.1	21	0.0033
3-10		7S	H	2.0	0.5		0.1	8	0.0033
3-10		8N	H	1.5	0.6		0.1		0.0033
3-10		9N	H	2.5	0.3		0.1	14	0.0033
3-10		9N	H	2.0	0.3		0.1	9	0.0033
3-10		9S	H	1.5	0.3		0.1	8	0.0033
13-1 E		1S	H	2.0	1.0		0.1	4	0.0033
13-1 E		5N	H	1.5	0.4		0.1		0.0033
13-1 E		7S	H	1.0	0.3		0.1	4	0.0033
13-1 E		7S	H	2.0	0.3		0.1	5	0.0033
13-1 E		8N	H	1.5	0.3		0.1	3	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
13-1 E		8S	H	2	0.2		0.1	6	0.0033
13-1 E		9N	H	1.5	0.3		0.1	9	0.0033
13-1 E		9S	H	2.0	0.3		0.1	29	0.0033
13-1 E		9S	H	1.0	0.2		0.1	21	0.0033
13-1 E		10S	H	1.3	0.4		0.1		0.0033
13-1W		3S	H	1.0	0.6		0.1		0.0033
13-1W		7S	H	2.0	0.4		0.1	6	0.0033
13-1W		8N	H	1.0	0.2		0.1	2	0.0033
13-1W		9S	H	2.0	0.6		0.1	9	0.0033
37-1		1N	H	2.0	0.4		0.1	2	0.0033
37-1		2N	H	1.1	0.4		0.1	9	0.0033
37-1		2S	H	1.5	0.6		0.1		0.0033
37-1		3N	H	1.0	0.5		0.1	8	0.0033
37-1		3S	H	1.0	0.3		0.1	8	0.0033
37-1		7N	H	1.8	0.4		0.1	10	0.0033
37-1		10S	H	1.5	0.4		0.1	16	0.0033
37-5w		1N	H	2.8	0.8		0.1		0.0050
37-5w		1S	H	1.9	0.8		0.1		0.0050
37-5w		1S	H	2.4	0.8		0.1		0.0050
37-5w		1S	H	1.5	0.3		0.1		0.0050
37-5w		1S	H	2.0	0.3		0.1		0.0050
37-5w		1S	H	1.6	0.3		0.1		0.0050
37-5w		1S	H	2.1	0.3		0.1		0.0050
37-5w		1S	H	1.6	0.3		0.1		0.0050
37-5w		1S	H	1.4	0.3		0.1		0.0050
37-5w		1S	H	1.5	0.3		0.1		0.0050
37-5w		1S	H	2.2	0.2		0.1		0.0050
37-5w		1S	H	1.7	0.2		0.1		0.0050
37-5w		3S	H	2.1	0.1		0.1		0.0050
37-5w		3S	H	1.7	0.3		0.1		0.0050
37-5w		10N	H	3.0	1.0		0.1	18	0.0050
38-69		1N	H	2.0	0.8		0.1		0.0033
38-69		3N	H	2.5	0.6		0.1		0.0033
38-69		3N	H	2.5	0.5		0.1	2	0.0033
38-69		3N	H	2.0	0.7		0.1	4	0.0033
38-69		3N	H	1.2	0.2		0.1	3	0.0033
38-69		3S	H	1.1	0.9		0.1		0.0033
38-69		5S	H	1.4	1.0		0.1	2	0.0033
38-69		6N	H	2.0	0.5		0.1	27	0.0033
38-69		6S	H	2.1	0.8		0.1	2	0.0033
38-69		8N	H	1.0	0.4		0.1	6	0.0033
38-69		8S	H	2.0	0.7		0.1	16	0.0033
38-69		9N	H	1.0	0.3		0.1	12	0.0033
38-69		10N	H	1.4	0.2		0.1	3	0.0033
PN		1N	H	1.6	0.7		0.1		0.0033
PN		3N	H	1.0	0.3		0.1	8	0.0033
PN		4N	H	1.4	1.2		0.1		0.0033
PN		4S	H	1.0	0.1		0.1		0.0033
PN		5N	H	1.4	0.6		0.1	6	0.0033
PN		5S	H	1.7	0.5		0.1		0.0033
PN		6N	H	1.0	0.4		0.1	3	0.0033
PN		9N	H	1.3	0.4		0.1		0.0033
PS		1S	H	1.6	1.6		0.1		0.0033
PS		1S	H	1.1	0.5		0.1		0.0033
PS		5N	H	1.0	0.4		0.1		0.0033
PS		6S	H	2.0	0.3		0.1	2	0.0033
PS		8N	H	1.0	0.3		0.1	4	0.0033
PS		8S	H	1.9	0.5		0.1		0.0033
37-5w		1S	H	4.6	1.5	0.1	0.2		0.0050
37-5w		3S	H	4.6	1.0	0.1	0.2		0.0050
3-10		1N	H	2.0	0.3		0.2		0.0033
3-10		4N	H	2.0	0.3		0.2	7	0.0033
3-10		5N	H	2.0	0.7		0.2	13	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
3-10		6N	H	2.1	0.4		0.2	10	0.0033
3-10		9N	H	3.0	1.0		0.2	9	0.0033
13-1 E		3S	H	2.2	0.7		0.2		0.0033
13-1 E		4S	H	1.0	0.6		0.2		0.0033
13-1 E		6S	H	3.0	2.0		0.2	2	0.0033
13-1 E		10N	H	2.0	0.3		0.2	6	0.0033
13-1W		1N	H	2.0	0.8		0.2	7	0.0033
13-1W		2N	H	2.0	0.2		0.2	2	0.0033
13-1W		2S	H	2.0	0.4		0.2	8	0.0033
13-1W		3N	H	2.0	0.5		0.2	11	0.0033
13-1W		4N	H	2.0	0.7		0.2	8	0.0033
13-1W		6N	H	2.5	0.7		0.2	16	0.0033
13-1W		6S	H	2.0	0.4		0.2	17	0.0033
13-1W		7S	H	3.0	0.8		0.2	2	0.0033
13-1W		8N	H	1.7	0.3		0.2		0.0033
13-1W		8N	H	3.8	1.2		0.2	3	0.0033
13-1W		8S	H	2.0	0.3		0.2	6	0.0033
13-1W		9N	H	2.0	1.4		0.2	14	0.0033
37-1		2N	H	2.7	1.1		0.2	13	0.0033
37-1		3S	H	2.5	1.0		0.2	11	0.0033
37-1		5N	H	1.8	1.0		0.2		0.0033
37-1		6N	H	2.5	0.5		0.2	8	0.0033
37-1		6N	H	1.2	0.4		0.2	7	0.0033
37-1		7S	H	1.7	0.3		0.2	2	0.0033
37-1		9N	H	2.0	0.8		0.2	6	0.0033
37-1		9S	H	1.3	1.0		0.2	2	0.0033
37-1		10N	H	2.2	0.6		0.2	2	0.0033
37-1		10S	H	3.7	0.6		0.2	5	0.0033
37-5w		1N	H	3.2	1.8		0.2		0.0050
37-5w		1N	H	3.0	0.8		0.2		0.0050
37-5w		1N	H	4.3	0.9		0.2		0.0050
37-5w		1N	H	3.2	0.4		0.2		0.0050
37-5w		1N	H	4.4	1.5		0.2		0.0050
37-5w		1N	H	3.0	1.5		0.2		0.0050
37-5w		1S	H	2.8	1.0		0.2		0.0050
37-5w		1S	H	2.8	1.5		0.2		0.0050
37-5w		1S	H	2.1	0.8		0.2		0.0050
37-5w		1S	H	3.4	0.8		0.2		0.0050
37-5w		1S	H	2.8	0.9		0.2		0.0050
37-5w		1S	H	2.8	0.9		0.2		0.0050
37-5w		1S	H	2.4	0.4		0.2		0.0050
37-5w		1S	H	2.6	0.9		0.2		0.0050
37-5w		1S	H	3.0	0.9		0.2		0.0050
37-5w		1S	H	4.1	1.1		0.2		0.0050
37-5w		1S	H	2.8	1.0		0.2		0.0050
37-5w		1S	H	3.4	0.1		0.2		0.0050
37-5w		1S	H	4.0	1.4		0.2		0.0050
37-5w		1S	H	2.2	0.8		0.2		0.0050
37-5w		1S	H	3.4	0.8		0.2		0.0050
37-5w		1S	H	1.8	1.1		0.2		0.0050
37-5w		2S	H	2.4	0.8		0.2		0.0050
37-5w		3S	H	4.0	1.5		0.2		0.0050
37-5w		3S	H	3.5	1.0		0.2		0.0050
37-5w		3S	H	4.0	0.5		0.2		0.0050
37-5w		3S	H	2.5	0.8		0.2		0.0050
37-5w		3S	H	2.5	0.8		0.2		0.0050
37-5w		3S	H	2.5	0.8		0.2		0.0050
37-5w		3S	H	2.3	0.9		0.2		0.0050
37-5w		6N	H	3.0	0.4		0.2		0.0050
37-5w		6S	H	4.2	1.0		0.2		0.0050
37-5w		7S	H	3.0	2.0		0.2		0.0050
37-5w		7S	H	2.0	0.4		0.2		0.0050
37-5w		8S	H	3.2	0.2		0.2		0.0050

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
37-5w		8S	H	2.0	1.5		0.2		0.0050
37-5w		8S	H	2.3	1.3		0.2		0.0050
37-5w		8S	H	2.5	0.6		0.2	2	0.0050
38-69		1N	H	3.2	1.3		0.2		0.0033
38-69		1N	H	2.1	0.3		0.2		0.0033
38-69		1N	H	3.6	3.0		0.2		0.0033
38-69		3S	H	4.5	2.0		0.2		0.0033
38-69		7S	H	2.9	0.8		0.2		0.0033
38-69		8N	H	3.5	0.8		0.2	21	0.0033
38-69		9N	H	2.2	1.0		0.2	23	0.0033
38-69		9S	H	2.6	1.0		0.2	23	0.0033
38-69		9S	H	1.8	1.1		0.2	2	0.0033
38-69		10S	H	1.9	1.6		0.2	16	0.0033
PC		8S	H	3.0	1.0		0.2	7	0.0033
PN		1N	H	2.7	1.1		0.2	2	0.0033
PN		1N	H	3.0	2.3		0.2		0.0033
PN		1N	H	2.0	1.0		0.2	2	0.0033
PN		1N	H	1.8	2.0		0.2		0.0033
PN		1N	H	2.1	1.2		0.2		0.0033
PN		1N	H	1.5	1.0		0.2		0.0033
PN		2S	H	2.6	1.3		0.2		0.0033
PN		3N	H	1.5	1.1		0.2	9	0.0033
PN		4N	H	2.3	0.5		0.2	2	0.0033
PN		4S	H	1.5	0.8		0.2		0.0033
PN		4S	H	2.0	0.6		0.2		0.0033
PN		5N	H	2.8	2.4		0.2		0.0033
PN		5N	H	2.9	1.6		0.2		0.0033
PN		5N	H	2.0	1.0		0.2	5	0.0033
PN		5S	H	3.0	1.7		0.2		0.0033
PN		5S	H	2.3	1.0		0.2		0.0033
PN		5S	H	1.7	1.2		0.2		0.0033
PN		6N	H	4.0	2.0		0.2	3	0.0033
PN		6N	H	2.0	1.0		0.2	5	0.0033
PN		6S	H	2.7	1.3		0.2		0.0033
PN		7S	H	4.0	1.5		0.2	3	0.0033
PN		8N	H	2.5	1.2		0.2		0.0033
PN		9S	H	1.5	1.3		0.2		0.0033
PN		9S	H	1.8	2.2		0.2		0.0033
PN		9S	H	2.3	0.8		0.2		0.0033
PN		9S	H	2.5	1.3		0.2	3	0.0033
PN		10N	H	2.2	2.2		0.2		0.0033
PN		10S	H	2.8	0.3		0.2		0.0033
PN		10S	H	2.5	1.6		0.2		0.0033
PN		10S	H	2.0	1.0		0.2		0.0033
PS		3N	H	2.0	0.4		0.2	14	0.0033
PS		3S	H	1.0	0.8		0.2		0.0033
PS		4S	H	1.6	1.7		0.2		0.0033
PS		4S	H	1.6	1.3		0.2		0.0033
PS		6S	H	3.0	1.0		0.2	2	0.0033
PS		8N	H	2.1	0.9		0.2	2	0.0033
PS		8S	H	2.6	1.8		0.2		0.0033
13-1 E		3N	H	5.0	1.7	0.1	0.3		0.0033
13-1 E		5N	H	4.7	1.3	0.1	0.3		0.0033
13-1 E		7S	H	5.0	2.1	0.1	0.3	13	0.0033
37-1		10S	H	5.0	2.0	0.1	0.3	6	0.0033
37-5w		1N	H	5.1	1.6	0.1	0.3		0.0050
37-5w		1N	H	5.6	1.5	0.1	0.3		0.0050
37-5w		1N	H	5.0	2.4	0.1	0.3		0.0050
37-5w		1S	H	5.0	0.6	0.1	0.3		0.0050
37-5w		1S	H	5.0	1.1	0.1	0.3		0.0050
37-5w		1S	H	5.8	1.5	0.1	0.3		0.0050
37-5w		3N	H	4.8	2.0	0.1	0.3		0.0050
37-5w		3S	H	4.4	1.5	0.1	0.3		0.0050

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
37-5w		3S	H	5.0	1.0	0.1	0.3		0.0050
38-69		2S	H	4.5	1.8	0.1	0.3		0.0033
38-69		3S	H	5.5	1.5	0.1	0.3		0.0033
PN		1N	H	4.5	2.0	0.1	0.3		0.0033
PN		4S	H	4.8	2.0	0.1	0.3	2	0.0033
PN		5N	H	4.5	1.3	0.1	0.3	2	0.0033
PN		5N	H	5.0	1.7	0.1	0.3		0.0033
PN		5S	H	4.7	1.6	0.1	0.3		0.0033
PN		6N	H	5.6	1.4	0.1	0.3	2	0.0033
PS		6S	H	5.0	3.2	0.1	0.3		0.0033
PS		6S	H	4.5	1.9	0.1	0.3		0.0033
PS		7N	H	6.0	2.3	0.1	0.3		0.0033
13-1W		8S	H	5.0	2.0	0.2	0.3	3	0.0033
37-5w		1N	H	6.0	2.6	0.2	0.3		0.0050
37-5w		1N	H	6.0	1.1	0.2	0.3		0.0050
37-5w		1S	H	7.2	2.1	0.2	0.3		0.0050
37-5w		1S	H	5.6	1.6	0.2	0.3		0.0050
37-5w		1S	H	5.4	0.4	0.2	0.3		0.0050
37-5w		3S	H	5.0	0.5	0.2	0.3		0.0050
37-5w		3S	H	5.2	1.0	0.2	0.3		0.0050
37-5w		3S	H	5.0	0.5	0.2	0.3		0.0050
37-5w		1S	H	8.5	2.8	0.4	0.3		0.0050
3-10		1N	H	2.9	1.5		0.3	3	0.0033
3-10		1N	H	4.0	1.2		0.3		0.0033
3-10		3N	H	3.0	1.2		0.3	5	0.0033
3-10		5N	H	4.0	1.1		0.3	27	0.0033
3-10		5N	H	3.0	1.0		0.3	15	0.0033
3-10		6N	H	3.0	1.0		0.3	9	0.0033
3-10		7S	H	3.0	1.6		0.3	6	0.0033
3-10		9N	H	4.0	1.7		0.3	24	0.0033
3-10		9S	H	4.0	1.2		0.3	14	0.0033
3-10		10N	H	2.8	0.8		0.3		0.0033
3-10		11S	H	1.2	1.5		0.3		0.0033
13-1 E		1S	H	4.0	2.0		0.3	3	0.0033
13-1 E		1S	H	3.0	2.2		0.3	4	0.0033
13-1 E		3N	H	3.5	2.0		0.3		0.0033
13-1 E		3S	H	3.6	1.6		0.3	12	0.0033
13-1 E		4N	H	3.0	1.5		0.3	4	0.0033
13-1 E		4S	H	2.3	1.4		0.3	2	0.0033
13-1 E		5N	H	2.0	1.3		0.3		0.0033
13-1 E		5N	H	4.0	2.0		0.3		0.0033
13-1 E		6N	H	3.2	2.0		0.3		0.0033
13-1 E		7N	H	2.4	0.3		0.3		0.0033
13-1 E		7S	H	3.0	1.0		0.3	23	0.0033
13-1 E		8N	H	3.0	1.2		0.3	10	0.0033
13-1 E		8S	H	3.0	0.7		0.3	12	0.0033
13-1 E		9N	H	4.0	2.5		0.3	9	0.0033
13-1 E		9N	H	3.0	0.9		0.3	16	0.0033
13-1 E		9S	H	3.0	0.8		0.3	46	0.0033
13-1 E		9S	H	4.0	2.0		0.3	30	0.0033
13-1 E		10N	H	3.0	0.9		0.3	7	0.0033
13-1 E		10N	H	4.0	2.0		0.3	9	0.0033
13-1W		2N	H	3.0	1.2		0.3	3	0.0033
13-1W		2S	H	3.0	0.6		0.3	18	0.0033
13-1W		2S	H	4.0	0.9		0.3	10	0.0033
13-1W		3N	H	4.0	2.0		0.3	18	0.0033
13-1W		3N	H	3.0	1.0		0.3	12	0.0033
13-1W		4N	H	3.0	1.1		0.3	3	0.0033
13-1W		5N	H	3.0	1.5		0.3	14	0.0033
13-1W		5N	H	4.0	2.3		0.3	4	0.0033
13-1W		6N	H	4.0	1.5		0.3	13	0.0033
13-1W		6S	H	3.5	2.1		0.3	18	0.0033
13-1W		8N	H	4.4	1.9		0.3		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
13-1W		8S	H	4.0	1.2		0.3	2	0.0033
13-1W		8S	H	3.0	1.5		0.3	7	0.0033
13-1W		9S	H	3.0	1.6		0.3	9	0.0033
37-1		1N	H	2.5	1.5		0.3	2	0.0033
37-1		3N	H	3.7	1.6		0.3	18	0.0033
37-1		3S	H	4.1	1.0		0.3	2	0.0033
37-1		7N	H	3.0	1.5		0.3	13	0.0033
37-1		7S	H	3.3	1.1		0.3	4	0.0033
37-1		8N	H	3.8	2.7		0.3	3	0.0033
37-1		8S	H	4.0	2.0		0.3		0.0033
37-1		9S	H	4.0	1.5		0.3	6	0.0033
37-5w		1N	H	4.3	1.5		0.3		0.0050
37-5w		1N	H	4.3	2.1		0.3		0.0050
37-5w		1N	H	4.3	2.4		0.3		0.0050
37-5w		1N	H	4.0	1.5		0.3		0.0050
37-5w		1S	H	1.8	3.5		0.3		0.0050
37-5w		1S	H	3.3	1.6		0.3		0.0050
37-5w		1S	H	3.1	0.8		0.3		0.0050
37-5w		2S	H	3.0	1.0		0.3		0.0050
37-5w		3N	H	3.5	1.5		0.3		0.0050
37-5w		3S	H	3.3	1.0		0.3		0.0050
37-5w		3S	H	4.1	1.8		0.3		0.0050
37-5w		3S	H	3.6	2.0		0.3		0.0050
37-5w		3S	H	4.0	0.1		0.3		0.0050
37-5w		3S	H	2.4	0.9		0.3		0.0050
37-5w		6S	H	4.2	0.2		0.3		0.0050
37-5w		6S	H	4.5	1.5		0.3		0.0050
37-5w		7S	H	4.0	1.0		0.3		0.0050
37-5w		7S	H	3.5	1.5		0.3		0.0050
37-5w		7S	H	3.0	1.0		0.3		0.0050
37-5w		8S	H	3.4	1.4		0.3		0.0050
38-69		3N	H	4.0	2.0		0.3		0.0033
38-69		3S	H	3.5	1.5		0.3		0.0033
38-69		3S	H	3.2	1.9		0.3		0.0033
38-69		7S	H	3.5	1.5		0.3	3	0.0033
38-69		10N	H	3.8	1.8		0.3	4	0.0033
38-69		10S	H	3.0	0.3		0.3	13	0.0033
38-69		10S	H	3.0	1.2		0.3	4	0.0033
PC		8S	H	4.0	1.0		0.3	4	0.0033
PN		1N	H	2.0	0.8		0.3		0.0033
PN		1N	H	4.2	1.4		0.3		0.0033
PN		1N	H	3.5	0.5		0.3	3	0.0033
PN		1N	H	2.3	1.0		0.3		0.0033
PN		1N	H	4.2	1.1		0.3		0.0033
PN		1N	H	3.0	1.6		0.3		0.0033
PN		1N	H	4.2	0.6		0.3		0.0033
PN		1N	H	3.6	1.2		0.3	2	0.0033
PN		2S	H	3.0	1.4		0.3	2	0.0033
PN		3N	H	3.0	1.8		0.3	6	0.0033
PN		3N	H	3.5	2.2		0.3		0.0033
PN		4S	H	2.3	0.8		0.3	4	0.0033
PN		4S	H	3.0	2.6		0.3	3	0.0033
PN		4S	H	3.8	2.9		0.3	2	0.0033
PN		5N	H	4.0	1.8		0.3		0.0033
PN		5N	H	4.2	2.7		0.3		0.0033
PN		5N	H	4.0	2.0		0.3	8	0.0033
PN		5N	H	4.3	2.5		0.3		0.0033
PN		5N	H	2.5	1.6		0.3	2	0.0033
PN		5S	H	3.6	2.5		0.3		0.0033
PN		5S	H	4.3	2.5		0.3	6	0.0033
PN		5S	H	3.3	1.6		0.3		0.0033
PN		5S	H	3.0	1.9		0.3		0.0033
PN		5S	H	3.7	2.2		0.3		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PN		6N	H	3.4	2.2		0.3	3	0.0033
PN		6S	H	4.0	2.0		0.3		0.0033
PN		6S	H	3.0	1.5		0.3	5	0.0033
PN		6S	H	4.0	1.8		0.3	2	0.0033
PN		6S	H	3.5	2.7		0.3		0.0033
PN		9S	H	2.0	1.9		0.3		0.0033
PN		9S	H	4.0	2.0		0.3		0.0033
PN		9S	H	3.0	1.6		0.3	4	0.0033
PN		10S	H	3.4	0.4		0.3	2	0.0033
PN		10S	H	4.0	2.2		0.3	5	0.0033
PN		10S	H	4.4	2.3		0.3	2	0.0033
PN		10S	H	3.5	2.0		0.3	2	0.0033
PS		1N	H	3.9	0.7		0.3		0.0033
PS		1N	H	2.0	1.3		0.3	3	0.0033
PS		3N	H	2.9	1.0		0.3	3	0.0033
PS		3N	H	1.7	0.4		0.3		0.0033
PS		3N	H	3.4	2.1		0.3	4	0.0033
PS		6S	H	3.7	1.0		0.3		0.0033
PS		6S	H	3.4	2.8		0.3		0.0033
PS		6S	H	3.0	1.8		0.3		0.0033
PS		7S	H	4.4	0.3		0.3		0.0033
PS		8N	H	2.7	0.7		0.3	2	0.0033
PS		8S	H	3.5	2.3		0.3	2	0.0033
PS		8S	H	2.1	1.5		0.3		0.0033
PS		8S	H	4.0	1.9		0.3	2	0.0033
3-10		3N	H	5.4	1.7	0.1	0.4	3	0.0033
3-10		4N	H	4.6	1.5	0.1	0.4	6	0.0033
13-1 E		6S	H	4.7	2.3	0.1	0.4		0.0033
13-1W		5N	H	5.0	1.7	0.1	0.4	9	0.0033
13-1W		9S	H	5.0	2.3	0.1	0.4	3	0.0033
37-5w		2S	H	4.6	1.2	0.1	0.4		0.0050
37-5w		2S	H	4.7	1.4	0.1	0.4		0.0050
37-5w		3S	H	4.2	1.5	0.1	0.4		0.0050
37-5w		10N	H	5.5	2.0	0.1	0.4	24	0.0050
37-5w		10S	H	4.9	1.4	0.1	0.4		0.0050
38-69		2S	H	6.0	2.7	0.1	0.4		0.0033
38-69		3N	H	5.1	1.7	0.1	0.4	2	0.0033
38-69		9N	H	5.7	2.0	0.1	0.4	59	0.0033
38-69		10N	H	4.5	2.2	0.1	0.4	9	0.0033
PN		4S	H	5.5	2.7	0.1	0.4		0.0033
PN		9N	H	4.8	2.7	0.1	0.4		0.0033
PN		9N	H	5.7	3.0	0.1	0.4		0.0033
PS		6S	H	6.0	4.0	0.1	0.4		0.0033
PS		6S	H	5.0	2.0	0.1	0.4		0.0033
3-10		6N	H	5.5	1.6	0.2	0.4	10	0.0033
3-10		6N	H	6.0	2.0	0.2	0.4		0.0033
3-10		6S	H	4.5	1.4	0.2	0.4		0.0033
3-10		7S	H	5.1	1.9	0.2	0.4	12	0.0033
3-10		9N	H	5.0	2.0	0.2	0.4	5	0.0033
3-10		9S	H	5.0	1.4	0.2	0.4	5	0.0033
13-1 E		2N	H	6.0	3.0	0.2	0.4		0.0033
13-1 E		3N	H	6.5	4.3	0.2	0.4	2	0.0033
13-1 E		3S	H	6.0	2.1	0.2	0.4		0.0033
13-1 E		3S	H	5.3	3.0	0.2	0.4	6	0.0033
13-1 E		4N	H	5.9	3.0	0.2	0.4		0.0033
13-1 E		4N	H	5.0	2.0	0.2	0.4	3	0.0033
13-1 E		6N	H	6.2	3.0	0.2	0.4		0.0033
13-1 E		6S	H	7.0	3.0	0.2	0.4		0.0033
13-1 E		7S	H	6.0	2.8	0.2	0.4	6	0.0033
13-1 E		8N	H	5.0	2.0	0.2	0.4	10	0.0033
13-1 E		9N	H	5.0	2.5	0.2	0.4	3	0.0033
13-1 E		9N	H	5.0	4.0	0.2	0.4		0.0033
13-1 E		9S	H	5.6	3.0	0.2	0.4	32	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
13-1 E	9	S	H	6.0	2.5	0.2	0.4	13	0.0033
13-1 E	10	N	H	6.0	1.1	0.2	0.4	5	0.0033
13-1W	1	N	H	6.0	3.0	0.2	0.4	3	0.0033
13-1W	2	N	H	5.0	2.5	0.2	0.4		0.0033
13-1W	2	S	H	5.0	1.6	0.2	0.4		0.0033
13-1W	3	N	H	5.0	1.8	0.2	0.4	5	0.0033
13-1W	6	N	H	6.5	3.0	0.2	0.4	8	0.0033
13-1W	6	S	H	5.0	2.6	0.2	0.4	12	0.0033
13-1W	7	S	H	5.0	2.5	0.2	0.4	13	0.0033
13-1W	8	N	H	6.0	1.8	0.2	0.4	3	0.0033
13-1W	9	S	H	6.2	2.9	0.2	0.4	10	0.0033
37-1	1	S	H	5.5	1.2	0.2	0.4	56	0.0033
37-1	3	N	H	5.0	3.0	0.2	0.4	13	0.0033
37-1	6	N	H	5.5	2.3	0.2	0.4	9	0.0033
37-1	7	N	H	6.1	3.4	0.2	0.4	11	0.0033
37-1	8	S	H	6.0	2.0	0.2	0.4	4	0.0033
37-1	9	N	H	5.0	2.5	0.2	0.4	3	0.0033
37-1	10	S	H	6.0	2.0	0.2	0.4	6	0.0033
37-5w	1	N	H	6.4	3.5	0.2	0.4		0.0050
37-5w	1	N	H	6.5	0.5	0.2	0.4		0.0050
37-5w	1	N	H	7.8	2.1	0.2	0.4		0.0050
37-5w	1	N	H	6.5	1.8	0.2	0.4		0.0050
37-5w	1	N	H	5.2	2.4	0.2	0.4		0.0050
37-5w	1	N	H	6.5	2.0	0.2	0.4		0.0050
37-5w	1	N	H	6.5	2.0	0.2	0.4		0.0050
37-5w	1	S	H	6.4	1.8	0.2	0.4		0.0050
37-5w	1	S	H	6.4	1.5	0.2	0.4		0.0050
37-5w	1	S	H	6.1	1.8	0.2	0.4		0.0050
37-5w	1	S	H	5.6	2.1	0.2	0.4		0.0050
37-5w	1	S	H	6.5	1.4	0.2	0.4		0.0050
37-5w	1	S	H	8.2	1.8	0.2	0.4		0.0050
37-5w	2	S	H	6.5	1.5	0.2	0.4		0.0050
37-5w	2	S	H	5.8	2.5	0.2	0.4		0.0050
37-5w	3	S	H	5.2	1.8	0.2	0.4		0.0050
37-5w	3	S	H	6.5	1.5	0.2	0.4		0.0050
37-5w	3	S	H	6.5	0.8	0.2	0.4		0.0050
37-5w	3	S	H	7.5	1.6	0.2	0.4		0.0050
38-69	3	S	H	6.5	3.2	0.2	0.4	2	0.0033
38-69	8	N	H	6.3	2.4	0.2	0.4	7	0.0033
PN	4	S	H	6.0	4.0	0.2	0.4	3	0.0033
PN	5	N	H	5.5	3.0	0.2	0.4	3	0.0033
PN	5	S	H	6.0	2.4	0.2	0.4		0.0033
PN	6	N	H	6.3	3.7	0.2	0.4		0.0033
PN	6	N	H	6.3	1.3	0.2	0.4	3	0.0033
PN	6	S	H	7.0	4.0	0.2	0.4		0.0033
PN	10	N	H	7.0	5.0	0.2	0.4		0.0033
PN	10	S	H	7.0	5.0	0.2	0.4		0.0033
PS	1	N	H	6.0	3.0	0.2	0.4		0.0033
PS	3	N	H	5.5	1.7	0.2	0.4		0.0033
PS	3	N	H	6.0	2.0	0.2	0.4		0.0033
PS	6	S	H	6.8	4.3	0.2	0.4		0.0033
PS	8	S	H	6.0	4.1	0.2	0.4		0.0033
13-1 E	8	S	H	5.0	2.7	0.3	0.4	16	0.0033
13-1 E	9	N	H	6.0	3.0	0.3	0.4	7	0.0033
13-1 E	10	N	H	6.0	2.7	0.3	0.4	5	0.0033
13-1W	3	N	H	6.0	2.3	0.3	0.4	6	0.0033
13-1W	5	N	H	6.4	2.7	0.3	0.4	3	0.0033
13-1W	5	N	H	6.0	2.2	0.3	0.4	2	0.0033
13-1W	8	N	H	7.3	3.6	0.3	0.4		0.0033
13-1W	8	S	H	6.0	1.8	0.3	0.4	2	0.0033
37-5w	1	S	H	6.0	1.8	0.3	0.4		0.0050
37-5w	1	S	H	8.3	1.1	0.3	0.4		0.0050
37-5w	2	S	H	6.0	2.8	0.3	0.4		0.0050

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
37-5w		3S	H	6.0	1.0	0.3	0.4		0.0050
PN		1N	H	6.8	4.0	0.3	0.4		0.0033
PN		1N	H	6.1	3.5	0.3	0.4		0.0033
PN		1N	H	7.0	3.0	0.3	0.4		0.0033
PN		1N	H	5.0	2.1	0.3	0.4		0.0033
PN		4S	H	7.2	3.7	0.3	0.4		0.0033
PN		6N	H	8.2	4.0	0.3	0.4	2	0.0033
PN		6N	H	7.4	2.8	0.3	0.4	9	0.0033
PN		6S	H	8.0	3.0	0.3	0.4		0.0033
PN		7S	H	7.0	3.8	0.3	0.4	2	0.0033
PN		7S	H	7.7	4.6	0.3	0.4	2	0.0033
PN		7S	H	9.6	5.5	0.3	0.4	2	0.0033
PN		10N	H	7.5	2.6	0.3	0.4		0.0033
PS		1N	H	7.4	3.6	0.3	0.4		0.0033
PS		3N	H	6.4	3.0	0.3	0.4		0.0033
PS		6S	H	7.5	4.0	0.3	0.4		0.0033
PS		8S	H	6.4	3.0	0.3	0.4		0.0033
PS		8S	H	5.7	4.4	0.3	0.4		0.0033
3-10		5N	H	5.1	1.1		0.4	6	0.0033
3-10		6N	H	4.0	1.7		0.4	8	0.0033
3-10		7S	H	4.0	1.3		0.4	7	0.0033
13-1 E		4N	H	3.5	3.2		0.4		0.0033
13-1 E		5N	H	4.0	4.0		0.4		0.0033
13-1W		1N	H	4.0	2.8		0.4	3	0.0033
13-1W		4N	H	4.0	2.0		0.4	6	0.0033
13-1W		4S	H	3.7	2.0		0.4		0.0033
13-1W		6S	H	4.0	2.0		0.4	11	0.0033
13-1W		9N	H	4.0	2.0		0.4	6	0.0033
37-1		6N	H	4.0	2.0		0.4	2	0.0033
37-1		9N	H	3.6	1.5		0.4	6	0.0033
37-5w		1N	H	3.5	0.1		0.4		0.0050
37-5w		2S	H	3.4	0.8		0.4		0.0050
37-5w		3S	H	4.0	1.4		0.4		0.0050
37-5w		7S	H	4.0	1.0		0.4		0.0050
37-5w		8S	H	3.4	1.0		0.4		0.0050
37-5w		10S	H	3.6	1.5		0.4		0.0050
38-69		3N	H	3.9	1.2		0.4		0.0033
38-69		10S	H	7.1	2.5		0.4	11	0.0033
PN		6N	H	6.3	2.1		0.4		0.0033
PN		6S	H	4.4	3.0		0.4		0.0033
PS		3N	H	4.0	1.6		0.4	4	0.0033
PS		3N	H	3.0	0.3		0.4		0.0033
37-5w		1N	H	5.0	1.5	0.1	0.5		0.0050
37-5w		3N	H	5.2	3.0	0.1	0.5		0.0050
37-5w		3N	H	5.0	4.0	0.1	0.5		0.0050
37-5w		3S	H	5.5	1.5	0.1	0.5		0.0050
37-5w		3S	H	6.0	1.5	0.1	0.5		0.0050
38-69		6N	H	6.0	2.3	0.1	0.5	21	0.0033
37-1		9S	H	5.7	2.0	0.2	0.5	2	0.0033
37-5w		1N	H	6.5	4.1	0.2	0.5		0.0050
37-5w		1S	H	6.5	1.5	0.2	0.5		0.0050
37-5w		2S	H	5.5	2.8	0.2	0.5		0.0050
37-5w		2S	H	6.0	1.6	0.2	0.5		0.0050
37-5w		3S	H	6.4	1.0	0.2	0.5		0.0050
37-5w		3S	H	6.5	1.6	0.2	0.5		0.0050
37-5w		3S	H	5.5	2.5	0.2	0.5		0.0050
37-5w		5N	H	6.9	3.0	0.2	0.5		0.0050
37-5w		6S	H	6.2	2.0	0.2	0.5		0.0050
38-69		8S	H	5.0	2.0	0.2	0.5	28	0.0033
PN		5S	H	5.5	3.3	0.2	0.5		0.0033
3-10		9N	H	7.0	2.7	0.3	0.5	5	0.0033
3-10		9S	H	7.5	1.6	0.3	0.5	10	0.0033
13-1 E		3S	H	7.5	4.3	0.3	0.5	2	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
13-1 E		3 S	H	8.2	4.0	0.3	0.5		0.0033
13-1 E		5 N	H	8.7	3.0	0.3	0.5		0.0033
13-1 E		7 S	H	8.0	3.7	0.3	0.5	6	0.0033
13-1 E		8 N	H	7.0	2.3	0.3	0.5	15	0.0033
13-1 E		8 N	H	8.0	2.5	0.3	0.5	4	0.0033
13-1 E		9 N	H	7.4	4.0	0.3	0.5	7	0.0033
13-1 E		9 N	H	8.2	3.0	0.3	0.5	4	0.0033
13-1 E		9 S	H	7.2	2.7	0.3	0.5	10	0.0033
13-1 E		10 N	H	7.0	3.6	0.3	0.5	7	0.0033
13-1 E		10 N	H	8.4	4.0	0.3	0.5	4	0.0033
13-1 W		2 N	H	6.0	2.0	0.3	0.5		0.0033
13-1 W		2 S	H	7.5	2.3	0.3	0.5	4	0.0033
13-1 W		8 S	H	8.0	4.0	0.3	0.5		0.0033
37-5w		1 N	H	7.4	1.8	0.3	0.5		0.0050
37-5w		1 N	H	7.5	3.2	0.3	0.5		0.0050
37-5w		1 S	H	8.1	2.1	0.3	0.5		0.0050
37-5w		1 S	H	8.1	1.5	0.3	0.5		0.0050
37-5w		1 S	H	8.7	2.0	0.3	0.5		0.0050
37-5w		3 S	H	6.0	1.5	0.3	0.5		0.0050
37-5w		3 S	H	8.1	1.2	0.3	0.5		0.0050
37-5w		7 S	H	5.5	2.0	0.3	0.5		0.0050
37-5w		7 S	H	6.2	2.5	0.3	0.5		0.0050
PN		5 S	H	7.5	5.3	0.3	0.5		0.0033
PN		6 N	H	7.8	4.4	0.3	0.5		0.0033
PS		1 N	H	8.4	4.1	0.3	0.5	2	0.0033
13-1 E		2 N	H	7.6	3.3	0.4	0.5		0.0033
13-1 W		2 S	H	9.0	2.0	0.4	0.5	3	0.0033
13-1 W		3 N	H	7.0	2.7	0.4	0.5	7	0.0033
PN		4 S	H	8.4	3.5	0.4	0.5		0.0033
PN		6 N	H	9.8	5.6	0.4	0.5		0.0033
PN		6 N	H	9.0	4.8	0.4	0.5		0.0033
PS		6 S	H	8.4	3.9	0.4	0.5		0.0033
PS		6 S	H	8.8	4.3	0.4	0.5		0.0033
PS		6 S	H	8.0	5.0	0.4	0.5		0.0033
3-10		1 N	H	4.2	2.8		0.5	2	0.0033
37-5w		1 N	H	4.5	1.4		0.5		0.0050
37-5w		3 S	H	3.5	1.0		0.5		0.0050
38-69		3 N	H	4.4	2.0		0.5	2	0.0033
38-69		10 N	H	7.4	3.1		0.5		0.0033
3-10		1 N	H	7.0	2.7	0.2	0.6		0.0033
37-5w		1 S	H	8.0	2.9	0.2	0.6		0.0050
37-5w		3 S	H	6.5	1.5	0.2	0.6		0.0050
37-5w		10 S	H	6.5	1.5	0.2	0.6		0.0050
3-10		4 N	H	8.0	2.0	0.3	0.6		0.0033
3-10		9 N	H	6.0	3.4	0.3	0.6	5	0.0033
13-1 E		1 S	H	6.0	3.5	0.3	0.6	3	0.0033
13-1 W		9 N	H	6.8	2.8	0.3	0.6		0.0033
13-1 W		9 N	H	5.0	2.2	0.3	0.6		0.0033
37-1		8 S	H	8.0	3.5	0.3	0.6	2	0.0033
37-5w		7 N	H	6.0	2.0	0.3	0.6		0.0050
38-69		3 N	H	6.5	3.9	0.3	0.6	10	0.0033
38-69		8 N	H	8.1	4.0	0.3	0.6	5	0.0033
38-69		9 N	H	7.8	2.5	0.3	0.6	3	0.0033
3-10		5 N	H	7.5	2.1	0.4	0.6	3	0.0033
3-10		9 N	H	8.0	3.7	0.4	0.6		0.0033
13-1 E		2 N	H	9.0	3.0	0.4	0.6		0.0033
13-1 E		8 S	H	6.5	3.3	0.4	0.6	11	0.0033
13-1 E		8 S	H	7.5	3.0	0.4	0.6	7	0.0033
13-1 E		9 S	H	9.0	3.0	0.4	0.6	2	0.0033
13-1 E		10 N	H	9.6	4.0	0.4	0.6		0.0033
13-1 W		3 N	H	9.1	2.8	0.4	0.6	2	0.0033
13-1 W		3 N	H	8.0	2.4	0.4	0.6		0.0033
13-1 W		7 S	H	8.0	3.0	0.4	0.6	9	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
37-1		6N	H	9.0	4.0	0.4	0.6		0.0033
37-1		9S	H	6.8	3.0	0.4	0.6	3	0.0033
37-1		10S	H	7.8	3.5	0.4	0.6	12	0.0033
37-5w		1S	H	8.5	2.5	0.4	0.6		0.0050
37-5w		2S	H	5.4	0.4	0.4	0.6		0.0050
37-5w		3S	H	8.0	3.5	0.4	0.6		0.0050
37-5w		7S	H	7.0	3.0	0.4	0.6		0.0050
38-69		3S	H	6.0	2.1	0.4	0.6		0.0033
PN		4S	H	8.1	4.5	0.4	0.6		0.0033
37-1		7N	H	9.5	4.0	0.5	0.6	8	0.0033
37-5w		10S	H	6.0	3.6	0.1	0.7		0.0050
37-5w		3S	H	7.5	1.5	0.2	0.7		0.0050
37-5w		10S	H	6.5	2.4	0.2	0.7		0.0050
38-69		1N	H	6.6	4.4	0.2	0.7		0.0033
3-10		7S	H	6.3	3.1	0.3	0.7		0.0033
37-1		7S	H	6.5	2.7	0.3	0.7	2	0.0033
37-5w		2S	H	6.2	1.5	0.3	0.7		0.0050
37-5w		2S	H	6.2	1.5	0.3	0.7		0.0050
37-5w		2S	H	6.2	1.5	0.3	0.7		0.0050
37-5w		3S	H	8.0	1.5	0.3	0.7		0.0050
37-5w		3S	H	9.5	1.5	0.3	0.7		0.0050
3-10		9S	H	9.0	2.0	0.4	0.7	2	0.0033
13-1W		2N	H	7.3	3.7	0.4	0.7		0.0033
13-1W		6N	H	8.0	4.5	0.4	0.7	4	0.0033
37-1		2N	H	9.0	4.0	0.4	0.7	13	0.0033
37-1		3N	H	7.0	4.9	0.4	0.7	6	0.0033
37-1		6N	H	8.0	5.1	0.4	0.7	8	0.0033
37-1		6S	H	7.5	3.3	0.4	0.7	4	0.0033
37-5w		3S	H	9.0	2.5	0.4	0.7		0.0050
37-5w		3S	H	11.0	2.0	0.4	0.7		0.0050
PS		1N	H	10.3	5.0	0.4	0.7		0.0033
3-10		6N	H	10.5	2.3	0.5	0.7	3	0.0033
13-1 E		10N	H	10.3	4.3	0.5	0.7		0.0033
37-1		6S	H	8.0	6.0	0.5	0.7		0.0033
37-5w		3S	H	10.5	4.0	0.5	0.7		0.0050
38-69		6N	H	9.0	3.9	0.5	0.7	7	0.0033
PN		6N	H	9.0	6.6	0.5	0.7		0.0033
37-5w		5N	H	8.1	3.0	0.3	0.8		0.0050
37-5w		5N	H	8.1	5.5	0.3	0.8		0.0050
3-10		6N	H	7.0	4.3	0.4	0.8	5	0.0033
37-5w		2S	H	7.8	2.7	0.4	0.8		0.0050
37-5w		3S	H	10.2	2.0	0.4	0.8		0.0050
37-5w		5N	H	9.1	3.0	0.4	0.8		0.0050
38-69		2N	H	8.0	4.5	0.4	0.8		0.0033
13-1 E		3S	H	11.5	6.8	0.5	0.8		0.0033
13-1 E		8S	H	10.0	2.0	0.5	0.8	13	0.0033
37-1		7S	H	12.0	5.0	0.5	0.8		0.0033
37-5w		10S	H	8.0	2.9	0.5	0.8		0.0050
38-69		2N	H	5.2	3.5	0.5	0.8	4	0.0033
13-1 E		8N	H	10.0	3.8	0.6	0.8	6	0.0033
37-5w		6S	H	5.5	3.0	0.1	0.9		0.0050
37-5w		1S	H	8.3	2.5	0.3	0.9		0.0050
37-5w		2S	H	8.4	4.0	0.4	0.9		0.0050
37-5w		2S	H	8.6	6.0	0.4	0.9		0.0050
37-5w		6S	H	8.1	4.0	0.4	0.9		0.0050
37-5w		6S	H	8.6	4.5	0.4	0.9		0.0050
37-5w		6S	H	9.5	5.1	0.4	0.9		0.0050
37-1		9S	H	9.0	3.5	0.5	0.9	3	0.0033
37-5w		1S	H	11.0	5.0	0.5	0.9		0.0050
38-69		2S	H	9.0	3.0	0.5	0.9		0.0033
38-69		8S	H	10.0	3.0	0.5	0.9	6	0.0033
38-69		3N	H	10.0	5.0	0.6	0.9		0.0033
PS		1N	H	10.3	5.0	0.6	0.9		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
13-1W		7 S	H	9.3	6.0	0.7	0.9	3	0.0033
37-5w		3 S	H	11.0	1.5	0.7	0.9		0.0050
38-69		10 S	H	12.0	6.0	0.8	0.9	12	0.0033
37-5w		1 S	H	9.8	4.5	0.6	1.0		0.0050
13-1W		5 N	H	11.7	2.3	0.7	1.0		0.0033
37-1		7 S	H	14.0	3.8	0.7	1.0		0.0033
13-1W		2 S	H	12.0	6.1	0.8	1.0	3	0.0033
37-5w		6 S	H	9.5	5.0	0.5	1.1		0.0050
37-1		6 S	H	10.2	8.6	0.8	1.1		0.0033
38-69		9 N	H	15.0	6.0	0.8	1.1	3	0.0033
3-10		3 S	Hazel	2.0	0.7		0.1	11	0.0033
3-10		3 S	Hazel	3.0	1.2		0.2	21	0.0033
3-10		3 S	Hazel	5.0	1.7	0.2	0.4	16	0.0033
3-10		3 S	Hazel	4.0	1.6		0.4	5	0.0033
3-10		3 S	Hazel	7.8	3.0	0.3	0.6	5	0.0033
3-10		1 S	HS	1.3	0.2		0.1	21	0.0033
3-10		2 N	HS	1.0	0.3		0.1	8	0.0033
3-10		3 N	HS	1.0	0.3		0.1	43	0.0033
3-10		3 N	HS	1.7	0.3		0.1	15	0.0033
3-10		3 S	HS	1.1	0.4		0.1	7	0.0033
3-10		4 S	HS	1.0	0.3		0.1		0.0033
3-10		5 S	HS	1.1	0.3		0.1		0.0033
3-10		7 S	HS	1.0	0.3		0.1	5	0.0033
3-10		8 N	HS	1.0	0.7		0.1	3	0.0033
3-10		9 S	HS	1.0	0.4		0.1	4	0.0033
3-10		10 S	HS	1.0	0.4		0.1	8	0.0033
3-10		11 N	HS	1.0	0.5		0.1	5	0.0033
3-10		11 S	HS	1.0	0.6		0.1	6	0.0033
13-1 E		1 N	HS	1.0	1.0		0.1	6	0.0033
13-1 E		2 N	HS	1.0	0.2		0.1	2	0.0033
13-1 E		2 S	HS	1.0	0.2		0.1		0.0033
13-1 E		3 N	HS	2.0	0.3		0.1	4	0.0033
13-1 E		4 N	HS	1.0	0.7		0.1	4	0.0033
13-1 E		4 S	HS	1.0	0.6		0.1	2	0.0033
13-1 E		9 N	HS	1.0	0.6		0.1	3	0.0033
13-1W		2 N	HS	1.0	1.1		0.1		0.0033
13-1W		3 N	HS	1.0	0.7		0.1	9	0.0033
13-1W		4 N	HS	1.0	0.7		0.1	2	0.0033
13-1W		7 N	HS	2.0	0.4		0.1	19	0.0033
13-1W		7 N	HS	1.0	0.2		0.1	14	0.0033
37-1		4 S	HS	1.0	0.6		0.1	8	0.0033
37-5w		1 S	HS	3.0	1.0		0.1	5	0.0050
37-5w		8 S	HS	2.0	1.3		0.1	8	0.0050
38-69		5 N	HS	1.0	0.5		0.1	4	0.0033
38-69		6 S	HS	1.2	1.0		0.1		0.0033
38-69		8 N	HS	1.4	1.0		0.1	3	0.0033
38-69		10 N	HS	1.1	1.1		0.1		0.0033
38-69		10 S	HS	1.6	0.5		0.1		0.0033
PN		5 S	HS	1.3	0.6		0.1		0.0033
PN		8 N	HS	1.0	0.9		0.1	3	0.0033
PN		8 S	HS	1.0	0.4		0.1	7	0.0033
PN		8 S	HS	1.0	0.4		0.1	6	0.0033
PN		10 N	HS	1.2	0.7		0.1	19	0.0033
PN		10 N	HS	2.0	1.1		0.1	24	0.0033
PN		10 S	HS	1.5	1.5		0.1		0.0033
PS		2 S	HS	1.0	0.6		0.1	8	0.0033
PS		4 N	HS	1.0	0.6		0.1	4	0.0033
PS		5 S	HS	1.4	0.9		0.1		0.0033
PS		6 S	HS	1.0	0.8		0.1	9	0.0033
3-10		3 N	HS	2.0	0.9		0.2	28	0.0033
3-10		4 S	HS	1.5	1.1		0.2		0.0033
3-10		6 S	HS	3.0	0.9		0.2	7	0.0033
3-10		7 S	HS	2.0	1.1		0.2	8	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
3-10		8N	HS	2.5	1.0		0.2		0.0033
3-10		10S	HS	2.0	0.5		0.2	7	0.0033
3-10		11N	HS	3.0	1.5		0.2		0.0033
3-10		11S	HS	2.0	1.7		0.2	9	0.0033
13-1 E		2N	HS	4.0	2.0		0.2	3	0.0033
13-1 E		2S	HS	1.5	1.0		0.2		0.0033
13-1 E		2S	HS	2.0	1.8		0.2	2	0.0033
13-1 E		3N	HS	3.6	0.7		0.2		0.0033
13-1 E		5N	HS	1.0	1.0		0.2		0.0033
13-1 E		6S	HS	1.5	1.0		0.2	6	0.0033
13-1 E		8S	HS	2.0	1.0		0.2	3	0.0033
13-1 E		10S	HS	2.0	2.0		0.2		0.0033
13-1W		2N	HS	2.8	2.0		0.2	7	0.0033
13-1W		3N	HS	2.0	1.0		0.2	6	0.0033
13-1W		5N	HS	2.0	0.7		0.2	7	0.0033
13-1W		5S	HS	2.0	1.1		0.2		0.0033
13-1W		6N	HS	1.3	1.0		0.2	3	0.0033
13-1W		7N	HS	3.0	0.9		0.2	12	0.0033
37-1		3N	HS	1.5	1.4		0.2	7	0.0033
37-1		4S	HS	1.5	1.0		0.2	15	0.0033
37-1		10S	HS	3.1	1.7		0.2		0.0033
37-1		10S	HS	2.0	1.2		0.2	3	0.0033
38-69		10S	HS	2.6	1.1		0.2		0.0033
PN		1N	HS	2.0	1.9		0.2		0.0033
PN		1N	HS	2.3	1.0		0.2		0.0033
PN		1N	HS	3.7	0.7		0.2		0.0033
PN		1N	HS	1.5	0.4		0.2		0.0033
PN		1N	HS	1.5	1.0		0.2		0.0033
PN		1N	HS	2.1	1.7		0.2		0.0033
PN		5N	HS	1.4	0.3		0.2	2	0.0033
PN		8N	HS	1.0	0.6		0.2	22	0.0033
PN		8N	HS	3.0	1.0		0.2		0.0033
PN		8S	HS	2.6	0.9		0.2		0.0033
PN		8S	HS	1.8	1.1		0.2	2	0.0033
PN		8S	HS	2.0	1.6		0.2		0.0033
PN		8S	HS	1.6	1.1		0.2	30	0.0033
PN		8S	HS	2.5	1.0		0.2	4	0.0033
PN		8S	HS	2.0	1.8		0.2	2	0.0033
PN		9N	HS	1.3	0.9		0.2		0.0033
PN		9N	HS	1.2	0.7		0.2		0.0033
PN		9S	HS	1.6	0.8		0.2	3	0.0033
PN		10S	HS	2.0	2.0		0.2	3	0.0033
PS		1N	HS	2.0	0.9		0.2		0.0033
PS		3N	HS	1.5	1.5		0.2		0.0033
PS		3N	HS	1.5	1.0		0.2		0.0033
PS		6S	HS	2.3	0.6		0.2		0.0033
3-10		8N	HS	4.6	1.9	0.1	0.3	2	0.0033
PS		4N	HS	5.0	2.6	0.1	0.3		0.0033
PS		9S	HS	4.5	3.0	0.1	0.3		0.0033
13-1 E		2N	HS	5.0	2.0	0.2	0.3		0.0033
3-10		4S	HS	2.5	1.2		0.3		0.0033
3-10		7S	HS	3.0	0.9		0.3	4	0.0033
3-10		11S	HS	3.0	2.0		0.3		0.0033
13-1 E		1S	HS	2.1	2.0		0.3		0.0033
13-1 E		2N	HS	2.0	0.9		0.3		0.0033
13-1 E		2S	HS	3.0	2.7		0.3		0.0033
13-1 E		5N	HS	2.0	1.8		0.3	6	0.0033
13-1 E		5N	HS	3.0	2.0		0.3		0.0033
13-1 E		6S	HS	2.9	2.3		0.3	2	0.0033
13-1 E		8S	HS	3.0	2.7		0.3	2	0.0033
13-1 E		9N	HS	2.2	1.9		0.3	2	0.0033
13-1W		3N	HS	3.0	1.3		0.3	5	0.0033
13-1W		7N	HS	4.0	2.0		0.3	13	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
37-1		3N	HS	3.0	1.0		0.3	4	0.0033
37-1		4S	HS	4.0	2.1		0.3	3	0.0033
37-1		4S	HS	2.5	2.5		0.3	14	0.0033
37-5w		8S	HS	2.7	0.9		0.3		0.0050
PN		1N	HS	3.5	3.4		0.3		0.0033
PN		1N	HS	1.6	2.2		0.3		0.0033
PN		8N	HS	2.0	1.3		0.3		0.0033
PN		8N	HS	2.0	1.8		0.3		0.0033
PS		6S	HS	2.0	1.8		0.3	2	0.0033
PS		9S	HS	2.5	1.5		0.3		0.0033
3-10		7S	HS	5.0	2.9	0.1	0.4		0.0033
13-1 E		3N	HS	5.2	4.0	0.1	0.4		0.0033
3-10		9S	HS	5.0	2.6	0.2	0.4		0.0033
13-1 E		8N	HS	5.0	2.5	0.2	0.4		0.0033
13-1 E		8N	HS	7.5	4.0	0.3	0.4		0.0033
3-10		6S	HS	4.0	1.9		0.4		0.0033
13-1 E		5N	HS	5.0	2.0		0.4		0.0033
13-1 E		6S	HS	3.5	2.0		0.4		0.0033
13-1 E		8S	HS	4.0	2.5		0.4	3	0.0033
13-1W		7N	HS	6.0	2.8	0.3	0.5	5	0.0033
13-1W		7N	HS	7.0	3.0	0.3	0.5	5	0.0033
PS		6S	HS	5.3	4.8	0.4	0.5		0.0033
13-1W		7N	HS	9.5	3.0	0.4	0.6	2	0.0033
13-1W		7N	HS	10.5	4.0	0.5	1.1		0.0033
37-5w		1N	HV	7.0	1.0		0.2		0.0050
PC		5S	IW	3.0			0.2	3	0.0033
PC		5N	IW	5.0	4.0	0.2	0.5	8	0.0033
PC		5S	IW	5.0	4.0	0.2	0.6	4	0.0033
PC		5N	IW	6.0	4.0	0.3	0.6	2	0.0033
PC		5S	IW	7.0	4.0	0.3	0.8	4	0.0033
37-1		4S	JB	2.0	1.0		0.2		0.0033
38-69		10S	JB	2.1	1.1		0.2	5	0.0033
38-69		10S	JB	1.2	0.6		0.2	2	0.0033
3-10		5S	LL	1.0	1.2		0.3	2	0.0033
37-1		1N	MA	1.0	0.3		0.1	2	0.0033
37-1		2N	MA	1.5	0.8		0.1	4	0.0033
37-1		9S	MA	1.0	0.6		0.1		0.0033
37-5w		8S	MA	1.6	0.2		0.1		0.0050
37-5w		8S	MA	1.5	0.6		0.1		0.0050
38-69		3S	MA	1.3	0.4		0.1		0.0033
PS		6N	MA	1.0	0.3		0.1		0.0033
3-10		2S	MA	1.2	0.3		0.2		0.0033
3-10		5S	MA	2.0	0.6		0.2	2	0.0033
3-10		7N	MA	2.0	1.3		0.2		0.0033
3-10		11N	MA	2.0	1.0		0.2	2	0.0033
13-1 E		2S	MA	2.0	0.7		0.2		0.0033
13-1 E		4S	MA	1.2	0.4		0.2		0.0033
13-1 E		5S	MA	1.5	0.9		0.2		0.0033
37-1		6N	MA	1.0	0.7		0.2	2	0.0033
37-1		9N	MA	2.0	0.8		0.2		0.0033
37-1		9S	MA	1.6	1.0		0.2	2	0.0033
37-5w		2S	MA	1.5	0.3		0.2		0.0050
37-5w		6S	MA	2.2	0.5		0.2	2	0.0050
37-5w		8N	MA	2.5	0.6		0.2		0.0050
37-5w		8S	MA	2.0	0.6		0.2		0.0050
38-69		2S	MA	5.2	1.6		0.2		0.0033
38-69		9S	MA	3.2	1.0		0.2		0.0033
38-69		9S	MA	1.5	0.6		0.2		0.0033
3-10		7N	MA	3.0	1.2		0.3	3	0.0033
3-10		8N	MA	2.0	0.8		0.3		0.0033
13-1 E		2N	MA	3.0	2.4		0.3		0.0033
13-1 E		2N	MA	2.5	0.6		0.3		0.0033
13-1 E		2S	MA	3.0	0.7		0.3		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
13-1 E		4N	MA	2.0	1.0		0.3	3	0.0033
13-1 E		8S	MA	3.4	0.6		0.3		0.0033
13-1W		2N	MA	2.6	0.8		0.3		0.0033
13-1W		8S	MA	2.0	0.6		0.3		0.0033
37-1		1N	MA	2.0	0.4		0.3		0.0033
37-5w		2N	MA	3.8	0.3		0.3		0.0050
37-5w		8N	MA	1.7	0.9		0.3		0.0050
37-5w		8S	MA	2.7	1.0		0.3		0.0050
37-5w		10N	MA	2.8	1.4		0.3		0.0050
37-5w		10S	MA	3.1	2.0		0.3		0.0050
37-5w		10S	MA	3.1	2.4		0.3		0.0050
38-69		7N	MA	3.2	1.1		0.3		0.0033
38-69		7N	MA	3.2	1.7		0.3		0.0033
13-1 E		2N	MA	5.2	0.8	0.2	0.4		0.0033
13-1 E		2N	MA	4.7	1.6	0.2	0.4		0.0033
37-1		2N	MA	6.2	1.8	0.2	0.4	3	0.0033
38-69		2S	MA	5.2	0.9	0.2	0.4		0.0033
37-1		2N	MA	3.5	0.6		0.4		0.0033
37-5w		6S	MA	3.0	1.0		0.4		0.0050
37-5w		8N	MA	4.1	0.4		0.4		0.0050
37-5w		4S	MA	4.9	0.4	0.2	0.5		0.0050
37-5w		8N	MA	5.5	1.4	0.3	0.5		0.0050
38-69		2S	MA	5.6	2.0	0.3	0.5		0.0033
3-10		9S	MA	10.0	2.8	0.4	0.5		0.0033
13-1 E		5N	MA	10.5	3.0	0.4	0.5		0.0033
37-5w		8N	MA	3.7	0.7		0.5		0.0050
3-10		10S	MA	5.0	1.5	0.2	0.7		0.0033
37-5w		8N	MA	5.3	2.0	0.2	0.7		0.0050
37-5w		4S	MA	6.5	1.0	0.3	0.7		0.0050
37-5w		8N	MA	5.0	3.0	0.3	0.7		0.0050
37-5w		4S	MA	6.3	1.5	0.4	0.7		0.0050
37-5w		8N	MA	5.4	0.1	0.4	0.7		0.0050
38-69		2N	MA	6.0	2.5	0.4	0.7		0.0033
37-5w		4S	MA	3.0	3.0		0.7		0.0050
37-5w		4S	MA	5.3	2.8	0.2	0.8		0.0050
38-69		2N	MA	4.0	1.0		0.8		0.0033
37-5w		4S	MA	9.5	2.0	0.4	1.2		0.0050
38-69		2N	MA	4.1	1.3		1.2		0.0033
38-69		2N	MA	9.0	3.2	0.9	1.4		0.0033
3-10		9N	MM	1.0	0.2		0.1	2	0.0033
3-10		9S	MM	1.0	0.5		0.1	2	0.0033
3-10		9S	MM	1.0	0.2		0.1	6	0.0033
13-1 E		4S	MM	1.0	0.2		0.1	3	0.0033
13-1 E		5N	MM	2.0	0.5		0.1	5	0.0033
13-1W		2S	MM	1.0	0.3		0.1	3	0.0033
37-1		2N	MM	1.0	0.3		0.1	4	0.0033
37-1		3S	MM	1.0	0.4		0.1	6	0.0033
37-1		5S	MM	1.3	0.3		0.1	3	0.0033
37-1		5S	MM	1.0	0.3		0.1	2	0.0033
37-1		6S	MM	1.2	1.0		0.1	3	0.0033
37-1		7N	MM	1.0	0.4		0.1	6	0.0033
37-1		7S	MM	1.0	0.4		0.1	4	0.0033
37-1		10N	MM	1.0	0.3		0.1	6	0.0033
38-69		5S	MM	2.2	1.2		0.1		0.0033
38-69		6N	MM	1.9	0.5		0.1	15	0.0033
38-69		6S	MM	1.5	1.1		0.1	7	0.0033
38-69		6S	MM	1.0	0.5		0.1	3	0.0033
38-69		7S	MM	1.4	0.5		0.1	2	0.0033
38-69		8N	MM	1.5	0.3		0.1		0.0033
38-69		8S	MM	1.9	0.7		0.1	2	0.0033
PN		1N	MM	1.3	0.3		0.1		0.0033
3-10		9N	MM	3.0	0.7		0.2		0.0033
13-1 E		1N	MM	2.0	0.6		0.2	2	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
13-1 E		3N	MM	2.0	1.0		0.2	3	0.0033
13-1 E		3N	MM	3.0	0.8		0.2	6	0.0033
13-1 E		3S	MM	2.0	1.0		0.2	7	0.0033
13-1 E		5S	MM	2.0	0.3		0.2		0.0033
13-1 E		5S	MM	4.0	0.6		0.2		0.0033
13-1 E		7N	MM	2.0	0.6		0.2	12	0.0033
13-1W		4N	MM	1.3	0.7		0.2	6	0.0033
13-1W		9S	MM	2.0	0.7		0.2	2	0.0033
13-1W		9S	MM	3.0	1.0		0.2		0.0033
37-1		1N	MM	1.1	0.6		0.2	4	0.0033
37-1		1S	MM	2.1	0.8		0.2	3	0.0033
37-1		3N	MM	1.5	0.3		0.2	3	0.0033
37-1		3S	MM	2.0	0.7		0.2	14	0.0033
37-1		4N	MM	2.7	2.0		0.2	5	0.0033
37-1		4S	MM	2.0	0.9		0.2	8	0.0033
37-1		4S	MM	1.0	0.4		0.2	7	0.0033
37-1		5N	MM	1.7	0.7		0.2	10	0.0033
37-1		5S	MM	1.6	0.6		0.2	5	0.0033
37-1		6N	MM	2.0	0.6		0.2	12	0.0033
37-1		8N	MM	1.1	0.2		0.2	3	0.0033
37-1		8S	MM	1.5	0.7		0.2	12	0.0033
37-1		9N	MM	2.0	0.3		0.2		0.0033
37-1		9S	MM	1.7	0.7		0.2	9	0.0033
37-1		10N	MM	2.0	0.9		0.2	5	0.0033
37-1		10S	MM	3.0	1.0		0.2		0.0033
38-69		5N	MM	2.0	0.8		0.2	15	0.0033
38-69		5N	MM	1.0	0.3		0.2	3	0.0033
38-69		5S	MM	2.1	0.3		0.2		0.0033
38-69		5S	MM	2.0	0.8		0.2	6	0.0033
38-69		5S	MM	2.7	1.5		0.2		0.0033
38-69		6S	MM	2.5	1.4		0.2	2	0.0033
38-69		8N	MM	3.0	0.6		0.2		0.0033
38-69		8N	MM	1.0	0.3		0.2	3	0.0033
38-69		9S	MM	3.0	0.3		0.2	3	0.0033
38-69		10N	MM	2.6	0.8		0.2		0.0033
PN		1N	MM	1.4	1.0		0.2		0.0033
PN		1N	MM	1.5	0.5		0.2	2	0.0033
PN		3N	MM	1.2	0.6		0.2	5	0.0033
PN		7S	MM	1.0	0.5		0.2		0.0033
13-1W		8N	MM	4.5	1.0	0.1	0.3	2	0.0033
13-1 E		1N	MM	2.5	1.0		0.3	3	0.0033
13-1 E		1N	MM	3.0	1.6		0.3	2	0.0033
13-1 E		1N	MM	3.5	1.0		0.3	3	0.0033
13-1 E		3S	MM	3.8	1.6		0.3	5	0.0033
13-1 E		4S	MM	3.0	0.7		0.3	5	0.0033
13-1 E		4S	MM	3.5	1.0		0.3	2	0.0033
13-1 E		7N	MM	3.8	1.0		0.3	2	0.0033
13-1 E		7N	MM	3.0	0.3		0.3	2	0.0033
13-1 E		8S	MM	4.0	1.0		0.3	5	0.0033
37-1		2N	MM	3.0	1.0		0.3	6	0.0033
37-1		3S	MM	4.0	1.5		0.3	11	0.0033
37-1		5N	MM	3.5	1.7		0.3		0.0033
37-1		5S	MM	2.7	0.7		0.3	3	0.0033
37-1		6S	MM	2.5	1.2		0.3	4	0.0033
37-1		7N	MM	2.6	1.0		0.3	4	0.0033
37-1		7S	MM	2.0	1.4		0.3	9	0.0033
37-1		8N	MM	2.3	1.5		0.3	7	0.0033
37-1		8S	MM	3.0	1.0		0.3	6	0.0033
37-1		9N	MM	3.0	0.8		0.3		0.0033
37-1		9S	MM	2.8	0.8		0.3	7	0.0033
37-1		10N	MM	3.0	1.0		0.3	8	0.0033
37-1		10N	MM	4.0	1.6		0.3	8	0.0033
37-5w		4N	MM	2.5	0.5		0.3		0.0050

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
37-5w		6S	MM	4.0	1.0		0.3		0.0050
38-69		5S	MM	4.9	1.2		0.3	2	0.0033
38-69		5S	MM	3.5	1.0		0.3		0.0033
38-69		8S	MM	4.0	3.0		0.3	2	0.0033
38-69		9N	MM	2.7	0.7		0.3	2	0.0033
PN		3N	MM	2.6	1.5		0.3		0.0033
38-69		5S	MM	4.6	2.7	0.1	0.4	13	0.0033
38-69		5S	MM	5.8	2.6	0.1	0.4	2	0.0033
38-69		6S	MM	4.7	2.0	0.1	0.4	7	0.0033
38-69		9N	MM	5.0	2.0	0.1	0.4	5	0.0033
13-1 E		2S	MM	6.0	2.0	0.2	0.4	2	0.0033
13-1 E		3N	MM	7.2	1.2	0.2	0.4		0.0033
13-1 E		4N	MM	6.0	2.7	0.2	0.4		0.0033
13-1 E		4N	MM	5.0	2.0	0.2	0.4	9	0.0033
13-1 E		7N	MM	6.5	4.0	0.2	0.4		0.0033
37-1		7S	MM	6.0	3.0	0.2	0.4	9	0.0033
37-1		8N	MM	5.0	2.0	0.2	0.4	5	0.0033
37-1		8S	MM	6.0	2.0	0.2	0.4	7	0.0033
38-69		5N	MM	5.0	1.4	0.2	0.4	4	0.0033
PC		8S	MM	8.0	1.0	0.2	0.4	4	0.0033
13-1 E		2N	MM	8.6	2.4	0.3	0.4		0.0033
13-1 E		2N	MM	6.9	2.5	0.3	0.4		0.0033
13-1 E		7N	MM	7.1	4.0	0.3	0.4	2	0.0033
13-1 E		7S	MM	6.6	2.0	0.3	0.4		0.0033
13-1W		8N	MM	6.5	2.3	0.3	0.4		0.0033
38-69		5N	MM	8.0	3.1	0.3	0.4	2	0.0033
13-1 E		1N	MM	2.7	2.5		0.4	2	0.0033
13-1W		9S	MM	4.0	2.4		0.4	3	0.0033
37-1		1N	MM	4.5	1.2		0.4	6	0.0033
37-1		4S	MM	4.1	1.3		0.4	10	0.0033
37-1		9N	MM	4.9	2.0		0.4		0.0033
37-1		9S	MM	4.3	2.5		0.4	5	0.0033
37-5w		6S	MM	4.0	1.0		0.4		0.0050
37-5w		6S	MM	4.0	1.5		0.4		0.0050
37-5w		8S	MM	3.0	1.5		0.4		0.0050
38-69		5N	MM	3.5	7.0		0.4	7	0.0033
38-69		9N	MM	4.2	1.7		0.4		0.0033
13-1 E		8S	MM	7.0	2.5	0.2	0.5	3	0.0033
37-1		1S	MM	5.8	1.5	0.2	0.5	7	0.0033
37-1		10N	MM	6.0	2.0	0.2	0.5	13	0.0033
37-5w		6S	MM	5.5	3.0	0.2	0.5		0.0050
38-69		6N	MM	6.8	2.6	0.2	0.5	8	0.0033
13-1W		9S	MM	9.5	2.7	0.3	0.5		0.0033
37-1		6S	MM	6.0	3.6	0.3	0.5	4	0.0033
37-1		6S	MM	8.2	2.9	0.3	0.5	3	0.0033
13-1 E		3S	MM	8.6	3.0	0.4	0.5		0.0033
13-1 E		5S	MM	8.5	3.5	0.4	0.5		0.0033
13-1 E		7N	MM	9.6	4.0	0.4	0.5		0.0033
38-69		5N	MM	7.5	2.8	0.4	0.5	6	0.0033
38-69		8S	MM	6.0	2.4	0.2	0.6	4	0.0033
37-1		8N	MM	8.2	3.2	0.3	0.6	2	0.0033
37-1		9S	MM	7.5	2.6	0.3	0.6	8	0.0033
37-1		10S	MM	6.0	2.5	0.3	0.6	3	0.0033
PC		8S	MM	12.0	5.0	0.3	0.6		0.0033
13-1 E		2S	MM	9.5	4.0	0.4	0.6		0.0033
13-1 E		3N	MM	9.4	4.3	0.4	0.6		0.0033
13-1 E		4N	MM	8.0	5.0	0.4	0.6	3	0.0033
13-1 E		5S	MM	11.8	6.2	0.4	0.6		0.0033
13-1 E		5S	MM	11.0	4.0	0.4	0.6		0.0033
13-1W		8N	MM	8.6	4.8	0.4	0.6		0.0033
37-1		4N	MM	8.3	4.2	0.4	0.6	2	0.0033
13-1 E		3S	MM	10.2	5.8	0.5	0.6	2	0.0033
13-1 E		5N	MM	9.5	6.0	0.5	0.6	6	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
37-5w		3S	MM	6.5	1.0	0.2	0.7		0.0050
37-1		5N	MM	7.2	2.7	0.3	0.7	7	0.0033
37-5w		4N	MM	9.0	1.5	0.3	0.7		0.0050
38-69		7N	MM	7.2	3.6	0.3	0.7		0.0033
37-1		3S	MM	10.0	5.0	0.4	0.7	8	0.0033
37-1		10N	MM	8.0	2.3	0.4	0.7	2	0.0033
38-69		6N	MM	9.3	4.8	0.4	0.7	7	0.0033
38-69		6S	MM	9.0	6.0	0.4	0.7	4	0.0033
13-1 E		7N	MM	11.0	5.0	0.5	0.7	3	0.0033
37-1		10S	MM	10.0	4.2	0.5	0.7	3	0.0033
38-69		5S	MM	9.0	5.0	0.5	0.7	4	0.0033
37-1		2N	MM	10.0	3.5	0.6	0.7	6	0.0033
37-1		8N	MM	10.5	4.8	0.6	0.7	5	0.0033
37-5w		4N	MM	4.0	1.5		0.7		0.0050
37-5w		4N	MM	6.4	2.5	0.2	0.8		0.0050
37-5w		6S	MM	8.5	4.0	0.3	0.8		0.0050
3-10		9S	MM	9.0	4.2	0.4	0.8	2	0.0033
38-69		5S	MM	9.0	5.0	0.4	0.8		0.0033
37-1		9N	MM	9.2	3.8	0.5	0.8	5	0.0033
37-1		9S	MM	10.0	2.1	0.5	0.8		0.0033
37-1		10N	MM	9.7	4.8	0.5	0.8	8	0.0033
37-1		8S	MM	12.0	5.0	0.6	0.8	7	0.0033
37-5w		6S	MM	9.5	4.5	0.3	0.9		0.0050
PC		8S	MM	10.0	3.0	0.6	0.9	7	0.0033
37-1		2N	MM	13.0	6.0	0.7	0.9	6	0.0033
38-69		5N	MM	10.0	4.4	0.7	0.9		0.0033
38-69		5S	MM	11.0	6.8	0.7	0.9	3	0.0033
13-1 E		2S	MM	12.0	5.5	0.6	1.0		0.0033
37-1		6S	MM	11.0	7.0	0.6	1.0		0.0033
37-5w		6S	MM	11.0	4.0	0.6	1.0		0.0050
37-1		7S	MM	14.0	3.8	0.8	1.0	2	0.0033
37-1		4N	MM	11.0	8.0	0.9	1		0.0033
3-10		9S	MM	9.0	5.5	0.4	1.1	3	0.0033
37-1		4S	MM	10.5	4.5	0.6	1.1		0.0033
37-1		5N	MM	11.0	7.5	0.6	1.1		0.0033
13-1W		9S	MM	12.0	9.0	0.7	1.1		0.0033
37-1		3S	MM	12.0	5.5	0.7	1.1	3	0.0033
13-1 E		3S	MM	10.4	7.7	0.8	1.1	2	0.0033
13-1 E		5N	MM	15.0	6.8	0.8	1.1	2	0.0033
13-1 E		5S	MM	14.0	4.7	0.8	1.1		0.0033
37-1		8S	MM	16.0	6.0	0.8	1.1	2	0.0033
38-69		5S	MM	11.0	4.0	0.8	1.1	2	0.0033
38-69		5N	MM	11.0	6.0	0.9	1.1	4	0.0033
PC		5N	MM	7.0	6.0	0.3	1.2		0.0033
13-1 E		2N	MM	14.0	8.5	0.8	1.2		0.0033
13-1 E		4N	MM	13.0	8.7	0.8	1.2	5	0.0033
13-1 E		3N	MM	13.0	8.1	0.9	1.2		0.0033
37-1		8N	MM	11.0	7.5	0.9	1.3		0.0033
13-1W		9S	MM	12.0		1.1	1.5		0.0033
13-1 E		8N	MM	13.5	6.0	0.9	1.8		0.0033
3-10		2S	PB	1.3	0.1		0.1		0.0033
3-10		10S	PB	1.0	0.2		0.1		0.0033
13-1 E		2S	PB	1.7	0.8		0.1	2	0.0033
13-1 E		3N	PB	1.0	0.2		0.1		0.0033
13-1 E		8S	PB	1.0	0.1		0.1		0.0033
13-1 E		9N	PB	1.0	0.2		0.1	5	0.0033
37-1		4S	PB	1.7	0.6		0.1	3	0.0033
38-69		6S	PB	1.0	0.2		0.1		0.0033
38-69		7N	PB	1.0	0.2		0.1		0.0033
38-69		7N	PB	2.3	0.8		0.1		0.0033
PN		5S	PB	1.0	0.2		0.1	2	0.0033
PN		7N	PB	1.4	0.3		0.1		0.0033
PN		8N	PB	1.5	0.4		0.1		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PN		8N	PB	1.5	0.4		0.1	2	0.0033
PN		10S	PB	1.0	0.3		0.1	2	0.0033
PS		6N	PB	1.1	0.2		0.1	3	0.0033
3-10		7S	PB	2.8	0.7		0.2		0.0033
3-10		11S	PB	3.0	0.5		0.2		0.0033
13-1 E		2S	PB	1.5	1.7		0.2		0.0033
13-1 E		2S	PB	2.0	1.6		0.2	2	0.0033
13-1W		9N	PB	1.1	0.3		0.2		0.0033
38-69		9S	PB	1.8	0.3		0.2		0.0033
PN		8N	PB	2.2	0.9		0.2	2	0.0033
PN		8N	PB	2.0	0.6		0.2	4	0.0033
PS		8N	PB	1.4	0.3		0.2	6	0.0033
3-10		7N	PB	4.5	2.0	0.1	0.3		0.0033
38-69		3N	PB	6.5	1.5	0.1	0.3		0.0033
13-1 E		2S	PB	3.0	0.7		0.3		0.0033
13-1 E		2S	PB	4.0	1.8		0.3		0.0033
13-1 E		4S	PB	2.0	0.2		0.3	4	0.0033
37-1		4S	PB	3.8	1.7		0.3		0.0033
37-5w		9N	PB	4.1	2.3		0.3		0.0050
38-69		3N	PB	4.1	1.5		0.3	6	0.0033
PS		1S	PB	1.8	1.0		0.3		0.0033
37-5w		9S	PB	6.6	3.5	0.2	0.4		0.0050
13-1 E		2S	PB	4.0	1.0		0.4		0.0033
13-1W		4N	PB	2.1	1.0		0.4		0.0033
3-10		7N	PB	6.0	3.0	0.2	0.6		0.0033
37-5w		1S	PC	1.1	0.9		0.2		0.0050
13-1 E		3N	QA	1.0	0.2		0.1	2	0.0033
37-1		10N	QA	1.7	0.2		0.1		0.0033
37-5w		6S	QA	1.3	0.1		0.1		0.0050
38-69		3N	QA	1.1	0.2		0.1		0.0033
38-69		3S	QA	1.1	0.2		0.1		0.0033
38-69		3S	QA	1.7	0.3		0.1		0.0033
38-69		3S	QA	1.3	0.3		0.1		0.0033
38-69		3S	QA	1.0	0.2		0.1		0.0033
38-69		5S	QA	1.3	0.1		0.1		0.0033
38-69		6N	QA	1.1	0.2		0.1		0.0033
38-69		6S	QA	2.0	0.2		0.1		0.0033
38-69		10N	QA	1.7	0.2		0.1	3	0.0033
38-69		10N	QA	1.0	0.1		0.1		0.0033
PN		4S	QA	1.3	0.4		0.1		0.0033
PN		10S	QA	1.4	0.3		0.1		0.0033
PS		6N	QA	1.0	0.1		0.1		0.0033
3-10		3N	QA	1.8	0.3		0.2	2	0.0033
3-10		3S	QA	1.7	0.2		0.2	6	0.0033
3-10		3S	QA	2.2	0.4		0.2		0.0033
3-10		5S	QA	2.0	0.3		0.2	2	0.0033
3-10		6N	QA	2.3	0.2		0.2		0.0033
3-10		11S	QA	1.3	0.2		0.2	2	0.0033
13-1 E		2S	QA	2.0	0.5		0.2		0.0033
13-1 E		4S	QA	1.6	0.2		0.2		0.0033
13-1 E		8S	QA	2.0	0.3		0.2	5	0.0033
13-1W		3N	QA	2.0	0.5		0.2	2	0.0033
13-1W		8N	QA	2.0	1.0		0.2	2	0.0033
37-1		1S	QA	2.5	0.7		0.2		0.0033
37-1		3N	QA	1.2	0.3		0.2		0.0033
37-1		5N	QA	2.0	0.3		0.2	2	0.0033
37-5w		1S	QA	2.6	0.3		0.2		0.0050
38-69		3S	QA	2.9	0.6		0.2		0.0033
38-69		3S	QA	2.4	0.3		0.2		0.0033
38-69		7N	QA	3.4	1.0		0.2		0.0033
38-69		10S	QA	1.0	0.2		0.2	2	0.0033
PN		4N	QA	2.5	0.4		0.2		0.0033
PN		4S	QA	1.8	0.6		0.2		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PN		5S	QA	2.6	0.4		0.2		0.0033
PN		6S	QA	2.0	0.4		0.2		0.0033
PN		9N	QA	2.0	0.4		0.2		0.0033
PN		9N	QA	2.7	1.0		0.2		0.0033
PN		9S	QA	1.6	0.6		0.2		0.0033
PS		6N	QA	2.1	0.4		0.2	2	0.0033
13-1 E		9S	QA	4.8	2.0	0.1	0.3		0.0033
PN		4N	QA	4.8	1.0	0.1	0.3	2	0.0033
PN		6S	QA	5.6	1.3	0.1	0.3		0.0033
PN		6S	QA	5.5	1.0	0.1	0.3		0.0033
13-1 E		8S	QA	6.0	0.6	0.2	0.3	4	0.0033
13-1 E		10N	QA	6.0	1.0	0.2	0.3		0.0033
13-1W		10N	QA	6.0	0.9	0.2	0.3		0.0033
13-1W		10N	QA	7.0	1.3	0.3	0.3		0.0033
3-10		4S	QA	2.5	1.0		0.3		0.0033
3-10		7N	QA	3.5	0.8		0.3		0.0033
3-10		7S	QA	2.5	1.0		0.3		0.0033
3-10		7S	QA	3.0	2.0		0.3	2	0.0033
3-10		10S	QA	3.0	0.9		0.3		0.0033
13-1 E		1N	QA	3.3	0.3		0.3		0.0033
13-1 E		3N	QA	4.0	0.2		0.3		0.0033
13-1 E		3N	QA	3.3	0.3		0.3		0.0033
13-1 E		4S	QA	3.0	1.0		0.3	6	0.0033
13-1 E		6N	QA	3.6	0.4		0.3		0.0033
13-1 E		6N	QA	3.0	0.2		0.3		0.0033
13-1W		5N	QA	2.2	0.7		0.3		0.0033
13-1W		6S	QA	4.0	1.0		0.3		0.0033
13-1W		7N	QA	3.0	0.3		0.3	2	0.0033
13-1W		8N	QA	3.0	0.7		0.3	3	0.0033
13-1W		8N	QA	4.0	1.0		0.3	3	0.0033
13-1W		9S	QA	4.0	1.3		0.3		0.0033
37-1		3N	QA	2.7	0.4		0.3		0.0033
37-1		4N	QA	3.2	1.0		0.3	4	0.0033
37-1		5N	QA	3.0	0.1		0.3		0.0033
37-1		9S	QA	2.0	0.5		0.3		0.0033
38-69		3S	QA	3.1	1.6		0.3		0.0033
38-69		5S	QA	3.1	0.2		0.3		0.0033
38-69		6N	QA	3.6	0.5		0.3		0.0033
38-69		7S	QA	4.9	1.9		0.3		0.0033
38-69		10N	QA	3.1	0.7		0.3	5	0.0033
PN		4N	QA	4.3	1.2		0.3		0.0033
PN		4S	QA	2.7	0.6		0.3		0.0033
PN		5S	QA	4.0	1.1		0.3		0.0033
PN		10S	QA	4.1	1.5		0.3		0.0033
PS		1S	QA	2.8	1.1		0.3		0.0033
PS		6N	QA	3.4	1.0		0.3		0.0033
PS		6N	QA	3.7	1.1		0.3		0.0033
PS		6N	QA	4.1	0.8		0.3		0.0033
38-69		3N	QA	5.5	2.5	0.1	0.4		0.0033
38-69		8S	QA	4.7	2.0	0.1	0.4	2	0.0033
3-10		1S	QA	5.2	2.0	0.2	0.4		0.0033
3-10		10S	QA	5.0	2.0	0.2	0.4		0.0033
13-1 E		1N	QA	5.0	2.7	0.2	0.4		0.0033
13-1 E		1N	QA	4.8	1.6	0.2	0.4	2	0.0033
13-1 E		4S	QA	5.0	2.1	0.2	0.4		0.0033
13-1 E		4S	QA	6.0	2.2	0.2	0.4	2	0.0033
13-1 E		4S	QA	5.0	2.0	0.2	0.4	7	0.0033
13-1 E		8N	QA	5.0	0.3	0.2	0.4		0.0033
13-1 E		9S	QA	5.8	1.9	0.2	0.4		0.0033
13-1W		4S	QA	6.5	2.0	0.2	0.4		0.0033
13-1W		5N	QA	4.8	1.5	0.2	0.4		0.0033
13-1W		6N	QA	5.1	2.0	0.2	0.4		0.0033
13-1W		8N	QA	5.0	3.0	0.2	0.4		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
13-1W		9N	QA	7.2	2.6	0.2	0.4		0.0033
38-69		7N	QA	5.9	2.9	0.2	0.4	10	0.0033
38-69		7S	QA	6.0	2.5	0.2	0.4		0.0033
38-69		8N	QA	5.9	1.4	0.2	0.4	7	0.0033
38-69		8S	QA	5.5	2.0	0.2	0.4	7	0.0033
PN		4N	QA	6.1	1.7	0.2	0.4		0.0033
PN		7N	QA	6.6	0.5	0.2	0.4		0.0033
PN		10S	QA	5.3	1.3	0.2	0.4		0.0033
13-1 E		2S	QA	6.5	2.0	0.3	0.4		0.0033
13-1 E		2S	QA	6.0	1.6	0.3	0.4		0.0033
13-1 E		8N	QA	7.3	2.6	0.3	0.4		0.0033
13-1 E		8N	QA	6.0	2.0	0.3	0.4		0.0033
13-1 E		8S	QA	7.0	1.5	0.3	0.4		0.0033
13-1 E		8S	QA	7.0	2.3	0.3	0.4	5	0.0033
13-1W		8N	QA	6.0	2.0	0.3	0.4	4	0.0033
13-1W		8N	QA	6.0	3.0	0.3	0.4	3	0.0033
13-1W		10N	QA	7.2	1.6	0.3	0.4	2	0.0033
3-10		7S	QA	4.0	2.0		0.4	2	0.0033
3-10		10S	QA	4.0	3.0		0.4		0.0033
13-1 E		1N	QA	3.0	0.4		0.4		0.0033
13-1 E		6N	QA	4.5	0.9		0.4		0.0033
13-1 E		10N	QA	4.0	1.1		0.4		0.0033
13-1W		4N	QA	4.0	0.3		0.4		0.0033
13-1W		5N	QA	4.0	0.9		0.4		0.0033
37-1		4N	QA	5.6	1.3		0.4		0.0033
37-1		5N	QA	5.0	0.8		0.4		0.0033
37-1		9S	QA	3.5	1.5		0.4	2	0.0033
37-5w		10S	QA	4.0	2.4		0.4		0.0050
38-69		3N	QA	3.8	1.0		0.4		0.0033
38-69		6S	QA	4.0	1.1		0.4	3	0.0033
38-69		6S	QA	2.9	1.2		0.4	4	0.0033
38-69		7N	QA	3.5	1.0		0.4		0.0033
38-69		7N	QA	3.9	2.1		0.4		0.0033
38-69		9N	QA	4.0	0.6		0.4		0.0033
38-69		9N	QA	4.3	1.2		0.4		0.0033
38-69		9S	QA	3.4	1.1		0.4	7	0.0033
PS		6N	QA	4.7	1.0		0.4		0.0033
3-10		7S	QA	5.0	3.0	0.1	0.5		0.0033
37-5w		10S	QA	4.5	0.6	0.1	0.5		0.0050
38-69		7N	QA	4.5	0.4	0.1	0.5		0.0033
3-10		5N	QA	5.9	2.3	0.2	0.5		0.0033
3-10		7N	QA	6.0	1.5	0.2	0.5		0.0033
13-1 E		1N	QA	5.7	1.3	0.2	0.5	4	0.0033
38-69		9S	QA	6.2	2.5	0.2	0.5	7	0.0033
3-10		9N	QA	6.1	1.2	0.3	0.5		0.0033
3-10		9S	QA	8.2	1.7	0.3	0.5		0.0033
13-1 E		1N	QA	6.4	2.3	0.3	0.5		0.0033
13-1 E		3N	QA	6.5	2.2	0.3	0.5		0.0033
13-1 E		5N	QA	7.7	1.0	0.3	0.5		0.0033
13-1 E		6N	QA	7.4	1.3	0.3	0.5	2	0.0033
13-1 E		6N	QA	8.1	3.8	0.3	0.5		0.0033
13-1W		6S	QA	6.8	2.0	0.3	0.5		0.0033
13-1W		10N	QA	8.0	2.5	0.3	0.5		0.0033
37-1		10N	QA	7.0	2.8	0.3	0.5	2	0.0033
13-1 E		7S	QA	7.8	1.9	0.4	0.5		0.0033
37-5w		10S	QA	5.0	1.4	0.4	0.5		0.0050
3-10		7N	QA	3.5	0.8		0.5		0.0033
37-5w		8S	QA	5.9	1.9	0.1	0.6		0.0050
38-69		7N	QA	6.0	2.0	0.2	0.6	3	0.0033
13-1 E		1N	QA	7.5	1.8	0.3	0.6		0.0033
13-1 E		1N	QA	7.0	1.8	0.3	0.6		0.0033
13-1 E		1N	QA	8.0	2.3	0.3	0.6		0.0033
13-1 E		4S	QA	8.0	1.3	0.3	0.6	2	0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
13-1W		5N	QA	7.0	2.0	0.3	0.6		0.0033
13-1W		8N	QA	7.5	2.0	0.3	0.6	2	0.0033
37-1		9N	QA	6.0	1.4	0.3	0.6	2	0.0033
37-5w		10S	QA	7.0	2.9	0.3	0.6		0.0050
38-69		9N	QA	7.5	1.5	0.3	0.6		0.0033
PN		6S	QA	10.6	3.3	0.3	0.6		0.0033
3-10		9N	QA	8.3	3.7	0.4	0.6		0.0033
3-10		10S	QA	8.8	3.0	0.4	0.6		0.0033
13-1 E		8S	QA	10.0	1.0	0.4	0.6		0.0033
13-1 E		8S	QA	10.0	3.0	0.4	0.6		0.0033
13-1 E		8S	QA	8.5	2.4	0.4	0.6	3	0.0033
13-1W		2N	QA	9.5	1.7	0.4	0.6		0.0033
13-1W		5N	QA	8.2	2.7	0.4	0.6		0.0033
13-1W		9N	QA	9.0	2.3	0.4	0.6	2	0.0033
13-1W		10N	QA	9.2	2.6	0.4	0.6		0.0033
13-1W		10N	QA	9.0	2.8	0.4	0.6		0.0033
13-1W		10N	QA	9.2	2.2	0.4	0.6		0.0033
37-1		9N	QA	7.2	1.1	0.4	0.6	2	0.0033
38-69		8S	QA	8.0	2.2	0.4	0.6	3	0.0033
38-69		9S	QA	8.5	3.2	0.4	0.6	5	0.0033
37-5w		3N	QA	3.5	0.1		0.6		0.0050
3-10		7N	QA	6.0	3.0	0.2	0.7		0.0033
37-1		9S	QA	5.5	1.6	0.2	0.7	2	0.0033
3-10		7N	QA	6.5	2.6	0.3	0.7		0.0033
37-5w		10S	QA	7.5	1.6	0.3	0.7		0.0050
13-1W		6S	QA	8.5	2.6	0.4	0.7		0.0033
37-1		1N	QA	7.1		0.4	0.7		0.0033
37-5w		10S	QA	6.6	2.0	0.4	0.7		0.0050
37-5w		10S	QA	6.5	1.7	0.4	0.7		0.0050
3-10		9S	QA	9.8	5.0	0.5	0.7		0.0033
13-1W		7S	QA	9.8	3.0	0.5	0.7		0.0033
37-5w		10S	QA	8.0	2.5	0.5	0.7		0.0050
PC		1N	QA	8.0	1.0	0.5	0.7		0.0033
37-1		9N	QA	8.5	1.4	0.6	0.7	2	0.0033
38-69		7N	QA	8.4	2.5		0.7		0.0033
13-1 E		9S	QA	9.1	5.0	0.4	0.8	2	0.0033
3-10		9S	QA	10.0	4.0	0.5	0.8		0.0033
37-5w		10S	QA	7.0	2.1	0.5	0.8		0.0050
37-5w		10S	QA	4.8	1.7	0.5	0.8		0.0050
38-69		7N	QA	8.7	2.6	0.5	0.8	2	0.0033
13-1 E		6N	QA	11.6	3.0	0.6	0.8		0.0033
13-1W		9N	QA	11.2	2.4	0.6	0.8		0.0033
37-1		1N	QA	10.0	3.5	0.6	0.8		0.0033
37-1		9N	QA	10.0	3.6	0.6	0.8	3	0.0033
3-10		4S	QA	10.0	3.7	0.7	0.8		0.0033
13-1 E		9S	QA	10.0	3.0	0.6	0.9		0.0033
13-1W		7N	QA	8.2	5.0	0.6	0.9		0.0033
13-1W		9N	QA	11.2	4.8	0.6	0.9		0.0033
13-1W		10N	QA	12.0	3.7	0.6	0.9		0.0033
13-1 E		1N	QA	9.9	3.0	0.7	0.9		0.0033
13-1 E		8S	QA	14.0	3.5	0.7	0.9		0.0033
3-10		7N	QA	9.1	4.0	0.5	1.0		0.0033
3-10		7N	QA	7.5	3.8	0.5	1.0		0.0033
13-1 E		1N	QA	8.0	3.8	0.6	1.0		0.0033
13-1 E		7S	QA	12.0	5.0	0.8	1.0	2	0.0033
3-10		9N	QA	10.0	5.2	0.6	1.1		0.0033
13-1W		10N	QA	14.0	4.7	0.7	1.1		0.0033
13-1 E		8N	QA	13.0	5.5	0.8	1.1		0.0033
13-1 E		9S	QA	12.0	5.2	0.8	1.1	2	0.0033
13-1 E		10N	QA	13.0	5.5	0.9	1.1		0.0033
38-69		8S	QA	13.5	4.0	0.9	1.3		0.0033
37-5w		6S	R ELDER	3.2	0.2		0.2		0.0050
37-5w		6S	R ELDER	6.0	0.5	0.2	0.5		0.0050

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
37-5w		5S	R ELDER	4.0	0.3		0.5		0.0050
37-5w		4N	RIBES	1.6	0.1		0.1		0.0050
37-5w		4N	RIBES	2.8	0.2		0.1		0.0050
PS		4N	RLD	1.2	0.6		0.1	2	0.0033
PN		6N	RLD	1.7	0.5		0.2	4	0.0033
PN		6N	RLD	1.3	0.4		0.2	3	0.0033
PN		9S	RLD	1.2	0.6		0.2	4	0.0033
PN		10S	RLD	1.5	0.3		0.2		0.0033
PS		4S	RLD	1.4	0.3		0.2	10	0.0033
PS		4S	RLD	2.8	0.3		0.2		0.0033
PS		8N	RLD	1.8	0.3		0.2	3	0.0033
PS		4S	RLD	5.5	2.0	0.2	0.3		0.0033
PN		6N	RLD	2.0	0.5		0.3	12	0.0033
PN		6N	RLD	1.8	0.5		0.3	2	0.0033
PN		6N	RLD	3.0	1.2		0.3		0.0033
PN		6N	RLD	2.5	0.5		0.3	4	0.0033
PN		6N	RLD	3.8	1.5		0.3		0.0033
PN		6N	RLD	3.4	1.0		0.3		0.0033
PN		9S	RLD	2.0	1.7		0.3		0.0033
PS		4S	RLD	3.0	1.5		0.3		0.0033
PS		4S	RLD	3.7	2.0		0.3		0.0033
PN		6N	RLD	4.5	1.9	0.1	0.4		0.0033
PS		4S	RLD	7.4	2.0	0.2	0.4	2	0.0033
37-5w		7N	RO	1.5	1.0		0.1		0.0050
3-10		3S	ROD	2.0	0.7		0.3	7	0.0033
38-69		3N	ROD	2.1	1.5		0.3	6	0.0033
38-69		3N	ROD	4.8	2.1		0.4		0.0033
38-69		3N	ROD	4.0	2.0		0.4	2	0.0033
37-5w		5N	RODOG	2.5	0.2		0.2	33	0.0050
37-5w		4N	RODOG	4.0	0.4		0.4		0.0050
37-5w		4N	RODOG	2.8	1.5		0.5		0.0050
3-10		4N	ROSE	1.0	0.4		0.1	3	0.0033
13-1W		2N	ROSE	1.5	0.6		0.1	4	0.0033
13-1W		3N	ROSE	1.0	0.5		0.1	4	0.0033
13-1W		7S	ROSE	1.2	0.7		0.1		0.0033
37-5w		3S	ROSE	1.5	0.1		0.1		0.0050
PS		4N	ROSE	1.0	0.9		0.1		0.0033
PS		5N	ROSE	1.5	0.8		0.1	3	0.0033
PS		6N	ROSE	1.5	1.1		0.1	3	0.0033
PS		8N	ROSE	1.0	0.4		0.1	3	0.0033
3-10		1S	ROSE	2.0	0.6		0.2	3	0.0033
13-1 E		8N	ROSE	1.2	0.8		0.2		0.0033
13-1W		4N	ROSE	1.0	0.6		0.2	3	0.0033
13-1W		5N	ROSE	1.0	0.5		0.2	9	0.0033
PS		3N	ROSE	1.2	0.4		0.2	3	0.0033
PS		5N	ROSE	2.2	1.1		0.2		0.0033
37-5w		3N	ROSE	5.5	2.0	0.1	0.4		0.0050
PS		3S	RP	1.1	0.6		0.2		0.0033
PS		6N	RP	1.0	0.3		0.2		0.0033
PS		1N	RP	1.1	0.6		0.3		0.0033
3-10		7S	RR	1.5	0.4		0.1	20	0.0033
3-10		9N	RR	1.0	0.4		0.1	15	0.0033
3-10		9S	RR	1.5	0.2		0.1	5	0.0033
3-10		10S	RR	1.0	0.3		0.1	25	0.0033
13-1 E		8N	RR	1.0	0.3		0.1	10	0.0033
13-1 E		9S	RR	1.0	0.3		0.1	19	0.0033
13-1W		7N	RR	1.0	0.2		0.1		0.0033
37-1		1N	RR	1.1	0.5		0.1	23	0.0033
37-1		3N	RR	1.4	0.4		0.1	4	0.0033
37-1		6N	RR	1.2	0.3		0.1	8	0.0033
37-5w		1N	RR	3.4	0.8		0.1		0.0050
37-5w		1N	RR	1.8	0.1		0.1		0.0050
37-5w		1N	RR	2.2	0.3		0.1		0.0050





Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
37-5w		3N	RR	4.0	0.2		0.2		0.0050
37-5w		3N	RR	4.0	0.2		0.2		0.0050
37-5w		3N	RR	4.0	0.2		0.2		0.0050
37-5w		3N	RR	4.0	0.2		0.2		0.0050
37-5w		3N	RR	4.0	0.2		0.2		0.0050
37-5w		3N	RR	3.5	0.2		0.2		0.0050
37-5w		3N	RR	3.5	0.2		0.2		0.0050
37-5w		3N	RR	3.5	0.2		0.2		0.0050
37-5w		3N	RR	3.5	0.2		0.2		0.0050
37-5w		3N	RR	4.5	0.2		0.2		0.0050
37-5w		3N	RR	4.5	0.2		0.2		0.0050
37-5w		3N	RR	4.5	0.2		0.2		0.0050
37-5w		3N	RR	4.5	0.2		0.2		0.0050
37-5w		3N	RR	4.5	0.2		0.2		0.0050
37-5w		3N	RR	4.5	0.2		0.2		0.0050
37-5w		3N	RR	4.5	0.2		0.2		0.0050
37-5w		3S	RR	3.0	0.1		0.2		0.0050
37-5w		3S	RR	2.3	0.6		0.2		0.0050
37-5w		4N	RR	5.0	0.2		0.2		0.0050
37-5w		4N	RR	5.0	0.2		0.2		0.0050
37-5w		4S	RR	3.0	0.2		0.2	3	0.0050
37-5w		5N	RR	3.0	0.2		0.2	6	0.0050
37-5w		5S	RR	4.5	0.2		0.2	147	0.0050
37-5w		6N	RR	3.0	0.2		0.2	74	0.0050
37-5w		6S	RR	2.0	0.2		0.2	62	0.0050
37-5w		7N	RR	3.0	0.2		0.2	8	0.0050
37-5w		7S	RR	2.5	0.2		0.2	46	0.0050
37-5w		8N	RR	2.0	0.2		0.2	55	0.0050
37-5w		8S	RR	2.5	0.3		0.2	27	0.0050
37-5w		8S	RR	1.5	0.1		0.2	9	0.0050
37-5w		9N	RR	3.0	0.3		0.2	3	0.0050
37-5w		9N	RR	2.5	0.3		0.2	18	0.0050
37-5w		9S	RR	2.5	0.3		0.2	59	0.0050
37-5w		10S	RR	3.0	0.2		0.2	125	0.0050
38-69		1N	RR	2.0	0.2		0.2	68	0.0033
38-69		2N	RR	2.5	0.3		0.2	125	0.0033
38-69		2S	RR	2.5	0.3		0.2	105	0.0033
38-69		7N	RR	1.5	0.5		0.2	20	0.0033
38-69		7S	RR	1.5	0.4		0.2	19	0.0033
38-69		8S	RR	2.5	0.3		0.2	73	0.0033
38-69		9N	RR	1.0	0.4		0.2	18	0.0033
PN		8N	RR	2.0	0.7		0.2	10	0.0033
PN		8S	RR	2.0	0.6		0.2	12	0.0033
PN		10N	RR	2.2	0.7		0.2	4	0.0033
PS		1S	RR	3.0	1.0		0.2	6	0.0033
PS		4S	RR	2.0	0.9		0.2	2	0.0033
37-1		2S	RR	4.5	0.9	0.1	0.3	74	0.0033
38-69		2N	RR	4.5	0.5	0.1	0.3	25	0.0033
3-10		10S	RR	3.7	0.5		0.3	4	0.0033
13-1 E		8S	RR	3.5	0.3		0.3	14	0.0033
37-5w		2N	RR	4.8	0.2		0.3		0.0050
37-5w		2N	RR	4.6	0.2		0.3		0.0050
37-5w		2N	RR	4.8	0.2		0.3		0.0050
37-5w		2N	RR	3.5	0.2		0.3		0.0050
37-5w		2N	RR	3.5	0.2		0.3		0.0050
37-5w		2N	RR	1.8	0.2		0.3		0.0050
37-5w		2N	RR	4.1	0.2		0.3		0.0050
37-5w		2N	RR	3.8	0.2		0.3		0.0050
37-5w		2N	RR	3.7	0.2		0.3		0.0050
37-5w		2N	RR	2.5	0.2		0.3		0.0050
37-5w		2N	RR	5.6	0.2		0.3		0.0050
37-5w		2N	RR	4.8	0.2		0.3		0.0050
37-5w		2N	RR	4.6	0.2		0.3		0.0050
37-5w		2N	RR	3.5	0.2		0.3		0.0050

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
37-5w		2N	RR	3.2	0.2		0.3		0.0050
37-5w		2N	RR	2.8	0.2		0.3		0.0050
37-5w		2N	RR	3.2	0.2		0.3		0.0050
37-5w		3N	RR	4.5	0.3		0.3		0.0050
37-5w		3N	RR	4.5	0.3		0.3		0.0050
37-5w		3N	RR	4.5	0.3		0.3		0.0050
37-5w		3N	RR	6.0	0.2		0.3		0.0050
37-5w		4S	RR	4.5	0.2		0.3	14	0.0050
37-5w		4S	RR	4.5	0.2		0.3	15	0.0050
37-5w		4S	RR	4.5	0.2		0.3	8	0.0050
37-5w		4S	RR	4.5	0.2		0.3	8	0.0050
37-5w		4S	RR	4.0	0.2		0.3	8	0.0050
13-1W		2N	S	8.5	2.7	0.3	0.4		0.0033
13-1W		6S	SALIX	2.0	1.2		0.3		0.0033
37-5w		4S	SALIX	3.5	2.1		0.5		0.0050
13-1W		3N	SALIX	14.0	2.3	0.8	1.1		0.0033
3-10		2N	SB	1.0	0.3		0.1		0.0033
3-10		3N	SB	2.0	0.5		0.1	3	0.0033
3-10		3S	SB	2.3	1.4		0.1		0.0033
3-10		3S	SB	1.1	0.5		0.1		0.0033
3-10		9S	SB	1.0	0.5		0.1	3	0.0033
13-1 E		6N	SB	2.0	0.3		0.1	3	0.0033
13-1 E		7N	SB	1.0	0.2		0.1		0.0033
37-5w		1N	SB	2.1	0.4		0.1		0.0050
37-5w		1N	SB	2.0	0.9		0.1		0.0050
37-5w		3S	SB	1.4	0.8		0.1		0.0050
37-5w		3S	SB	2.0	1.0		0.1		0.0050
37-5w		7S	SB	2.0	0.9		0.1		0.0050
37-5w		10S	SB	2.0	1.0		0.1		0.0050
PN		4S	SB	1.5	1.0		0.1	2	0.0033
PN		4S	SB	1.3	0.5		0.1		0.0033
PN		5S	SB	1.5	0.3		0.1		0.0033
PN		5S	SB	1.1	0.4		0.1	2	0.0033
PN		6N	SB	1.0	0.3		0.1	4	0.0033
PN		7N	SB	1.4	0.7		0.1		0.0033
PN		8S	SB	1.0	0.2		0.1		0.0033
PN		10S	SB	1.0	0.3		0.1		0.0033
PS		1N	SB	1.3	0.1		0.1		0.0033
PS		4S	SB	1.0	0.2		0.1		0.0033
PS		6N	SB	1.4	1.5		0.1		0.0033
PS		6N	SB	2.0	1.7		0.1		0.0033
37-5w		1N	SB	5.3	0.9	0.1	0.2		0.0050
3-10		2N	SB	3.0	1.0		0.2		0.0033
3-10		3N	SB	3.1	1.6		0.2		0.0033
3-10		4S	SB	3.0	1.0		0.2	2	0.0033
3-10		4S	SB	2.0	1.0		0.2		0.0033
3-10		5N	SB	2.0	0.9		0.2	6	0.0033
3-10		5S	SB	2.0			0.2	3	0.0033
3-10		10S	SB	1.0	0.3		0.2		0.0033
3-10		10S	SB	2.0	0.4		0.2		0.0033
13-1 E		6N	SB	3.0	0.7		0.2	3	0.0033
13-1 E		7S	SB	3.3	0.6		0.2	2	0.0033
13-1 E		7S	SB	2.0	0.7		0.2		0.0033
13-1W		3S	SB	3.0	0.3		0.2		0.0033
13-1W		6S	SB	2.0	0.8		0.2	4	0.0033
37-5w		3S	SB	2.6	0.7		0.2		0.0050
37-5w		6S	SB	4.0	1.0		0.2		0.0050
37-5w		6S	SB	3.0	1.0		0.2		0.0050
37-5w		7N	SB	3.5	1.0		0.2		0.0050
37-5w		7N	SB	3.0	1.5		0.2		0.0050
37-5w		7N	SB	4.5	1.2		0.2		0.0050
37-5w		7N	SB	3.2	1.2		0.2		0.0050
37-5w		7N	SB	2.9	2.0		0.2		0.0050

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
37-5w		7 N	SB	1.8	2.0		0.2	3	0.0050
37-5w		7 N	SB	3.0	1.5		0.2	18	0.0050
37-5w		7 S	SB	4.0	0.8		0.2		0.0050
37-5w		7 S	SB	2.5	0.8		0.2		0.0050
PN		2 N	SB	3.0	0.6		0.2		0.0033
PN		3 S	SB	2.2	0.6		0.2		0.0033
PN		4 N	SB	2.5	0.5		0.2	2	0.0033
PN		4 N	SB	3.0	1.0		0.2		0.0033
PN		4 N	SB	3.1	2.0		0.2		0.0033
PN		4 N	SB	3.9	1.3		0.2		0.0033
PN		4 N	SB	2.8	1.1		0.2	2	0.0033
PN		4 N	SB	2.0	1.5		0.2	2	0.0033
PN		4 N	SB	2.0	0.5		0.2		0.0033
PN		4 N	SB	2.4	1.9		0.2		0.0033
PN		4 N	SB	2.3	0.4		0.2		0.0033
PN		4 S	SB	1.8	1.0		0.2		0.0033
PN		5 S	SB	1.6	1.0		0.2		0.0033
PN		5 S	SB	1.6	0.6		0.2		0.0033
PN		5 S	SB	2.8	1.6		0.2		0.0033
PN		5 S	SB	2.4	0.8		0.2		0.0033
PN		5 S	SB	2.0	1.1		0.2	5	0.0033
PN		5 S	SB	3.0	0.4		0.2		0.0033
PN		5 S	SB	3.0	1.6		0.2		0.0033
PN		6 N	SB	2.0	0.6		0.2	3	0.0033
PN		6 N	SB	3.0	0.5		0.2	3	0.0033
PN		6 N	SB	4.0	1.2		0.2		0.0033
PN		6 N	SB	2.8	1.2		0.2		0.0033
PN		8 N	SB	2.1	0.7		0.2		0.0033
PN		9 N	SB	2.5	1.5		0.2		0.0033
PN		9 N	SB	1.6	0.2		0.2		0.0033
PN		9 S	SB	2.0	0.6		0.2		0.0033
PS		4 S	SB	2.1	0.8		0.2		0.0033
PS		4 S	SB	1.7	1.0		0.2		0.0033
PS		5 S	SB	3.2	1.1		0.2		0.0033
PS		6 S	SB	2.3	0.2		0.2		0.0033
PS		7 S	SB	2.0	0.5		0.2	6	0.0033
3-10		2 N	SB	5.0	1.0	0.1	0.3	2	0.0033
13-1 E		6 N	SB	4.5	2.8	0.1	0.3		0.0033
PN		4 N	SB	5.3	4.0	0.1	0.3		0.0033
PN		6 N	SB	5.3	2.0	0.1	0.3	2	0.0033
PN		10 N	SB	5.6	2.4	0.1	0.3		0.0033
13-1 E		6 N	SB	6.0	2.0	0.2	0.3	2	0.0033
3-10		2 N	SB	4.5	1.5		0.3		0.0033
3-10		3 N	SB	4.2	0.7		0.3		0.0033
3-10		5 N	SB	4.0	1.3		0.3	6	0.0033
3-10		5 S	SB	3.7			0.3	2	0.0033
3-10		5 S	SB	3.0			0.3	2	0.0033
3-10		9 N	SB	3.0	0.7		0.3		0.0033
13-1 E		6 N	SB	4.3	1.1		0.3		0.0033
13-1 E		6 S	SB	2.1	2.0		0.3		0.0033
13-1 E		7 S	SB	4.0	1.6		0.3	5	0.0033
13-1W		5 N	SB	2.0	1.5		0.3		0.0033
13-1W		6 S	SB	3.0	1.0		0.3	2	0.0033
37-5w		1 N	SB	4.1	2.0		0.3		0.0050
37-5w		1 N	SB	4.3	0.8		0.3		0.0050
37-5w		7 N	SB	3.5	1.5		0.3		0.0050
37-5w		7 N	SB	3.8	2.0		0.3		0.0050
37-5w		7 N	SB	3.8	2.0		0.3		0.0050
37-5w		7 N	SB	3.2	1.5		0.3	3	0.0050
37-5w		10 S	SB	3.1	1.8		0.3		0.0050
PN		4 N	SB	3.5	1.5		0.3		0.0033
PN		4 S	SB	2.8	2.6		0.3		0.0033
PN		4 S	SB	3.8	1.9		0.3		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PN		4 S	SB	3.4	1.9		0.3	3	0.0033
PN		5 N	SB	3.3	1.0		0.3		0.0033
PN		6 N	SB	3.1	1.0		0.3		0.0033
3-10		3 N	SB	4.5	0.5	0.1	0.4		0.0033
3-10		4 S	SB	5.0	2.1	0.1	0.4		0.0033
3-10		5 N	SB	5.0	2.0	0.1	0.4	2	0.0033
37-5w		7 S	SB	5.6	2.5	0.1	0.4		0.0050
37-5w		10 S	SB	5.0	2.9	0.1	0.4		0.0050
37-5w		10 S	SB	5.1	1.8	0.1	0.4		0.0050
PN		3 S	SB	4.7	2.2	0.1	0.4		0.0033
PS		6 S	SB	6.5	3.0	0.1	0.4		0.0033
3-10		4 S	SB	6.0	2.5	0.2	0.4		0.0033
13-1 E		6 N	SB	6.2	3.5	0.2	0.4		0.0033
13-1 E		6 N	SB	7.6	2.0	0.2	0.4		0.0033
13-1 E		8 S	SB	6.0	1.8	0.2	0.4	2	0.0033
13-1W		2 N	SB	7.0	4.0	0.2	0.4		0.0033
13-1W		5 N	SB	5.5	2.7	0.2	0.4		0.0033
13-1W		6 S	SB	6.0	1.7	0.2	0.4	2	0.0033
37-5w		1 N	SB	6.4	2.0	0.2	0.4		0.0050
37-5w		1 N	SB	7.2	1.5	0.2	0.4		0.0050
37-5w		1 N	SB	6.5	1.5	0.2	0.4		0.0050
37-5w		10 S	SB	5.3	1.3	0.2	0.4		0.0050
PN		4 S	SB	6.1	1.3	0.2	0.4		0.0033
PN		4 S	SB	6.8	2.4	0.2	0.4		0.0033
PN		7 S	SB	7.0	3.5	0.2	0.4		0.0033
PN		9 N	SB	7.2	1.6	0.2	0.4		0.0033
3-10		2 S	SB	7.2	1.7	0.3	0.4	2	0.0033
3-10		2 S	SB	10.0	1.8	0.3	0.4		0.0033
13-1 E		6 N	SB	7.6	3.0	0.3	0.4		0.0033
37-5w		10 S	SB	6.5	1.5	0.3	0.4		0.0050
PN		6 N	SB	6.6	1.7	0.3	0.4		0.0033
PN		10 N	SB	9.0	4.2	0.3	0.4		0.0033
3-10		1 N	SB	2.0	1.2		0.4		0.0033
3-10		1 N	SB	3.0	2.6		0.4		0.0033
3-10		7 S	SB	4.0	1.6		0.4	6	0.0033
3-10		10 S	SB	3.0	2.0		0.4		0.0033
13-1 E		8 S	SB	4.3	1.7		0.4		0.0033
13-1W		6 S	SB	4.0	1.7		0.4	3	0.0033
37-5w		3 S	SB	3.8	1.5		0.4		0.0050
37-5w		3 S	SB	4.5	0.4		0.4		0.0050
37-5w		5 N	SB	3.0	2.1		0.4		0.0050
37-5w		7 S	SB	4.5	2.5		0.4		0.0050
37-5w		7 S	SB	4.5	2.5		0.4		0.0050
37-5w		10 S	SB	3.9	0.7		0.4		0.0050
PN		6 N	SB	4.0	0.8		0.4		0.0033
37-5w		6 S	SB	6.4	1.5	0.2	0.5		0.0050
37-5w		6 S	SB	6.4	1.5	0.2	0.5		0.0050
37-5w		7 S	SB	5.2	2.5	0.2	0.5		0.0050
PN		6 N	SB	9.1	3.4	0.4	0.5		0.0033
37-5w		3 N	SB	5.0	2.5	0.2	0.6		0.0050
37-5w		10 S	SB	6.4	2.5	0.3	0.6		0.0050
13-1 E		6 N	SB	10.0	3.8	0.4	0.6		0.0033
13-1 E		7 S	SB	8.4	5.2	0.4	0.6		0.0033
PN		4 N	SB	10.4	4.3	0.4	0.6		0.0033
3-10		5 N	SB	7.0	4.2	0.3	0.7	8	0.0033
37-5w		7 S	SB	8.0	2.5	0.3	0.7		0.0050
PC		9 S	SB	11.0	3.0	0.3	0.7		0.0033
PN		5 N	SB	9.3	6.0	0.4	0.7		0.0033
PN		9 N	SB	11.3	4.0	0.5	0.7		0.0033
37-5w		3 S	SB	8.8	1.8	0.4	0.8		0.0050
PN		6 N	SB	10.5	5.3	0.6	0.8	2	0.0033
37-5w		7 S	SB	9.0	4.0	0.6	1.0		0.0050
PC		2 N	SB	9.0	6.0	0.6	1.0		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
3-10		2S	SB	14.0	3.9	0.7	1.0		0.0033
37-5w		3N	SB	9.8	5.0	0.6	1.1		0.0050
3-10		2N	SB	11.0	4.0	0.7	1.1		0.0033
3-10		4N	SB	14.0	3.5	0.7	1.1		0.0033
37-5w		10S	SB	10.0	4.2	0.7	1.1		0.0050
37-5w		1N	SB	15.0	6.0	0.8	1.1		0.0050
PN		9N	SB*	7.5	3.0	0.3	0.4		0.0033
3-10		8N	SHS	1.0	0.2		0.1	13	0.0033
13-1W		10N	TA	2.0	0.7		0.2	4	0.0033
PS		4S	TA	1.8	1.7		0.2		0.0033
13-1W		10N	TA	4.0	1.1		0.3	2	0.0033
13-1W		10N	TA	3.0	1.0		0.3	5	0.0033
PS		2S	TA	4.0	3.5		0.3		0.0033
PS		2S	TA	2.1	0.7		0.3	2	0.0033
PS		2S	TA	3.0	0.8		0.3		0.0033
PS		4S	TA	3.0	2.2		0.3		0.0033
PS		2S	TA	5.0	5.0	0.2	0.4		0.0033
PS		2S	TA	6.4	2.0	0.2	0.4		0.0033
PS		2S	TA	6.4	5.7	0.2	0.4		0.0033
13-1W		10N	TA	9.0	5.0	0.5	0.7		0.0033
13-1W		10N	TA	10.0	3.8	0.6	0.9	4	0.0033
13-1W		10N	TA	12.0	3.6	0.9	1.1	4	0.0033
PN		7N	W	1.5	0.2		0.1		0.0033
PN		8N	W	1.8	1.0		0.1		0.0033
PS		1S	W	1.6	0.4		0.1		0.0033
PS		1S	W	1.1	0.3		0.1	2	0.0033
PS		3S	W	1.0	0.2		0.1		0.0033
PS		4S	W	1.0	0.3		0.1	2	0.0033
PS		6N	W	1.5	0.4		0.1	2	0.0033
PS		5N	W	2.6	0.3		0.2		0.0033
PN		5S	W	3.9	2.8		0.3		0.0033
PN		8S	W	2.9	1.5		0.3		0.0033
PS		4S	W	2.5	1.8		0.3	2	0.0033
37-5w		4S	WC	5.0	3.0	0.1	0.9		0.0050
PS		1S	WP	1.2	0.9		0.2		0.0033
PN		4S	WP	2.0	1.6		0.3		0.0033
3-10		4S	WP	7.5	3.5	0.6	1.1		0.0033
13-1 E		1N	WP	7.4	3.0	0.5	1.2		0.0033
3-10		3N	WR	1.0	0.3		0.1	8	0.0033
PN		4S	WR	1.7	0.4		0.1		0.0033
PN		9N	WR	1.0	0.5		0.1		0.0033
PN		9S	WR	1.0	0.4		0.1	3	0.0033
PN		10S	WR	1.6	0.8		0.1		0.0033
PN		9N	WR	1.8	1.1		0.2		0.0033
PN		9N	WR	1.6	0.6		0.2	3	0.0033
PN		8N	WS	1.0	0.6		0.1	2	0.0033
PN		4S	WS	1.3	0.7		0.2		0.0033
PS		5N	WS	1.0	0.3		0.2	3	0.0033
PS		6S	WS	1.8	0.7		0.2		0.0033
13-1 E		3N	WS	2.4	2.1		0.3		0.0033
PS		5N	WS	1.8	1.7		0.3	2	0.0033
PS		6N	WS	2.0	1.1		0.3		0.0033
PS		6N	WS	1.7	1.3		0.3		0.0033
PS		8S	WS	2.2	1.7		0.3		0.0033
13-1 E		6S	WS	3.1	2.0		0.4		0.0033
13-1 E		7N	WS	3.0	2.0		0.4		0.0033
13-1W		10N	WS	2.5	1.6		0.4		0.0033
PC		4S	WS	4.0	1.5		0.4	2	0.0033
PS		5N	WS	2.6	2.2		0.4		0.0033
13-1 E		3N	WS	4.9	2.9	0.2	0.6		0.0033
PC		3S	WS	6.0	4.0		0.2	0.6	0.0033
13-1W		1N	WS	3.5	2.9		0.6		0.0033
13-1 E		4N	WS	4.6	3.4	0.2	0.7		0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
13-1W		5S	WS	4.8	3.0	0.3	0.7		0.0033
PS		5N	WS	6.6	4.1	0.6	0.8		0.0033
3-10		8N	WS	5.3	2.8	0.2	0.9		0.0033
PC		1S	WS	7.0	2.5	0.2	0.9		0.0033
PC		1S	WS	5.0	2.5	0.1	1.0		0.0033
3-10		8S	WS	4.3	3.8		1.0		0.0033
3-10		9S	WS	4.4	1.6		1.0		0.0033
13-1W		3S	WS	6.4	4.2	0.4	1.1		0.0033
PC		9S	WS	10.0	1.0	0.6	1.1		0.0033
13-1W		1N	WS	7.6	4.0	0.8	1.1		0.0033
3-10		7N	WV	2.0	0.2		0.1	3	0.0033
3-10		7N	WV	5.0	0.3		0.2		0.0033
37-1		10S	WV	14.0	1.0		0.3		0.0033
PC		8N	A	14.0		1.0			0.0033
PC		8N	A	18.0		1.0			0.0033
37-1		2S	A	12.0		1.1			0.0033
37-5w		7S	A	11.0		1.1			0.0050
37-5w		4S	A	10.5		1.2			0.0050
38-69		2N	A	14.0		1.2			0.0033
PC		8N	A	18.0		1.2			0.0033
37-5w		4S	A	16.0		1.3			0.0050
37-5w		5N	A	21.0		1.3			0.0050
37-5w		1N	A	12.0		1.5			0.0050
37-5w		5N	A	21.0		1.5			0.0050
38-69		2S	A	17.5		1.5			0.0033
PC		8N	A	21.0		1.5			0.0033
37-5w		9S	A	18.0		1.6			0.0050
PC		4N	A	22.0		1.6		3	0.0033
PC		4N	A	19.0		1.6			0.0033
PC		8N	A	21.0		1.6			0.0033
38-69		2S	A	17.7		1.7			0.0033
37-5w		4N	A	18.0		1.8			0.0050
38-69		2N	A	19.0		1.8			0.0033
PC		4N	A	24.0		1.8			0.0033
37-5w		5N	A	21.0		1.9			0.0050
PC		8N	A	18.0		1.9			0.0033
PC		8N	A	21.0		1.9			0.0033
37-5w		4N	A	18.0		2.0			0.0050
37-5w		5N	A	21.0		2.1			0.0050
37-5w		3N	A	18.0		2.2			0.0050
38-69		2S	A	6.5		2.2			0.0033
37-5w		9N	A	27.0		2.3			0.0050
37-5w		4S	A	18.0		2.4			0.0050
38-69		2S	A	18.0		2.4			0.0033
37-5w		5N	A	21.0		2.5			0.0050
37-5w		5N	A	21.0		2.5			0.0050
37-5w		1N	A	12.0		2.6			0.0050
37-5w		9N	A	23.0		2.6			0.0050
37-5w		5N	A	21.0		2.8			0.0050
37-5w		6N	A	31.0		3.0			0.0050
37-5w		7S	A	25.0		3.2			0.0050
37-5w		6N	A	31.0		3.3			0.0050
37-5w		7S	A	25.0		3.4			0.0050
38-69		2S	A	23.0		3.7			0.0033
37-5w		1N	A	12.0		4.0			0.0050
37-5w		7S	A	25.0		4.1			0.0050
PS		1N	BC	12.7		1.0			0.0033
3-10		2S	BF	10.0		1.0			0.0033
3-10		3S	BF	9.3	6.0	1.0			0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
3-10		10N	BF	9.0		1.0			0.0033
3-10		10S	BF	9.5		1.0			0.0033
13-1 E		7S	BF	10.5		1.0			0.0033
13-1W		2N	BF	9.4		1.0			0.0033
13-1W		2N	BF	9.4		1.0			0.0033
13-1W		3N	BF	10.0		1.0			0.0033
13-1W		8N	BF	12.0		1.0			0.0033
13-1W		9S	BF	9.5		1.0			0.0033
37-1		9N	BF	8.5		1.0		2	0.0033
PC		1N	BF	12.0			1.0		0.0033
PC		1N	BF	10.0			1.0		0.0033
PC		1N	BF	12.0			1.0		0.0033
PC		1N	BF	12.0			1.0		0.0033
PC		1N	BF	12.0			1.0		0.0033
PC		1S	BF	10.0			1.0		0.0033
PC		2N	BF	12.0			1.0		0.0033
PC		2N	BF	9.0			1.0		0.0033
PC		3S	BF	10.0			1.0		0.0033
PC		3S	BF	9.0			1.0		0.0033
PC		6S	BF	12.0			1.0		0.0033
PC		8N	BF	11.0			1.0		0.0033
PC		8S	BF	10.0			1.0		0.0033
PC		8S	BF	12.0			1.0		0.0033
PC		9S	BF	14.0			1.0		0.0033
PC		9S	BF	12.0			1.0		0.0033
PC		10S	BF	12.0			1.0		0.0033
PN		1S	BF	12.0		1.0			0.0033
PN		2S	BF	10.2		1.0			0.0033
PN		7S	BF	11.9		1.0			0.0033
PN		10N	BF	11.9		1.0			0.0033
PS		4S	BF	10.0		1.0			0.0033
PS		4S	BF	9.2		1.0			0.0033
PS		5S	BF	10.8		1.0			0.0033
PS		7N	BF	11.0		1.0			0.0033
PS		7S	BF	10.2		1.0			0.0033
PS		8S	BF	9.4		1.0			0.0033
PS		9N	BF	13.5		1.0			0.0033
PS		9N	BF	11.3		1.0			0.0033
3-10		1N	BF	9.9		1.1		2	0.0033
3-10		10S	BF	9.5		1.1			0.0033
3-10		11N	BF	10.0	5.8	1.1			0.0033
3-10		11S	BF	12.0		1.1			0.0033
13-1 E		5S	BF	11.0		1.1			0.0033
13-1 E		5S	BF	10.2		1.1			0.0033
13-1 E		6S	BF	12.5		1.1			0.0033
13-1W		1N	BF	11.0		1.1			0.0033
13-1W		10S	BF	12.0		1.1			0.0033
38-69		3N	BF	9.0		1.1			0.0033
38-69		7S	BF	10.0		1.1		2	0.0033
PC		1N	BF	12.0			1.1		0.0033
PC		2N	BF	12.0			1.1		0.0033
PC		2N	BF	9.0			1.1		0.0033
PC		2N	BF	12.0			1.1		0.0033
PC		2S	BF	13.0			1.1		0.0033
PC		3S	BF	10.0			1.1		0.0033
PC		9N	BF	14.0			1.1		0.0033
PC		9S	BF	18.0			1.1		0.0033
PC		9S	BF	14.0			1.1		0.0033
PC		10N	BF	12.0			1.1		0.0033
PC		10N	BF	13.0			1.1		0.0033
PN		1S	BF	15.0		1.1			0.0033
PN		2S	BF	11.7		1.1			0.0033
PN		7S	BF	11.9		1.1			0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PN		10N	BF	12.2		1.1		2	0.0033
PS		5N	BF	11.0		1.1			0.0033
PS		5N	BF	10.4		1.1			0.0033
PS		5S	BF	9.5		1.1			0.0033
PS		7S	BF	10.7		1.1			0.0033
PS		8S	BF	12.2		1.1			0.0033
PS		9S	BF	12.1		1.1			0.0033
3-10		5S	BF	10.0		1.2			0.0033
3-10		10N	BF	12.0		1.2			0.0033
13-1 E		1S	BF	10.0		1.2			0.0033
13-1 E		3N	BF	10.0		1.2			0.0033
13-1W		8S	BF	11.5		1.2			0.0033
PC		3S	BF	11.0			1.2		0.0033
PC		3S	BF	10.0			1.2		0.0033
PN		7N	BF	12.2		1.2			0.0033
PS		2N	BF	13.5		1.2			0.0033
PS		9N	BF	14.0		1.2			0.0033
PS		9S	BF	13.5		1.2			0.0033
3-10		7N	BF	8.0		1.3			0.0033
13-1 E		2N	BF	13.5		1.3			0.0033
13-1 E		3N	BF	12.6		1.3			0.0033
13-1W		4S	BF	12.0		1.3			0.0033
PC		1N	BF	13.0			1.3		0.0033
PC		1N	BF	12.0			1.3		0.0033
PC		2N	BF	12.0			1.3		0.0033
PC		2N	BF	12.0			1.3		0.0033
PC		3S	BF	11.0			1.3		0.0033
PC		6S	BF	13.0			1.3		0.0033
PC		6S	BF	14.0			1.3		0.0033
PC		9S	BF	18.0			1.3		0.0033
PC		10S	BF	14.0			1.3	2	0.0033
PC		10S	BF	12.0			1.3		0.0033
PS		4N	BF	11.8		1.3			0.0033
PS		7S	BF	11.0		1.3			0.0033
3-10		2S	BF	11.3		1.4			0.0033
3-10		10N	BF	13.0		1.4			0.0033
3-10		11N	BF	9.3		1.4			0.0033
13-1 E		5S	BF	12.0		1.4			0.0033
PC		2N	BF	14.0			1.4		0.0033
PC		3N	BF	12.0			1.4		0.0033
PC		3S	BF	11.0			1.4	2	0.0033
PN		2S	BF	13.5		1.4			0.0033
PN		3N	BF	12.2		1.4			0.0033
PS		4N	BF	10.2		1.4			0.0033
PS		4S	BF	13.2		1.4			0.0033
PS		7N	BF	14.8		1.4			0.0033
PS		7N	BF	12.3		1.4			0.0033
PS		8S	BF	12.4		1.4			0.0033
3-10		2S	BF	14.0		1.5			0.0033
3-10		3N	BF	11.8		1.5			0.0033
3-10		4N	BF	12.1		1.5			0.0033
3-10		4S	BF	11.5		1.5			0.0033
3-10		11N	BF	10.0		1.5			0.0033
13-1 E		3N	BF	12.1		1.5			0.0033
13-1 E		5S	BF	15.0		1.5			0.0033
13-1W		9S	BF	12.1		1.5			0.0033
13-1W		10S	BF	17.0		1.5			0.0033
37-5w		10N	BF	12.0		1.5			0.0050
PC		4S	BF	18.0			1.5		0.0033
PC		9N	BF	15.0			1.5		0.0033
PC		9S	BF	21.0			1.5		0.0033
PC		10S	BF	14.0			1.5		0.0033
PS		2N	BF	16.5		1.5			0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PS		2N	BF	13.3		1.5			0.0033
PS		5S	BF	12.4		1.5			0.0033
PS		7S	BF	13.0		1.5			0.0033
PS		9S	BF	17.0		1.5			0.0033
3-10		2N	BF	16.0		1.6			0.0033
3-10		8S	BF	11.6		1.6			0.0033
13-1 E		5S	BF	13.5		1.6			0.0033
13-1 E		7N	BF	11.0		1.6			0.0033
13-1W		1N	BF	10.0		1.6			0.0033
13-1W		10S	BF	11.5		1.6			0.0033
13-1W		10S	BF	20.0		1.6			0.0033
PC		1N	BF	14.0		1.6		2	0.0033
PC		3N	BF	15.0		1.6			0.0033
PC		8N	BF	11.0		1.6			0.0033
PC		9S	BF	20.0		1.6			0.0033
PN		7S	BF	16.0		1.6		5	0.0033
PS		7S	BF	14.0		1.6			0.0033
PS		9N	BF	21.5		1.6			0.0033
PS		9S	BF	17.0		1.6			0.0033
3-10		2N	BF	12.0		1.7			0.0033
3-10		11N	BF	12.0		1.7			0.0033
3-10		11S	BF	15.0		1.7			0.0033
3-10		11S	BF	15.0		1.7			0.0033
13-1 E		2S	BF	15.0		1.7			0.0033
13-1W		5S	BF	19.5		1.7			0.0033
13-1W		9S	BF	13.5		1.7			0.0033
13-1W		10N	BF	12.5		1.7			0.0033
13-1W		10S	BF	17.0		1.7		2	0.0033
13-1W		10S	BF	17.0		1.7			0.0033
38-69		7S	BF	11.4		1.7		2	0.0033
PC		3N	BF	17.0		1.7			0.0033
PC		6S	BF	20.0		1.7			0.0033
PS		8S	BF	16.0		1.7			0.0033
PS		9N	BF	22.0		1.7			0.0033
3-10		1S	BF	13.0		1.8			0.0033
3-10		2S	BF	16.0		1.8			0.0033
3-10		5N	BF	12.0		1.8			0.0033
3-10		5S	BF	12.0		1.8			0.0033
13-1 E		1S	BF	17.0		1.8			0.0033
13-1 E		1S	BF	12.5		1.8			0.0033
13-1 E		3N	BF	14.5		1.8			0.0033
13-1W		2N	BF	13.5		1.8			0.0033
13-1W		8S	BF	14.0		1.8			0.0033
PC		1S	BF	20.0		1.8			0.0033
PC		3N	BF	15.0		1.8		2	0.0033
PC		5N	BF	18.0		1.8			0.0033
PC		6N	BF	20.0		1.8			0.0033
PN		1S	BF	21.0		1.8			0.0033
PS		9S	BF	18.0		1.8			0.0033
3-10		8S	BF	14.0		1.9			0.0033
3-10		11S	BF	20.0		1.9			0.0033
13-1 E		7N	BF	15.0		1.9			0.0033
13-1W		3N	BF	13.5		1.9			0.0033
13-1W		10S	BF	17.0		1.9			0.0033
PC		1S	BF	14.0		1.9			0.0033
PC		3N	BF	17.0		1.9			0.0033
PC		5N	BF	20.0		1.9			0.0033
PC		6N	BF	9.0		1.9			0.0033
PC		10N	BF	18.0		1.9			0.0033
PS		2N	BF	16.0		1.9			0.0033
13-1W		1N	BF	13.5		2.0			0.0033
13-1W		4N	BF	15.0		2.0			0.0033
37-5w		4S	BF	13.5		2.0			0.0050

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PC		1 N	BF	16.0		2.0			0.0033
PC	10	N	BF	22.0		2.0		3	0.0033
PN		7 N	BF	24.0		2.0			0.0033
PS		2 S	BF	15.0		2.0			0.0033
13-1 E		3 N	BF	14.5		2.1			0.0033
13-1W		8 S	BF	16.0		2.1			0.0033
PC		1 N	BF	18.0		2.1			0.0033
PC		1 N	BF	15.0	3.0	2.1			0.0033
PC		1 N	BF	12.0		2.1			0.0033
PC		4 S	BF	21.0		2.1			0.0033
PC		6 S	BF	18.0		2.1			0.0033
3-10		2 S	BF	18.0	6.9	2.2			0.0033
3-10		9 S	BF	13.5		2.2			0.0033
3-10		11 S	BF	16.0		2.2			0.0033
13-1 E		10 N	BF	12.8		2.2			0.0033
13-1W		2 N	BF	20.0		2.2			0.0033
PC		1 S	BF	21.0		2.2			0.0033
PC		1 S	BF	18.0		2.2			0.0033
PC		4 S	BF	22.0		2.2			0.0033
PS		9 N	BF	24.0		2.2			0.0033
PS		9 N	BF	24.0		2.2			0.0033
13-1 E		3 N	BF	17.0		2.3			0.0033
PC		1 N	BF	22.0		2.3			0.0033
PS		3 S	BF	19.0		2.3			0.0033
3-10		1 S	BF	15.0		2.4			0.0033
13-1 E		10 S	BF	15.0		2.4			0.0033
13-1 E		10 S	BF	18.0		2.4			0.0033
13-1W		8 S	BF	16.0		2.4			0.0033
38-69		1 S	BF	18.0		2.4		2	0.0033
PC		1 N	BF	14.0		2.4			0.0033
PC		1 N	BF	20.0		2.4			0.0033
PC		3 S	BF	18.0		2.4			0.0033
PS		2 N	BF	20.0		2.4			0.0033
13-1 E		1 S	BF	18.0		2.5			0.0033
13-1 E		1 S	BF	16.0		2.5			0.0033
13-1 E		3 N	BF	18.0		2.5			0.0033
13-1W		8 N	BF	15.0		2.5			0.0033
13-1W		10 S	BF	20.0		2.5			0.0033
PC		9 N	BF	22.0		2.5			0.0033
13-1 E		2 S	BF	19.0		2.6			0.0033
37-5w		2 S	BF	18.0		2.6			0.0050
PC		1 S	BF	22.0		2.6			0.0033
PC		4 S	BF	24.0		2.6			0.0033
PC		6 N	BF	28.0		2.6			0.0033
PS		2 N	BF	31.0		2.6			0.0033
PS		2 N	BF	25.0		2.6			0.0033
3-10		8 N	BF	26.0		2.7			0.0033
3-10		11 N	BF	25.0		2.7			0.0033
13-1 E		5 N	BF	17.0		2.7			0.0033
13-1W		4 S	BF	25.0		2.7			0.0033
PC		6 N	BF	12.0		2.7			0.0033
PC		9 N	BF	24.0		2.7			0.0033
3-10		2 S	BF	18.0		2.8			0.0033
3-10		10 N	BF	18.0		2.8			0.0033
PC		7 S	BF	25.0		2.8			0.0033
3-10		8 N	BF	28.0		2.9			0.0033
PS		9 N	BF	25.0		2.9			0.0033
13-1 E		6 N	BF	25.0		3.0			0.0033
13-1W		4 S	BF	28.0		3.0			0.0033
13-1W		8 S	BF	14.0		3.1			0.0033
38-69		1 S	BF	16.0		3.1			0.0033
PC		7 S	BF	25.0		3.1			0.0033
PC		9 S	BF	12.0		3.1			0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
PC		9S	BF	32.0		3.1			0.0033
3-10		10N	BF	15.0		3.2			0.0033
13-1 E		2S	BF	20.0		3.2			0.0033
3-10		10N	BF	16.0		3.3			0.0033
13-1 E		1S	BF	20.0		3.3			0.0033
PN		3N	BF	34.0		3.3			0.0033
3-10		1N	BF	18.0		3.4			0.0033
13-1W		2N	BF	20.0		3.4			0.0033
PC		6S	BF	25.0		3.4			0.0033
3-10		10N	BF	20.0		3.5			0.0033
3-10		11S	BF	25.0		3.5			0.0033
13-1W		5S	BF	25.0		3.5			0.0033
13-1W		5S	BF	25.0		3.6			0.0033
PC		6S	BF	25.0		3.6			0.0033
PC		7S	BF	30.0		3.6			0.0033
13-1 E		2N	BF	25.0		3.7			0.0033
13-1 E		6S	BF	24.0		3.7			0.0033
3-10		6S	BF	18.0		3.8			0.0033
13-1W		5S	BF	26.0		3.8			0.0033
3-10		11S	BF	24.0		3.9			0.0033
13-1 E		6S	BF	24.0		3.9			0.0033
3-10		3S	BF	25.0		4.0			0.0033
13-1 E		5N	BF	26.5		4.2			0.0033
37-5w		1N	BF	21.0		4.4			0.0050
38-69		1S	BF	20.0		4.4			0.0033
38-69		5N	BF	30.0		4.5			0.0033
37-5w		2S	BF	35.0		4.6			0.0050
PN		7S	BF	30.0		4.6			0.0033
PN		10S	BF	38.0		4.7			0.0033
13-1 E		2N	BF	28.0		4.8			0.0033
13-1 E		9N	BF	28.0		4.8			0.0033
38-69		10N	BF	37.0		4.9			0.0033
PC		4N	BF	30.0		4.9			0.0033
PC		6N	BF	48.0		4.9			0.0033
PN		7N	BF*	19.6		1.4			0.0033
3-10		4S	BS	11.4		1.1			0.0033
3-10		4S	BS	13.0		1.3		3	0.0033
3-10		6S	BS	12.0	6.3	1.6			0.0033
3-10		2N	BS	17.0		1.9			0.0033
3-10		4S	BS	19.0		1.9			0.0033
3-10		4S	BS	15.0		2.1		2	0.0033
3-10		4N	BS	13.0		2.2			0.0033
3-10		2N	BS	18.0		2.6			0.0033
3-10		2N	BS	18.0		2.6			0.0033
3-10		2N	BS	18.0		2.7			0.0033
3-10		2N	BS	20.0		2.8			0.0033
3-10		2N	BS	20.0		2.9			0.0033
3-10		4S	BS	21.0		2.9			0.0033
3-10		4N	BS	22.0		3.4			0.0033
3-10		4S	BS	21.0		3.4			0.0033
3-10		8N	BS	30.0		3.6			0.0033
3-10		4N	BS	25.0		4.3			0.0033
37-5w		9N	BS	27.0		4.3			0.0050
PC		5S	CC	10.0		1.0			0.0033
37-5w		3S	CC	16.0		1.2			0.0050
37-5w		3S	CC	16.0		1.5			0.0050
37-1		2S	EB	11.0		1.4			0.0033
38-69		2N	H	15.0		1.1			0.0033
13-1 E		3N	MM	14.0		1.1			0.0033
13-1 E		7N	MM	17.0		1.1			0.0033
37-1		2N	MM	15.0		1.1		3	0.0033
37-1		4N	MM	11.0		1.1			0.0033
37-1		10N	MM	14.0		1.1			0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
38-69		1 N	MM	14.0		1.1			0.0033
PC		6 S	MM	18.0		1.1			0.0033
38-69		6 N	MM	15.0		1.2			0.0033
37-1		6 S	MM	15.0		1.3			0.0033
37-1		7 S	MM	20.0		1.3		3	0.0033
37-1		8 N	MM	18.0		1.3		5	0.0033
37-1		7 N	MM	20.0		1.5			0.0033
37-1		8 N	MM	18.0		1.5			0.0033
13-1 E		7 N	MM	23.0		1.6			0.0033
37-1		8 S	MM	25.0		1.6			0.0033
37-1		10 S	MM	18.0		1.6			0.0033
PC		6 S	MM	24.0		1.6			0.0033
13-1 E		3 S	MM	22.0		2.0			0.0033
13-1 E		5 N	MM	18.0		2.1			0.0033
37-1		2 N	MM	18.5		2.1		4	0.0033
37-1		7 S	MM	20.0		2.1			0.0033
38-69		5 S	MM	22.0		2.1			0.0033
13-1 E		3 S	MM	20.0		2.2			0.0033
PS		10 N	No data						
PN		3 N	NWS	27.0		3.8			0.0033
PC		10 S	PB	19.0		1.6			0.0033
3-10		8 N	PB	18.5		1.7			0.0033
13-1W		10 S	PB	23.0		2.0			0.0033
37-5w		6 S	PB	15.0		2.0			0.0050
13-1W		1 S	PB	20.0		2.9			0.0033
PN		1 S	PB	35.0		3.4			0.0033
PC		2 N	PB	45.0		3.9			0.0033
37-1		10 N	QA	12.1	3.0	1.0			0.0033
3-10		1 N	QA	20.0		1.2			0.0033
3-10		3 S	QA	20.0		2.0			0.0033
3-10		5 S	QA	20.0		2.0			0.0033
13-1W		4 S	QA	30.0		2.4			0.0033
3-10		1 N	QA	30.0		2.5			0.0033
3-10		8 N	QA	34.0		2.7			0.0033
3-10		3 S	QA	25.0		2.9			0.0033
3-10		8 N	QA	35.0		3.4			0.0033
3-10		3 S	QA	31.0		3.5			0.0033
3-10		1 N	QA	40.0		3.7			0.0033
13-1W		5 S	QA	35.0		3.7			0.0033
3-10		3 S	QA	35.0		4.3			0.0033
13-1W		5 S	QA	36.0		4.3			0.0033
13-1W		7 S	QA	31.0		4.3			0.0033
3-10		8 S	QA	33.0		4.4			0.0033
3-10		5 S	QA	30.0		4.8			0.0033
13-1W		8 S	RM	19.0		1.5			0.0033
13-1W		8 S	RM	25.0		2.5			0.0033
37-5w		4 S	SALIX	13.5		1.6			0.0050
37-5w		7 N	SB	15.0		1.1			0.0050
37-5w		7 N	SB	15.0		1.1			0.0050
37-5w		7 N	SB	13.0		1.2			0.0050
37-5w		7 N	SB	17.0		1.4			0.0050
PC		9 S	WP	20.0		1.2			0.0033
PN		2 N	WP	27.0		3.1			0.0033
PS		9 S	WP	35.0		3.2			0.0033
3-10		8 S	WS	9.6	5.5	1.1			0.0033
13-1 E		2 S	WS	10.0		1.1			0.0033
3-10		1 S	WS	9.3		1.2			0.0033
3-10		5 S	WS	10.0		1.2			0.0033
3-10		6 S	WS	10.5		1.3			0.0033
13-1 E		3 N	WS	9.8		1.4			0.0033
3-10		6 S	WS	14.0		1.6			0.0033
13-1 E		2 N	WS	13.5		1.8			0.0033
PS		5 N	WS	15.5		2.0			0.0033

Unit	plot	N or S	Species	HT	Feet of Spread	DBH (if species appropriate)	Ground	Quantity	Plot size
3-10	1	S	WS	15.0		2.8			0.0033
3-10	3	N	WS	21.0		3.5			0.0033
38-69	4	N		empty					

| |

**Table 3: Pre-Harvest Coarse Woody Debris (CWD), Old Root**

	Species	3+ Diameter				Site Data	
		Large End	Small End	Intersection	Decomp Class	Aspect	
1	QA	4.3	3.0	3.9	2	1°	
1	QA	4.2	1.5	3.2	3	1°	
1	QA	5.0	2.5	4.7	2	10°	
1	QA	4.3	1.0	3.7	2	10°	
1	QA	3.4	3.0	3.4	2	12°	
1	QA	4.6	1.0	4.2	2	12°	
1	QA	4.5	2.0	3.7	2	2°	S
1	QA	5.0	1.0	3.0	2	20°	
1	QA	4.5	0.7	3.7	1	23°	
1	QA	3.9	1.2	3.2	2	3°	A+S
1	BG	3.9	0.2	3.0	2	4°	A+S
1	QA	7.6	3.4	6.2	2	4°	
1	QA	4.1	0.6	2.4	2	4°	
1	BG	5.3	3.0	3.7	3	6°	A
1	QA	5.2	2.2	3.9	2		A+S
1	QA	4.5	0.3	3.3	2		
2	BG	5.7	0.6	4.0	2	10°	
2	BG	7.6	0.5	5.8	2	12°	
2	BG	6.0	0.2	5.8	2	20°	
2	BG	5.4	1.0	4.0	2	5°	
2	BG	3.8	0.3	3.6	2		
3	BG	5.2	0.5	3.6	2	10°	
3	BG	4.5	3.0	4.5	2	10°	
3	BG	5.8	0.5	5.2	3	15°	
3	QA	5.2	0.5	4.9	2	17°	
3	QA	3.8	2.5	3.2	2	2°	
3	BG	5.0	1.6	3.4	3	2°	
3	QA	9.1	0.1	7.9	1	20°	
3	QA	7.3	2.5	5.8	1	30°	
3	QA	5.1	0.1	4.9	1	5°	
3	QA	5.5	0.5	5.1	1	5°	
3	BG	5.6	0.2	3.6	2	5°	
3	BG	6.2	1.0	5.3	2	5°	
3	BG	5.2	1.6	3.2	2	5°	
3	QA	3.8	0.5	3.4	2	5°	
3	BG	3.9	1.5	3.4	2		
3	BG	5.0	0.4	4.1	2		
3	QA	5.1	1.4	5.1	2		
3	BG	5.0	0.5	4.4	2		
3	QA	4.6	2.5	4.2	3		
3	QA	4.0	3.2	3.7	3		
3	QA	3.9	2.9	3.9	3		
4	PB	4.9	3.6	4.1	2		

**Table 3: Pre-Harvest Coarse Woody Debris (CWD), Old Root**

	Species	3+ Diameter				Site Data	
		Large End	Small End	Intersection	Decomp Class	Aspect	
4	PB	4.2	3.8	4.0	5		
4	PB	5.7	4.4	5.0	5		
5	PB	3.8	3.5	3.8	3		
5	PB	6.7	6.2	6.5	4		
6	PB	5.3	2.5	5.2	2		
6	PB	8.0	2.5	6.2	2		
6	PB	4.6	3.7	4.2	4		
6	PB	6.5	6.0	6.0	4		
6	PB	8.8	8.3	8.3	4		
6	PB	4.4	4.3	4.3	5		
6	PB	8.8	8.0	8.0	5		
6	PB	4.2	3.5	3.5	5		
7	QA	3.9	0.6	3.9	2	2°	
7	QA	3.4	1.7	3.0	2	30°	
7	QA	3.5	0.2	3.5	2	5°	
7	QA	4.2	0.5	3.8	2		
8	QA	3.9	2.1	3.3	2	3°	
8	QA	4.3	3.6	4.0	2	5°	
8	QA	3.9	2.6	3.2	2		
8	QA	14.1	1.5	13.3	2		
8	QA	15.3	7.2	12.1	2		
8	QA	6.7	4.4	6.7	2		
8	QA	5.8	5.3	5.8	4		
9	QA	3.3	0.5	3.3	2	3°	
9	QA	4.7	0.4	4.4	2	3°	
9	QA	5.6	0.2	4.6	1	5°	
9	PB	9.7	2.1	9.2	1		
9	PB	4.9	4.9	4.9	5		
9	QA	4.7	4.0	4.7	5		
10	QA	5.5	1.5	5.1	2	2°	
10	QA	5.5	2.2	5.4	2	2°	
10	QA	5.0	0.5	4.2	2	2°	
10	QA	3.4	1.7	3.2	2	2°	
10	QA	3.7	1.2	3.2	1	5°	
10	QA	4.9	0.5	3.9	2	5°	
10	QA	3.7	0.3	3.0	2	5°	
10	QA	5.8	2.5	5.7	2	5°	
10	QA	5.9	3.6	4.8	2	8°	
10	QA	5.5	0.3	4.9	1		
10	QA	4.3	0.7	3.2	2		
10	QA	4.6	2.2	3.6	2		
10	QA	5.0	0.4	3.5	2		
10	QA	5.5	0.5	4.1	2		
10	QA	5.5	1.0	4.0	2		

**Table 3: Pre-Harvest Coarse Woody Debris (CWD), Old Root**

	Species	3+ Diameter				Site Data	
		Large End	Small End	Intersection	Decomp Class	Aspect	
11	QA	5.0	0.7	3.0	2	10°	
11	QA	4.2	1.0	3.6	2	12°	
11	QA	4.0	1.0	3.6	2	15°	
11	QA	3.7	1.5	3.7	2	20°	
11	QA	4.7	1.0	4.6	2	3°	
11	QA	5.5	2.0	4.1	2	3°	
11	QA	5.3	1.0	4.4	2	8°	
11	QA	4.5	0.2	4.3	2		
11	QA	6.1	0.5	5.8	2		
11	QA	6.0	0.2	3.6	2		
11	QA	4.5	3.0	3.4	2		
11	QA	5.8	1.5	3.1	2		
11	QA	6.2	0.3	4.3	2		
11	QA	5.0	4.4	4.4	2		
11	QA	10.0	7.0	7.9	3		
12	PB	8.1	4.3	7.5	3		
13	BTA	5.3	0.8	4.9	1	10°	
13	BTA	6.5	0.5	5.0	1	2°	
13	BTA	5.3	3.0	3.2	2	2°	
13	BTA	6.0	0.2	4.1	1	3°	
13	BTA	4.7	0.5	3.1	1	3°	
13	BTA	8.5	1.3	3.2	2	4°	
13	BTA	7.0	0.3	4.8	1	8°	
13	BTA	5.5	1.0	3.4	2	8°	
13	BTA	6.6	0.5	5.3	1		
13	BTA	5.3	0.5	4.0	1		
13	BTA	5.7	0.6	4.2	2		
14	QA	5.0	0.3	4.3	1	10°	
14	QA	3.9	1.0	3.5	2	15°	
14	QA	3.3	0.5	3.3	1	2°	
14	QA	4.0	0.4	3.8	1	2°	
14	QA	5.7	0.3	4.8	1	2°	
14	QA	4.0	0.3	3.9	1	20°	
14	QA	6.2	0.3	4.0	1	3°	
14	QA	5.0	0.2	4.8	1	3°	
14	QA	5.1	0.3	5.1	1	5°	
14	QA	5.3	0.3	5.1	1	5°	
14	QA	5.4	0.9	4.4	2	5°	
14	QA	4.0	3.0	4.0	2	5°	
14	QA	4.0	0.5	3.4	1		
14	QA	3.6	0.3	3.4	1		
14	QA	4.9	0.2	3.1	1		
14	QA	3.9	0.2	3.9	1		
14	QA	4.6	0.5	3.9	1		

**Table 3: Pre-Harvest Coarse Woody Debris (CWD), Old Root**

	Species	3+ Diameter				Site Data	
		Large End	Small End	Intersection	Decomp Class	Aspect	
14	QA	5.8	0.5	4.5	1		
14	QA	5.7	2.0	3.8	2		
14	RM	3.8	2.0	3.8	2		
15	QA	3.2	3.2	3.2	2	35°	
15	QA	4.6	0.2	4.0	1	4°	
16	QA	5.5	0.3	3.9	1	25°	
16	QA	5.3	0.2	3.3	1	25°	
16	RM	8.2	0.2	4.1	1	30°	
16	QA	4.6	0.3	3.7	1	35°	
16	QA	6.9	0.4	5.4	1	4°	
16	QA	4.9	0.3	3.7	1	5°	
16	QA	5.0	0.7	4.2	1		
16	QA	6.0	1.4	4.5	2		
16	QA	6.5	1.0	4.9	2		
16	QA	6.1	2.1	4.7	2		
16	QA	8.1	5.0	6.3	4		
17	QA	4.1	1.6	3.5	3		
18	QA	7.5	5.3	7.5	2	2°	
18	RM	6.2	1.9	4.7	2	7°	
18	QA	8.6	8.3	8.3	2		
19	QA	4.1	0.2	4.1	2	15°	
19	QA	3.8	1.0	3.7	2	3°	
19	RM	5.0	1.4	4.3	2	30°	
19	RM	8.0	0.2	5.3	1	40°	
19	RM	7.6	0.2	6.3	1	40°	
19	RM	9.2	0.2	6.8	1	40°	
19	QA	4.2	0.7	3.2	2		
19	QA	3.2	2.1	3.0	2		

**Table 4: Pre-Harvest Coarse Woody Debris (CWD), 38-69**

Species	Large End	Small End	Intersection	Decomp Class	Aspect	Plot	
BF	3.5	1.7	3.5	4		1	38-69
BF	4.5	3.7	3.7	5		1	38-69
QA	11.0	6.2	10.0	2		1	38-69
QA	5.9	5.0	5.4	3		1	38-69
QA	6.4	3.5	4.9	3		1	38-69
QA	3.2	2.9	4.9	5		1	38-69
QA	15.2	12.4	12.5	1		2	38-69
QA	10.4	7.7	8.7	1		2	38-69
QA	12.7	6.5	10.8	2		2	38-69
QA	4.8	3.0	4.7	4		2	38-69
QA	8.3	7.4	7.7	4		2	38-69
QA	9.0	8.9	8.9	4		2	38-69
QA	5.4	4.9	5.5	5		2	38-69
QA	6.6	3.4	3.4	5		2	38-69
QA	7.7	6.6	7.2	5		2	38-69
QA	6.6	4.9	6.5	5		2	38-69
QA	5.8	3.7	4.5	5		2	38-69
BF	5.1	3.5	3.7	4		3	38-69
BF	4.0	1.9	2.8	5		3	38-69
QA	5.0	1.3	4.2	2		3	38-69
QA	3.4	3.1	3.4	3		3	38-69
QA	7.5	1.5	4.0	3		3	38-69
QA	4.0	2.1	3.8	3		3	38-69
QA	5.0	2.5	4.6	3		3	38-69
QA	4.1	3.8	4.0	4		3	38-69
QA	3.3	1.9	3.0	5		3	38-69
QA	10.1	3.4	9.4	2		4	38-69
QA	11.0	4.3	9.2	2		4	38-69
QA	4.7	3.5	4.0	4		4	38-69
QA	9.2	1.1	5.7	5		4	38-69
BF	5.2	1.5	4.4	3		5	38-69
BF	6.4	3.2	4.8	3		5	38-69
BF	5.4	1.0	3.2	3		5	38-69
BF	6.0	5.3	5.9	4		5	38-69
BF	6.7	6.5	6.7	5		5	38-69
PB	7.5	3.9	7.5	2		5	38-69
PB	5.5	4.5	5.5	5		5	38-69
QA	11.1	6.9	8.4	3		5	38-69
QA	6.6	2.2	6.0	3		5	38-69
WS	6.7	0.7	4.5	2		5	38-69
BF	6.3	3.5	5.5	3		6	38-69
BF	4.8	3.5	4.8	3		6	38-69
BF	6.3	4.2	5.8	3		6	38-69
BF	8.0	2.5	5.9	3		6	38-69

**Table 4: Pre-Harvest Coarse Woody Debris (CWD), 38-69**

Species	Large End	Small End	Intersection	Decomp Class	Aspect	Plot	
PB	7.5	3.1	7.5	2		6	38-69
PB	6.6	5.4	6.4	5		6	38-69
BF	5.1	2.8	3.6	3		7	38-69
BF	7.0	2.4	5.1	3		7	38-69
BF	4.1	0.3	3.4	3		7	38-69
BF	7.5	5.2	5.8	4		7	38-69
BF	7.8	4.8	6.4	4		7	38-69
PB	5.9	5.0	5.9	2		7	38-69
WS	8.4	0.3	6.1	1		7	38-69
BF	5.0	0.5	3.7	3		8	38-69
BF	9.9	2.5	4.3	3		8	38-69
BF	4.2	0.5	3.6	3		8	38-69
BF	6.5	2.7	4.5	3		8	38-69
BF	6.2	3.1	5.1	3		8	38-69
BF	5.7	3.1	4.0	3		8	38-69
BF	6.5	0.4	5.7	3		8	38-69
BF	3.0	2.2	3.0	3		8	38-69
BF	8.2	2.5	4.0	4		8	38-69
BF	7.5	6.8	7.5	5		8	38-69
BF	4.9	0.7	4.1	3		9	38-69
QA	4.5	0.9	4.0	3		9	38-69
QA	3.5	2.8	3.4	4		9	38-69
BF	7.5	2.7	5.0	2		10	38-69
BF	5.1	3.4	4.9	5		10	38-69
QA	4.2	0.4	3.2	2		10	38-69
QA	5.0	2.7	3.4	3	25degree	10	38-69
QA	4.8	3.9	4.0	3		10	38-69
QA	4.0	1.8	3.7	5		10	38-69

**Table 5: Pre-Harvest Coarse Woody Debris (CWD), 37-1**

Species	Large End	Small End	Intersection	Decomp Class	Aspect	Plot	
BF	6.8	5.6	6.8	4		1	37-1
BF	5.4	4.8	5.4	4		1	37-1
BF	6.0	5.6	6.0	5		1	37-1
BF	5.3	4.8	4.8	5		1	37-1
PB	3.9	3.8	1.4	3		1	37-1
PB	4.5	4.0	4.3	4		1	37-1
PB	3.1	1.3	3.1	5		1	37-1
PB	6.0	5.0	5.2	5		1	37-1
PB	4.1	1.0	4.1	4		2	37-1
PB	12.2	7.9	7.8	5		2	37-1
PB	6.5	3.1	3.6	5		2	37-1
PB	6.5	2.1	3.0	5		2	37-1
PB	9.0	8.2	8.7	5		2	37-1
BF	17.0	3.4	15.3	1		3	37-1
BF	3.3	0.7	3.3	4		3	37-1
PB	5.8	3.6	3.9	3		3	37-1
BF	3.3	3.3	3.3	4		5	37-1
BF	3.7	2.9	3.6	4		5	37-1
PB	3.7	3.1	3.3	4		5	37-1
QA	6.7	6.0	6.4	4		5	37-1
QA	7.0	2.8	5.1	3	2°	6	37-1
QA	4.3	0.8	3.5	2	5°	7	37-1
QA	5.9	4.6	5.6	3		7	37-1
QA	4.9	2.2	4.0	3		9	37-1
QA	4.7	3.6	4.5	4		9	37-1
QA	3.4	3.1	3.2	4		9	37-1
BF	9.8	0.2	5.2	1		10	37-1
BF	6.5	4.3	5.6	3		10	37-1
BF	3.0	1.7	3.0	3		10	37-1
BF	5.2	4.0	5.2	4		10	37-1
PB	16.8	13.8	15.0	3		10	37-1
PB	4.9	4.3	4.8	5		10	37-1
PB	3.1	3.1	3.1	5		10	37-1

**Table 6: Pre-Harvest Coarse Woody Debris (CWD), 13-1W**

Species	Large End	Small End	Intersection	Decomp Class	Aspect	Plot	
BF	4.8	2.3	4.3	3		1	13-1W
BF	4.0	2.0	3.6	4		1	13-1W
BS	6.5	0.2	4.4	2		1	13-1W
BS	7.2	1.9	5.2	2		1	13-1W
BS	6.0	3.3	4.5	3		1	13-1W
WS	8.1	1.1	4.9	3		1	13-1W
WS	7.1	1.1	5.4	3		1	13-1W
PB	4.3	4.3	4.3	5		2	13-1W
PB	6.5	6.5	6.5	5		2	13-1W
BF	7.5	2.0	6.4	4		3	13-1W
BF	9.2	5.4	8.3	5		3	13-1W
QA	11.6	0.3	8.5	3/4		3	13-1W
WS	7.6	6.4	6.0	5		3	13-1W
BF	4.8	2.7	4.5	3		4	13-1W
BF	5.6	0.7	5.2	4		4	13-1W
QA	5.8	0.7	4.7	3		4	13-1W
WS	4.8	1.8	3.5	3		4	13-1W
WS	6.0	0.6	4.7	3		4	13-1W
WS	5.3	0.9	3.1	3		4	13-1W
PB	6.0	4.6	5.0	4		5	13-1W
PB	5.8	5.6	5.8	5		5	13-1W
QA	11.6	0.5	8.2	2		5	13-1W
QA	9.6	4.8	7.9	3		5	13-1W
RP	10.9	1.0	3.4	2		5	13-1W
WS	5.7	1.0	4.9	2		5	13-1W
BF	7.2	1.4	7.2	4		6	13-1W
BF	5.3	5.2	5.2	5		6	13-1W
BF	4.0	0.2	3.5	2		7	13-1W
BF	5.3	2.3	3.6	2		7	13-1W
BF	7.2	4.7	6.6	4		7	13-1W
BF	7.4	4.1	5.9	4		7	13-1W
BF	5.1	4.1	4.2	5		7	13-1W
BS	7.4	1.6	7.4	1		7	13-1W
BF	6.0	4.8	6.0	3		8	13-1W
BF	5.8	2.3	5.8	3		8	13-1W
BF	5.7	3.0	4.5	5		8	13-1W
WS	7.2	4.5	5.0	3		8	13-1W
WS	4.1	2.9	3.9	3		8	13-1W
BF	4.7	0.7	4.7	3		9	13-1W
BF	5.1	4.2	4.4	4		9	13-1W
BF	5.5	4.2	5.2	5		9	13-1W
BF	5.8	4.3	4.3	5		9	13-1W
PB	6.9	4.6	5.2	3		9	13-1W
PB	4.0	2.8	4.0	3		9	13-1W

**Table 6: Pre-Harvest Coarse Woody Debris (CWD), 13-1W**

Species	Large End	Small End	Intersection	Decomp Class	Aspect	Plot	
BF	3.8	2.3	3.0	3	15°	10	13-1W
BF	3.8	3.2	3.8	5		10	13-1W
BS	6.4	1.1	6.4	2	2°	10	13-1W
BS	4.4	3.4	3.9	3		10	13-1W

Table 7: Pre-Harvest Coarse Woody Debris (CWD), 13-10

Plot	Species	3+ Diameter		Intersection	Decomp Class	Site Data	
		Large End	Small End			Aspect	
1	BF	5.2	1.9	4.4	3		
2	BF	5.7	5.0	5.7	5		
2	WS	6.7	0.8	5.6	3		
2	BF	4.1	1.7	3.4	3		
2	BF	5.0	2.2	4.5	3		
2	BF	4.9	3.5	4.1	4		
2	WS	6.8	2.0	6.0	2	10°	
2	BF	10.7	9.3	10.6	5		
3	BF	6.7	0.1	3.5	1		
3	QA	8.0	6.4	8.0	4		
3	BF	4.6	4.4	4.6	4	5°	
3	QA	14.5	3.3	13.0	4		
4	BF		4.5	4.0	4.5	5	
4	BF		8.3	7.0	8.3	5	
5	BF	5.3	3.0	4.0	3		
5	BF	4.0	2.3	3.5	3		
5	BF	6.2	3.0	5.9	3		
5	PB	4.2	4.0	4.2	5		
5	BS	5.4	0.8	5.4	2		
5	PB	6.7	6.0	6.0	5		
6	BF	5.0	1.2	5.0	2	2°	
6	BF	4.8	0.6	4.1	2	5°	
6	QA	15.7	11.8	13.6	4		
6	PB	6.0	5.8	5.9	4		
6	BF	4.8	4.8	4.8	5		
6	BF	3.7	1.2	3.4	3	2°	
6	BF	6.0	5.5	6.0	5		
7	BF	3.6	1.9	3.3	2		
7	BF	3.5	3.5	3.5	5		
7	QA	11.5	9.6	10.5	3		
7	BF	3.5	0.3	3.5	2		
7	BF	6.2	2.6	5.3	3		
7	QA	11.0	9.5	11.0	5		
7	BF	5.4	3.7	5.4	2		
7	BF	5.3	2.9	4.9	3		
8	BF	8.6	3.0	7.8	3	2°	
8	BF	5.3	1.8	5.3	5		
8	BS	9.7	0.3	3.2	2		
8	BS	6.5	2.5	5.4	3		
8	BS	8.8	4.1	5.7	4		
9	PB	10.4	5.7	1.9	2	4°	
9	QA	5.2	0.3	3.8	2		
9	BF	5.5	5.1	5.1	5		

**Table 7: Pre-Harvest Coarse Woody Debris (CWD), 13-10**

Plot	Species	3+ Diameter			Decomp Class	Site Data	
		Large End	Small End	Intersection		Aspect	
9	BF	6.4	4.4	3.7	5	2°	
9	BF	5.9	5.9	1.2	4	3°	
9	BF	10.2	6.0	9.0	5		
10	WS	9.4	0.3	8.8	1	4°	
10	PB	4.2	4.2	4.2	4		
10	PB	3.3	2.3	3.3	3	2°	
10	WS	5.4	2.1	4.5	3		
10	WS	5.8	6.1	5.8	4		
10	WS	5.0	5.0	5.0	5		
10	BF	6.8	3.5	4.3	2		
10	BF	4.3	2.2	3.0	3		
10	BF	7.1	3.7	5.5	5		
11	QA	3.9	1.6	3.1	2		
11	PB	3.2	3.5	3.9	5		
11	BF	5.6	5.0	4.6	5		
11	QA	10.6	10.0	10.5	4		
11	WS	6.3	3.4	3.4	4		
11	BF	8.9	4.5	7.0	5		
11	BF	9.0	4.0	8.4	5		
11	PB	5.3	4.1	4.5	5		
11	BF	5.7	0.2	3.9	1	25°	

Table 8: Pre-Harvest Coarse Woody Debris (CWD), 37-5

Species	Large End	Small End	Intersection	Decomp Class	Aspect		plot
QA	5.0	3.0	4.0	2			1
QA	5.5	0.5	2.9	3			1
QA	5.0	0.7	3.8	2			1
ALDER???	6.0	3.0	3.0	5			2
A	3.7	0.1	3.0	3			3
PB	3.7	3.3	3.6	4			3
BF	4.1	3.0	4.1	4			3
BF	4.7	1.3	3.4	4			3
A	3.5	2.9	3.4	3			4
QA	3.4	2.4	3.4	3			4
BF	8.4	4.5	6.4	4			4
BF	5.4	3.8	5.0	5			4
BF	5.1	3.5	4.1	5			4
PB	8.7	5.5	7.7	4	15°		5
QA	12.1	2.4	9.1	1			5
QA	4.9	3.5	4.1	4			5
BF	7.0	3.4	5.9	4			5
BF	6.1	3.5	4.1	4			5
BF	4.1	1.4	4.1	5			5
BF	4.0	2.4	3.5	5			5
BF	3.5	2.4	3.4	5			6
BF	3.4	3.4	3.4	5			6
BF	4.3	3.0	4.5	5			6
BS	4.1	3.5	3.6	3			6
QA	23.6	1.0	2.1	3			6
BF	12.3	8.6	12.3	3			6
A	7.5	4.5	6.0	5			6
A	5.4	2.2	5.0	5			6
BF	4.5	4.2	3.8	5			7
BF	5.5	4.9	3.6	5			7
BF	6.2	3.5	3.6	5			7
WC	5.7	1.0	5.7	5			7
QA	13.0	1.5	5.9	1			8
A	5.5	3.3	4.1	5			8
A	5.0	2.0	3.0	5			8
A	3.7	2.5	2.5	5			8
QA	5.0	4.3	4.3				9
QA	5.6	1.7	5.2				9
QA	3.0	2.7	2.9				9
BF	4.9	4.1	3.4	5			10
QA	5.6	2.9	4.2	3			10
QA	5.5	5.4	5.5	3			10
QA	5.2	1.8	2.9	5			10

**Table 9: Pre-Harvest Coarse Woody Debris (CWD), 13-1E**

Species	Large End	Small End	Intersection	Decomp Class	Aspect	plot
BF	4.9	2.1	4.9	4		1
BF	3.1	2.7	3.1	4		1
BF	4.2	3.8	4.2	4		1
BF	4.1	5.0	4.1	4		1
BF	3.6	2.7	3.3	3		1
PB	6.1	4.3	4.9	4		2
PB	4.8	1.9	3.6	4		2
BF	5.7	3.4	5.1	4		2
QA	10.2	1.0	7.4	2		3
QA	18.4	11.7	15.2	2	10°	3
BF	5.2	3.5	4.0	5		3
QA	7.6	4.0	6.4	2		3
QA	9.2	7.4	7.9	3		3
BF	7.2	5.1	6.8	5		3
QA	7.0	2.7	6.9	2		3
*	3.3	0.9	3.0	2		3
BF	10.0	8.0	9.6	5		4
PB	3.2	3.2	3.2	5		4
PB	3.6	3.3	3.3	5		4
PB	5.0	4.6	4.6	4		4
WS	7.6	0.4	5.7	3		4
BF	6.9	5.5	6.3	3		4
BF	5.1	2.8	4.5	4		4
PB	4.5	3.7	4.5	2		4
QA	16.2	4.3	16.2	2	3°	5
BF	8.1	1.4	6.5	4		5
WS	6.7	3.1	5.9	3	2°	5
BF	7.0	4.6	5.0	2		5
BF	6.3	4.1	5.5	3		5
QA	15.5	0.4	13.1	1		6
WS	7.5	4.2	6.6	3	15°	6
BF	4.0	2.9	4.0	3	13°	6
BF	5.7	0.4	5.7	3		6
BF	5.6	2.0	3.0	3		6
WS	7.3	2.4	3.3	2		6
BF	9.0	4.3	5.4	5		7
BF	5.1	3.0	4.0	5		7
BF	4.0	3.0	4.0	2		7
BF	4.3	2.2	4.1	3	3°	7
WS	8.5	0.4	5.9	1	10°	7
BF	4.6	2.0	4.2	3	5°	7
BF	5.8	3.5	4.8	4		7
PB	4.5	0.3	3.4	2		7
BF	5.8	5.1	5.1	4		7

**Table 9: Pre-Harvest Coarse Woody Debris (CWD), 13-1E**

Species	Large End	Small End	Intersection	Decomp Class	Aspect	plot
BF	4.1	3.3	4.0	3		7
BF	5.6	3.6	5.6	5		7
BF	5.2	3.0	3.7	3		8
BF	4.0	2.3	3.8	4		8
BF	4.7	3.9	4.4	5		8
BF	5.9	2.6	3.4	4	2°	8
WS	11.5	1.3	5.7	4	3°	8
BF	5.0	3.0	3.1	5		8
WS	12.0	9.7	9.7	3	30°	8
WS	9.7	2.0	9.7	5	30°	8
BF	6.0	2.6	5.1	5		8
BF	6.0	5.1	6.0	5		8
BF	8.8	1.9	5.0	3		8
WS	9.5	9.1	9.1	5		9
PB	6.7	5.6	6.7	5		10
QA	6.5	4.5	5.9	5		10
BF	4.7	3.7	4.7	5		10
BF	4.7	2.1	4.7	4	5°	10
BF	11.0	2.2	6.9	3/4	2°	10
PB	6.9	5.3	6.5	3		10

**Table 10: Pre-Harvest Coarse Woody Debris (CWD), Pitcha C**

	Species	Large End	Small End	Intersection	Decomp Class
3	QA	14.6	8.6	12.4	2
1	BF	8.9	4.7	4.4	3
1	BF	3.6	3.1	2.9	4
2	BF	6.5	3.5	4.5	4
4	BF	4.3	3.1	4.3	4
8	WP	4.3	2.4	3.3	4
9	BF	5.0	5.2	4.0	4
9	BF	5.9	5.4	3.5	4
9	WP	8.5	8.5	4.6	4
10	BF	7.0	5.1	4.3	4
3	BF	4.1	4.1	4.1	5
6	BF	10.5	9.7	9.5	5
6	BF	10.3	7.3	8.3	5
6	BF	7.9	2.9	3.3	5
6	BF	6.2	4.8	5.4	5
8	BF	3.5	3.5	3.9	5
8	BF	9.6	4.6	7.5	5
9	BF	4.5	4.0	4.0	5
10	BF	5.1	5.1	5.0	5
5	No				
7	no				

**Table 11: Pre-Harvest Coarse Woody Debris (CWD), Pitcha South**

Plot	Species	3+ Diameter			Decomp Class	Site Data
		Large End	Small End	Intersection		Aspect
1						
2						
3	WP	6.6	1.1	5.4	4	
3	WP	6.6	6.4	6.5	5	
4	WP	7.0	6.0	6.0	4	
4	WS	3.9	3.1	3.1	5	
5	WP	3.7	3.4	3.7	3/4	
5	WS	3.3	2.3	3.0	2	
5	WP	9.7	6.1	9.2	3	
5	BF	5.5	3.4	4.2	3	
5	WP	3.4	3.3	3.4	4	
6	WP	6.9	3.0	7.1	3	
6	WP	5.2	4.8	4.8	4	
7	WS	12.1	1.7	8.3	1	5°
7	BF	9.1	7.3	7.3	5	
7	WS	4.3	3.0	3.0	2	15°
7	WS	5.3	3.2	3.5	4	3°
8	WS	6.5	3.3	3.7	2	
9	WS	8.1	3.5	5.4	2	10°
9	WP	8.1	3.0	3.7	3	4°
9	WP	5.5	3.5	4.5	4	
9	WP	5.7	4.0	5.0	5	
10	BF	3.9	3.7	3.7	4	

**Table 12: Pre-Harvest Coarse Woody Debris (CWD), Pitcha North**

Plot	Species	3+ Diameter			Decomp Class	Site Data
		Large End	Small End	Intersection		Aspect
1						
2	BF	6.2	4.6	5.3	3	
2	WS	6.8	2.3	4.4	2	
3	?	5.4	0.3	3.6	2	
4	WS	3.8	3.0	3.7	4	
4	WS	4.2	2.2	4.0	4	
4	WP	4.7	2.6	4.0	4	
4	WP	4.7	2.6	4.7	3	
4	WP	8.3	2.9	4.5	3	2°
5	BF	10.9	0.4	10.0	1	8°
5	WS	11.9	9.4	10.8	5	
5	BF	6.2	5.7	5.9	5	
5	WS	5.0	4.5	4.5	4	
6	BF	7.5	2.5	6.1	4	
6	BF	5.1	5.0	5.1	5	
7	BF	5.2	0.2	3.3	2	10°
7	WP	5.5	2.2	6.7	1	3°
7	WP	6.6	5.1	5.3	1	5°
7	BF	6.0	3.7	4.7	3	
8						
9	WP	6.7	3.9	4.3	2	
9	WP	4.9	3.4	4.9	2	
9	BF	5.4	0.3	5.4	3	
10						

Table 13: All Snag Data

		Species	DBH	Ht to snap off	Diameter at snapoff	Decay Class
PC	3		0	0	0	0
PC	9		0.0	0	0.0	0
PN	5		0	0	0	0
PN	6		0	0	0.0	0
PN	9		0	0	0.0	0
PN	10		0	0	0.0	0
PS	6		0.0	0.0	0.0	0
PS	8		0.0	0.0	0.0	0
PS	10		0.0	0.0	0.0	0
PN	8	JP	16.9	63		1
PS	5	JP	11.4	59.0		1
PS	1	QA	4.5	35.0	0.3	2
PC	8	WP	7.2	62		1
PN	3	WP	7.2	45	1.5	1
PN	7	WP	8.4	37	1.5	1
PC	1	WP	8.1	25	7.6	2
PC	2	WP	6.2	24	4.0	2
PC	4	WP	10.2	30	3.0	2
PC	7	WP	3.7	20	1.0	2
PC	7	WP	8.6	40	1.5	2
PC	7	WP	7.1	30	1.0	2
PC	7	WP	2.5	15	0.5	2
PC	10	WP	7.7	35	2.5	2
PN	1	WP	6.1	38	2.5	2
PN	7	WP	8.5	19	6.0	2
PS	2	WP	6.6	14.0	2.5	2
PS	4	WP	8.8	30.0	0.5	2
PS	4	WP	7.8	30.0	0.5	2
PS	7	WP	9.9	32.0	1.0	2
PS	2	WP##	3.3	12.0	2.0	2
PS	2	WP##	3.5	15.0	2.4	2
PC	5	WS	5.6	35		1
PN	4	WS	5.1	36		1
PC	6	WS	5.0	30		2
PC	10	WS	4.0	30		2
PN	4	WS	8.5	40	1.0	2
PS	9	WS	5.8	51.0	0.5	2
PN	2	WS *	5.6	40		1
PS	2	BF	3.5	23.0	2.0	3
PS	2	BF#	2.3	8.0	1.9	3
PS	1	QA	9.7	12.0	8.2	3
PC	7	WP	4.6	15	2.5	3
PS	3	WP	2.8	25.0	1.1	3
PS	9	WP	3.1	5.5	2.6	3
PN	3	WP *	4.2	30		3

**Table 13: All Snag Data**

		Species	DBH	Ht to snap off	Diameter at snapoff	Decay Class
PS	9	WS	6.3	47.0	2.5	3
PC	2	WS	4.3	5	4.5	5

Table 14: All Tree Data

Tag #	Species	DBH	HT	% Live Crown	Apparent Vigor	Damage category and severity	Site	Plot
642	WS	14.1	70	60	1		PS	1
643	RP	15.2	70	35	1		PS	1
644	RP	13.1	68	35	1		PS	1
645	RP	16.1	71	35	1		PS	1
646	BF	5.0	37	65	1		PS	1
647	RP	15.4	70	35	1		PS	1
648	RP	12.9	68	35	1		PS	2
649	RP	11.8	68	35	1		PS	2
650	WP	6.3	40	50	1		PS	2
651	RP	14.2	69	40	1		PS	2
652	RP	13.7	69	30	2		PS	2
653	RP	11.3	67	35	1		PS	2
654	RP	12.3	68	40	1		PS	2
655	RP	12.0	68	35	1		PS	2
656	RP	9.9	65	35	2		PS	2
657	WP	8.6	49	40	1		PS	3
658	WP	7.0	47	35	1		PS	3
659	BF	6.1	45	65	1		PS	3
660	RP	14.9	69	40	1		PS	3
661	WP	9.1	63	35	1		PS	3
662	WP	9.6	67	40	1		PS	3
663	RP	16.0	71	40	1		PS	3
664	RP	15.3	70	40	1		PS	3
665	RP	12.7	69	35	2	sweep 6'; crook 5'	PS	3
666	WP	8.1	57	40	1	# #	PS	3
667	WP	6.9	53	50	1		PS	3
668	RP	14.9	70	40	1		PS	3
669	RP #	11.4	69	35	2	crook 6'	PS	3
670	RP	13.9	71	40	1	lean 5°	PS	3
671	WP	10.0	68	35	1		PS	3
672	WP	5.4	53	20	2		PS	3
673	WP	13.1	51	55	1		PS	4
674	WP	17.2	62	60	1		PS	4
675	WS	7.3	38	30	2	split top	PS	4
676	BS	8.2	41	40	1		PS	4
677	WS	8.7	47	50	1		PS	4
678	JP	13.6	51	50	1		PS	4
679	WP	7.5	41	45	1	wpw, crook 1'	PS	4
680	WP	16.0	59	50	1	wpw, crook 6'. Split top @ 40'	PS	5
681	WP	15.3	64	55	1	wpw, crook 4' lower bole	PS	5
682	WP	11.9	62	50	1	wpw, crook 5'	PS	5
683	WP	13.6	62	60	1		PS	5
684	WP	16.9	74	50	1	wpw 5'; 3 forks upper crown	PS	6
685	WP	7.9	64	40	2		PS	6
686	RP	13.6	74	45	1		PS	6
687	RP	14.9	72	50	1		PS	6
688	RP	10.9	70	40	2	sweep 4'	PS	6
689	WP	5.5	42	35	2	lean 5°	PS	6
690	RP	12.7	74	45	1		PS	6
691	WS	8.0	40	40	1	crook 2'	PS	6
692	WP	6.6	50	50	1	sweep 8'	PS	6
693	WS	11.0	64	60	1	forked @ base; crook 2'	PS	7
694	WS	11.1	70	45	1		PS	7
695	WP	17.9	62	60	1	forked @ 20'; wpw; crook 4'	PS	7
696	WP	13.5	62	55	1	crook 6' upper bole	PS	7
697	WP	12.2	55	50	2	#	PS	7
698	QA	11.0	69	45	1		PS	7
699	RP	13.3	73	35	1	logging damage; lean 10°	PS	8
701	RP	11.7	72	30	1	logging damage	PS	8
702	RP	5.8	55	35	2		PS	8
703	RP	11.5	72	35	1		PS	8
704	RP	13.6	74	40	1		PS	8
705	RP	13.6	74	40	1		PS	8
706	RP	10.5	72	40	1		PS	8

Table 14: All Tree Data

Tag #	Species	DBH	HT	% Live Crown	Apparent Vigor	Damage category and severity	Site	Plot
707	WS	5.6	36	45	1		PS	8
708	RP	12.8	73	35	1		PS	8
709	RP	15.1	74	40	1		PS	8
710	RP	13.2	73	35	1		PS	8
711	RP	14.7	74	40	1		PS	8
712	WP	8.5	63	55	1		PS	8
713	RP	15.0	74	35	1		PS	9
714	WP	7.3	62	30	1		PS	9
715	WP	6.5	60	20	2		PS	9
716	WS	9.8	73	45	1		PS	9
717	RP	12.8	72	30	1		PS	9
718	WP	11.1	66	50	1	resin flow @ 10'	PS	9
719	QA	18.3	64	40	1	#	PS	9
720	WP	10.1	67	45	1		PS	9
721	WP	9.1	55	65	1		PS	10
722	RP	16.4	74	50	1		PS	10
723	WS	10.5	66	65	1	few witches brooms; 6" canker	PS	10
724	RP	12.7	68	45	1		PS	10
725	RP	13.9	74	45	1		PS	10
726	RP	11.1	74	40	2	canker 4 1/2' tall	PS	10
727	RP	17.5	74	40	1		PS	10
728	BF	5.1	36	75	1		PS	10
729	BF	6.5	45	65	1		PN	1
730	RP	13.8	72	35	1		PN	1
731	RP	15.3	74	35	1		PN	1
732	RP	14.1	73	40	1	crook 4' @ base	PN	1
733	PB	5.2	59	55	1		PN	1
734	RP	7.6	60	30	1		PN	1
735	WS	13.3	64	45	1		PN	1
736	WP	11.1	52	45	1		PN	2
737	WP	11.1	60	40	1		PN	2
738	WS	7.2	55	35	1		PN	2
739	WS	12.0	67	35	1		PN	2
740	PB	11.3	57	55	1		PN	2
741	WP	7.8	50	50	1		PN	2
742	WP	15.0	62	60	1		PN	2
743	WP	6.8	45	45	1		PN	2
744	WP	9.9	55	40	2		PN	3
745	PB	7.5	64	40	1		PN	3
746	WP	13.5	68	50	1		PN	3
747	WP	12.3	66	50	1	WPW 6'	PN	3
748	NWS	7.5	55	30	2	forked @ 9'; sapsucker damage	PN	3
749	PB	12.2	66	45	1		PN	3
750	WP	10.2	58	40	1	WPW 4'	PN	3
751	QA	12.5	66	40	1		PN	3
752	WP	9.7	63	50	1	WPW 4'	PN	4
753	RP	16.1	67	40	1		PN	4
754	WS	10.0	67	30	2	split top; resin flow near base	PN	4
755	WS	13.0	74	45	1		PN	4
756	WS	9.6	57	40	1	light LD	PN	4
757	RP	14.8	71	40	1		PN	4
758	WS	11.2	67	45	1		PN	5
759	WS	10.0	66	30	2		PN	5
760	WS	12.2	68	25	2		PN	5
761	WP	8.6	61	35	2		PN	5
762	WP	13.6	70	45	1	WPW 6'; sweep mid bole	PN	5
763	WS	11.6	67	40	1	crook 3' @ 35'	PN	5
764	WP	14.6	74	45	1		PN	5
765	WS	8.0	57	30	2		PN	5
766	WS	11.5	67	40	1		PN	5
767	WP	17.7	78	75	1		PN	6
768	BF	8.8	52	60	1		PN	6
769	WP	10.9	61	40	1		PN	6
770	WP	12.3	62	45	1	WPW 5'	PN	6

Table 14: All Tree Data

Tag #	Species	DBH	HT	% Live Crown	Apparent Vigor	Damage category and severity	Site	Plot
771	WP	12.4	75	70	1		PN	6
772	BF	5.3	42	30	2	2.5' canker from base - LD?	PN	6
773	NWS	7.1	41	45	1*		PN	6
774	WP	9.4	43	65	1		PN	6
775	BF	6.9	47	55	1		PN	6
776	WP	11.1	59	40	1	10' sweep	PN	7
777	WP	10.6	62	30	2	small open cankers @ 1', 2' & 5'	PN	7
778	WP	8.3	60	30	2		PN	7
779	WP	14.9	64	35	1	10° lean; canker @ base; swelling up 4'	PN	7
780	BF	6.8	59	20	2		PN	7
781	WP	16.2	67	45	1		PN	7
782	WP	11.5	63	40	1		PN	7
783	WP	12.4	63	45	1		PN	7
784	WS	13.1	66	40	1		PN	7
785	WP	10.7	64	40	1	split @ ground	PN	8
786	WP	12.7	66	40	1	split @ ground	PN	8
787	WS	12.8	69	40	1		PN	8
788	WP	18.9	78	50	1		PN	8
790	WP	13.0	60	40	1		PN	8
791	RP	15.4	72	40	1		PN	9
792	RP	16.2	72	45	1		PN	9
793	RP	13.9	72	35	1		PN	9
794	RP	15.4	72	35	1		PN	9
795	RP	16.4	72	40	1		PN	9
796	WS	11.8	70	40	1	resin flow 1st 2.5' from LD	PN	9
797	WP	10.9	64	45	1	severe LD 50%	PN	9
798	WP	15.4	75	60	1		PN	10
799	QA	10.6	60	35	1	FT (1/2 dead)	PN	10
800	WP	13.8	68	55	1	WPW 2 spots (2' each)	PN	10
801	WP	13.2	69	50	1		PN	10
802	BF	5.5	40	70	1	FT	PN	10
803	WP	15.0	68	50	1	3' canker (8'-11')	PN	10
804	WP	9.2	53	40	1	split top mid bole	PN	10
829	RP	14.2	73	35	1		PC	1
830	WP	8.7	58	50	1		PC	1
831	WS	7.8	58	15	2		PC	1
832	WP	12.4	70	40	1		PC	1
833	WP	5.8	32	20	2		PC	1
834	WS	8.7	56	40	1		PC	1
835	PB	9.9	62	50	1		PC	1
836	WS	7.2	57	15	3		PC	1
837	WS	7.6	45	20	3		PC	2
838	WS	10.5	70	40	2		PC	2
839	WP	9.7	68	30	1		PC	2
840	WS	10.7	70	40	1		PC	2
841	WP	10.3	75	50	1		PC	2
842	WS	7.8	45	45	1		PC	2
843	WS	5.6	45	35	2		PC	2
844	WS	8.8	65	50	1		PC	2
845	PB	5.9	55	50	1		PC	2
846	WP	9.6	63	50	1		PC	2
847	QA	12.8	85	40	1		PC	2
848	WS	10.4	68	50	2		PC	2
849	WS	6.9	65	20	3		PC	2
850	WP	5.8	20	10	3	WPW	PC	2
851	WS	12.0	72	70	1		PC	2
852	RP	14.8	76	40	1		PC	3
853	WS	12.5	66	40	1		PC	3
854	RP	18.3	69	45	1		PC	3
855	WS	14.6	60	60	1		PC	4
856	WP	9.6	44	60	2	seem; some WPW	PC	4
857	WS	10.6	67	50	1		PC	5
858	WS	10.9	67	50	1		PC	5
859	RP	15.8	76	40	1		PC	5

Table 14: All Tree Data

Tag #	Species	DBH	HT	% Live Crown	Apparent Vigor	Damage category and severity	Site	Plot
860	WS	6.0	58	15	3		PC	5
861	RP	13.1	74	45	1		PC	5
862	WS	8.7	65	40	2		PC	5
863	WS	9.1	63	50	1		PC	5
864	WS	7.7	63	40	1		PC	5
865	WS	5.7	58	50	1		PC	5
866	PB	7.6	72	55	1		PC	5
867	PB	6.1	72	50	1		PC	5
868	RP	15.5	76	45	1		PC	5
869	BF	5.7	38	25	2		PC	6
870	PB	6.1	50	40	1		PC	6
871	WS	15.3	78	60	1		PC	6
872	WP	13.3	68	45	1		PC	6
873	WP	7.1	58	40	1		PC	6
874	BF	5.4	45	40	1		PC	6
875	BF	6.0	49	45	1		PC	6
876	BF	7.3	48	45	1		PC	6
877	WS	9.4	55	30	2		PC	6
878	PB	8.4	55	55	1		PC	6
879	WP	9.0	65	20	2	WPW; 10° lean	PC	7
880	WP	15.4	75	45	1		PC	7
881	QA	13.8	80	45	1	6' crook	PC	7
882	WS	15.6	75	50	1		PC	7
884	WP	6.8	60	35	1		PC	8
885	QA	6.6	66	30	1		PC	8
886	QA	6.1	66	15	2		PC	8
887	QA	11.8	72	45	1		PC	8
888	WP	6.2	60	40	1		PC	8
889	WP	9.3	65	55	1		PC	8
890	WP	10.5	65	35	1		PC	8
891	WP	10.9	67	30	1		PC	8
892	RP	14.0	74	25	1		PC	8
893	RP	19.3	82	35	1		PC	9
894	WS	11.2	64	40	1		PC	9
895	RP	11.2	72	30	1		PC	9
896	WP	7.6	58	40	1		PC	9
897	WP	8.1	74	45	1		PC	9
898	WS	11.1	75	50	1		PC	9
899	PB	6.5	62	60	1		PC	9
900	WS	9.2	71	30	1		PC	10
901	WS	9.9	71	25	2		PC	10
902	WS	7.9	71	35	1		PC	10
903	WP	7.8	64	40	1		PC	10
904	WP	15.6	80	50	1		PC	10
905	WS	8.1	71	25	2		PC	10
906	WP	12.1	75	35	1	20° lean; roots exposed	PC	10
907	WS	7.8	68	35	1		PC	10
908	WS	11.0	72	45	1		PC	10
909	WS	7.6	72	30	1		PC	10
910	WS	8.8	69	40	1		PC	10
911	WS	9.4	74	45	1		PC	10

Table 15: Litter Weights for All Sites

Site	Plot	Grams	Depth	Estimated Weight in Grams	ave	se	tons/acre	se	
13-10E		376.15	2.00	375.5					
13-1E	1				311.0281	68.78476	15.12097	3.344045	13-1e
13-1E	2		3.00	554.9					
13-1E	3		1.00	196.1					
13-1E	4		1.00	196.1					
13-1E	5		0.25	61.55					
13-1E	6								
13-1E	7		2.50	465.2					
13-1E	8		3.00	554.9					
13-1E	9		1.75	330.65					
13-1E	10		0.63	128.825					
13-1W	1		1.00	196.1	203.575	24.79177	9.897017	1.205278	13-1w
13-1W	2		0.38	83.975					
13-1W	3								
13-1W	4		1.00	196.1					
13-1W	5		1.00	196.1					
13-1W	6		1.00	196.1					
13-1W	7		2.00	375.5					
13-1W	8		1.00	196.1					
13-1W	9		1.00	196.1					
13-1W	10		1.00	196.1					
37_5w	1	73.58	0.25	61.55	103.5969	39.40075	5.036473	1.91551	37-5w
37_5w	2	78.66	0.25	61.55					
37_5w	3	43.15	0.25	61.55					
37_5w	5	23.11	0.25	61.55					
37_5w	6	96.62	0.50	106.4					
37_5w	7	30.24	0.13	39.125					
37_5w	8	377.2	2.00	375.5					
37_5w	9	130.3	0.25	61.55					
37_5w	10	57.5							
37-1	1		0.19	50.3375	89.58125	16.56771	4.355088	0.805457	37-1
37-1	2		0.13	39.125					
37-1	3		0.56	117.6125					
37-1	4								
37-1	5		0.63	128.825					
37-1	6		0.31	72.7625					
37-1	7								
37-1	8		0.63	128.825					
37-1	9								
37-1	10								
38_69	2	94.3	0.50	106.4	80.28733	12.4035	3.903255	0.603009	38-69
38_69	3	48.7	0.25	61.55					
38-69	1		0.75	151.25					
38-69	2								
38-69	3		0.25	61.55					
38-69	4		0.13	39.125					
38-69	5								
38-69	6		0.50	106.4					
38-69	7		0.25	61.55					
38-69	8		0.13	39.125					
38-69	9								
38-69	10		0.44	95.636					
13-10	1		0.13	39.125	110.3981	31.96775	5.36712	1.554147	13-10
13-10	2		0.25	61.55					
13-10	3								
13-10	4		1.00	196.1					
13-10	5		0.13	39.125					

Table 15: Litter Weights for All Sites

Site	Plot	Grams	Depth	Estimated Weight in Grams	ave	se	tons/acre	se	
13-10	6								
13-10	7		0.16	44.6864					
13-10	8								
13-10	9		0.75	151.25					
13-10	10		1.25	240.95					
pn	10		0.75	151.25	183.2857	33.49737	8.910631	1.628511	pn
pn	1		1.00	196.1					
pn	2		0.75	151.25					
pn	3								
pn	4								
pn	5		0.75	151.25					
pn	6		2.00	375.5					
pn	7		0.50	106.4					
pn	8								
pn	9		0.75	151.25					
ps	1		0.38	83.975	151.25	15.28006	7.353181	0.742857	ps
ps	2		0.75	151.25					
ps	3		1.00	196.1					
ps	4		0.75	151.25					
ps	5		0.50	106.4					
ps	6								
ps	7		0.75	151.25					
ps	8								
ps	9		1.13	218.525					
ps	10		0.75	151.25					
pc	1		0.00	16.7	81.7325	22.41115	3.973513	1.089542	
pc	2		1.00	196.1					
pc	3		0.25	61.55					
pc	4		0.50	106.4					
pc	5		0.25	61.55					
pc	6		1.00	196.1					
pc	7		0.38	83.975					
pc	8		0.25	61.55					
pc	9		0.00	16.7					
pc	10		0.00	16.7					

**Table 16: Soil Information on Tax Biomass**

Old root	Depth	Color moist	Mottles	Texture	Grade	Structure		Moist Consistence	Coarse Fragments
						Size	shape		
A	0-1.5	10YR3/2	No	Sandy loam	High	Small	Sab	soft	0
Eg	1.5-7	10YR6/1	Yes	Silt Loam	High	Coarse	Platy	firm	0
Btg	7.0-20	10YR5/4	Yes	Silt Clay		Coarse	Platy		0
Cg	20+	10YR 6/3	Yes	Clay		Coarse	Platy	No roots	0

Pitcha									
A	0-2	5YR 3/2	NO	Sandy Loam	mod	small	sab	very friable	15%
B	2.0-10	5YR 4/4	NO	Gravelly loamy sand	mod	small	sab	friable	15%
2C	10+	5YR 4/4	NO	very gravelly sand	None				60%

Caribou									
O	1.0-0								
A	0-1.5	7.5YR3/3	NO	Loam	Mod	fine	Sab	Friable	5
Bw1	1.5-8	7.5YR 4/4	NO	Sandy loam	Mod	fine	Sab	Friable	5
Bw2	8.0-15.0	7.5YR 4/6	NO	Sandy loam	Mod	fine	Sab	Very friable	20
2Cd1	15.0-21.0	10YR 3/6	NO	gravelly loamy sand	High	Mod	Sab	Firm	20
2Cd2	21+	10 YR 4/6	NO	gravelly loamy sand	High	Mod	Sab	Friable	20

No roots

Table 17

Re: 12 soil samples submitted May 17, 2007

Results emailed: May 25, 2007

<u>Sample No.</u>	<u>Sample ID</u>	<u>pH</u>	<u>O.M %</u>	<u>P ppm</u>	<u>K ppm</u>	<u>Ca ppm</u>	<u>Mg ppm</u>	<u>Total N %</u>
1	ORA Old Root A out	5.9	9.2	16	218	1798	276	0.32
3	ORE Old Root E out	5.4	1.7	9	89	639	183	0.05
4	ORBT OR BE out	6.6	2.0	13	257	2573	1055	0.05
2	ORC Old Root C out	7.9	1.4	122	162	2322	790	0.05
7	PA Pitcha A out	5.0	7.0	4	74	810	98	0.17
6	PB1 Pitcha B1 out	5.5	2.5	3	29	235	34	0.07
5	P2C Pitcha 2 C out	5.7	1.9	6	37	308	53	0.05
11	A 38/69 A out	5.0	13.3	8	125	1627	181	0.33
10	Bw1 38/69 Bw1 out	4.9	3.7	8	48	599	91	0.11
12	RW2 38/69 Bw 2 out	5.2	4.1	5	29	634	74	0.10
8	2 cd 1 2 cd2 out 38/69	5.5	1.8	13	38	521	58	0.04
9	2 cd 2 2 cd2 38/69 out	5.6	1.6	18	45	638	72	0.04

Soil and Plant Analysis Lab  
8452 Mineral Pt. Rd.  
Verona, WI 53593

Phone: (608) 262-4364

Fax: (608) 833-1277